

Halfords

*The
shop for*
CYCLISTS

CATALOGUE FOR 1955
CYCLIST'S ACCESSORIES AND ELECTRICAL GOODS

TO OUR CUSTOMERS

THE variety of goods shown in the Halford Catalogues for 1955 is much larger than we have been able to present for the past few years, but once again we remind our customers that no catalogue can give all the information that may be required, just as it cannot properly convey the differences in quality and finish which you will wish to consider before you make a purchase.

Our Catalogues are designed to interest and help you, but you will not fully appreciate all the advantages of shopping at Halfords until you have visited one of our 226 Branches. Here you will find the biggest variety of Cycling Accessories to be seen anywhere. Different patterns can be compared, and advice is always available from experienced Salesmen who really understand the goods which they are offering.

Your nearest Halford Branch can show you far more than we are able to print in these pages, and although we are always pleased to execute your orders through the post, it is much more satisfactory to see the goods for yourself.

GIFT TOKENS

The best presents for Cyclists come from Halfords, and the certain way to ensure that your gift is "just right" is to use Halfords Gift Token scheme. Obtainable in values of 5/-, 10/- and £1; these tokens can be exchanged at any Halford Branch throughout the Country. Cycling Club Secretaries find these tokens make ideal prizes, too.

A.Y.R. CLUB

Halford A.Y.R. Club is a Christmas club that is in operation "All the Year Round". You pay what you like when you like. Our Branch Managers will be pleased to give you full particulars.

ALTERATION IN PRICES

Although we have taken every care to see that the prices given in this Catalogue are correct up to the time of printing, owing to Government restrictions, prohibitions and orders over which we have no control, and owing to the ever changing cost of raw materials and labour, we reserve the right to alter any prices or amend any descriptions shown in this list.

CARRIAGE AND POSTAL CHARGES

Unless instructed to the contrary, goods will all be sent C.O.D. If customers require them sent carriage paid, the cost of carriage must be included in their remittance.

THE HALFORD CYCLE CO. LTD.

Head Office: 239 CORPORATION STREET, BIRMINGHAM 4

RALEIGH CYCLES


LENTON SPORTS



Frame: 21 in. and 23 in. Reynolds "531" tubing, entirely brazed-up. Cut-away lugs and pencil backstays. Angles: Head 73°: Seat 71°. Fork: "D" blades with solid ends. Wheels: 26 in. x 1 1/4 in. Endrick rims. Tyres: Dunlop Speed with "Air-seal" tubes and pressure valves. Cranks: 6 1/2 in. fluted. Chainwheel: 46T 3-star arm with detachable ring. Chain: Renold "Elite". Pedals: Raleigh "Quill" pattern. Ladies—3 1/2 in. rubber. Handlebar: Maes pattern with 2 1/2 in. extension. Ladies—special design. R.L. Silver Grey sleeve grips. Brakes: Raleigh calliper. Mudguards: White celluloid with twin detachable stays. Mudflap. Saddle: Brooks B15 with chromium-plated undercarriage. Finish: Choice of special super-chromatic Lenton Green with Cream lining. Flamboyant Royal Carmine with Gold lining, or Flamboyant Electric Blue with Cream lining. All colours have attractive transfers. Frames and forks are enamelled on spru-bonderized rust-proof surface. Usual bright parts Raleigh chromium-plated. Fittings: Kitbags, tools, inflator, reflector, fork lamp bracket. Gear: S.A. 4-spd. £19 6 6

Terms: £1 deposit and 38 weekly payments of 11/5 or 58/6 deposit and 52 weekly payments of 7/7

SUPERBE SPORTS TOURIST



Frame: 21 in. and 23 in. Built of Raleigh produced "2328" high tensile steel tubing entirely brazed up. Wheels: 26 in. x 1 1/4 in. stainless steel rims of Raleigh patent design. Stainless steel spokes. Gear and Lighting: Sturmey-Archer Dyno-four with patent "Flick" trigger control and patent Dyno-luxe filter switch unit. Patent Front Fork Lock: in fork crown. Pedals: Rubber. Handlebar: North Road raised. Special rubber cushion grips Brakes: Raleigh calliper Mudguards: Ribbed section with fixed stays and spearpoint extension. Mudflap. Saddle: Gent's — Brooks B83 extra wide, 3-coil spring of Terry's spring seat. Ladies — Terry's or Brooks B66L. Finish: Special Raleigh Green enamel on spru-bonderized rust-proof surface. Gold lining. Usual bright parts Raleigh chromium-plated. Fittings: Light alloy prop-stand, Lucas bell, coloured kitbag, tools, inflator, reflector ... £23 19 6

Terms: £1 deposit and 38 weekly payments of 14/3 or 72/- deposit and 52 weekly payments of 9/5

226 Branches in England, Scotland and Wales

HALFORD CYCLES



Net Cash Price **£13 18 6** (Tax paid)
 Terms: **£1** deposit and 38 weekly payments of **8/-** or **42/-** deposit and 52 weekly payments of **5/6**

HALFORD SPORTS LIGHT ROADSTER

Frame: Gent's 21 in. and 23 in. Lady's 21 in. only. Cutaway lugs. Entirely brazed up. "D" fork blades with solid ends. Brazed on pump pegs. Wheels: 26 x 1 1/2 in. Endrick. Hubs: Bayliss-Wiley. Tyres: Dunlop Speed. Gears: 18T freewheel. Chainwheel: 46T with 6 1/2 in. cranks. Pedals: rubber. Handlebar: North Road raised or All Rounder. Adjustable stem. Brakes: Monitor Sheerline. Mudguards: All steel Black or White. Saddle: Leatheries 71 or Spring Seat **£13 6 6**

Finish: Superior Black enamel, lined Red and Gold. Colours: Optional extra, Flamboyant Magenta or Green, suitably lined. Bright parts chromium-plated. Fittings: Kitbag, inflator and reflector, chainguard on Lady's.



Net Cash Price **£13 6 6** (Tax paid).
 Terms: **£1** deposit and 38 weekly payment of **7/9** or **40/6** deposit and 52 weekly payments of **5/4**

Additional equipment available on these models.

Flamboyant colour	9 6
Oilbath gearcase	2 0 0
Sturmey-Archer 3-speed AW	2 5 7
Sturmey-Archer 4-speed FW	2 11 6
Sturmey-Archer 6 volt. front dyno.	2 11 6

HALFORD SPORTS

Frame: Gent's 21 in. and 23 in. Lady's 21 in. only 72° head, cutaway lugs. "2030" special steel tubing, entirely brazed up. "D" fork blades with solid ends. Brazed on pump pegs. Wheels: 26 x 1 1/2 in. Endrick. Hubs: Bayliss-Wiley. Tyres: Dunlop White Sprite. Chainwheel: 46T, 6 1/2 in. cranks. Pedals: Gent's; sports rat trap. Lady's; 3 1/2 in. rubber. Handlebar: Pelissier or All Rounder. Shockstop grip. Adjustable stem. Brakes: Monitor Sheerline. Mudguards: All steel ribbed, enamelled White with chrome-plated tip. Saddle: Lycett's L15N or Lycett's spring seat. Finish: Attractive colours — Flamboyant Crimson, Magenta, Brilliant Green or Brilliant Red, suitably lined. Bright parts chromium-plated. Fittings: Touring bag, tools, inflator, reflector.


£13 18 6

Additional equipment available on these models.

Simplex 3-sp.	£2 4 0
Cyclo 3-sp.	£2 16 8
S.A. AM	£2 6 5
S.A. FM	£2 13 1
S.A. Front Dyno	£2 11 6
Celluloid guards	3 6

HALFORD CYCLES

HALFORD APOLLO




Net Cash Price **£12 19 6** (Tax paid)
 Terms: **£1** deposit and 38 weekly payments of **7/5** or **39/-** deposit and 52 weekly payments of **5/1**

Frame: Ladies' and Gent's 21 in. and 23 in. Built of best quality steel tubing. "D" fork blades. Wheels: 26 x 1 1/2 in. Westwood. Gear: Single, 18T freewheel. Bayliss-Wiley hubs. Tyres: Dunlop. Chainwheel: Ladies' 44T, Gent's 48T. Pedals: Rubber. Handlebar: North Road raised with roller lever brakes. Mudguards: All steel ribbed with chrome-plated tip. Saddle: Leatheries No. 711. Finish: Best Black enamel, lined Red and Gold. Usual bright parts chromium-plated. Fittings: Kit bag, tools, inflator and reflector **£12 19 6**

Additional equipment available on these models.

Sturmey-Archer 3-speed gear AW	£2 0 9
Sturmey-Archer 4-speed gear FW	£2 5 7
Sturmey-Archer 6 volt. front dyno-hub	£2 11 6
Sturmey-Archer dyno-three combined 3-speed gear and 6 volt. dyno-hub with dry battery unit	£4 15 9

HALFORD JUVENILE



Frame: Girls' and Boys' 18 in. Built of best quality steel tubing. Wheels: 24 in. x 1 1/2 in. Westwood. Tyres: Dunlop Roadster. Pedals: 3 1/2 in. rubber. Handlebars: North Road raised with front and rear brakes. Saddle: Brook's leather. Chainguard: Girls' model only. Finish: Black lined Green, Flamboyant Crimson, Magenta, Brilliant Green or Brilliant Red, with self-colour mudguards. Bright parts chromium-plated. Fittings: Tool bag, tools, inflator, and reflector.

Net Cash Price (Tax paid) **£12 9 6**

Terms: **£1** deposit and 38 weekly payments of **7/1** or **37/6** deposit and 52 weekly payments of **4/11**

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

Ask for separate leaflet of Halford Cycles

JUVENILE CYCLES & TRICYCLES



Prince

GIRL'S AND BOY'S

Frame: 18 in. Built of best quality tubing. Wheels: 20 in. x 1 3/8 in. Westwood. Tyres: Dunlop. Gear: Single, freewheel. Pedals: Rubber. Handlebar: North Road raised with front and rear brakes. Fitted chainguard. Finish: Flamboyant Crimson, Magenta, Brilliant Green or Brilliant Red. Bright parts chromium-plated. Fittings: Tool bag, tools, inflator, reflector.

Net Cash Price (Tax paid) .. £10 19 6

Terms: £1 deposit and 38 weekly payments of 6/2 or 33/- deposit and 52 weekly payments of 4/4


Tinybike

GIRL'S AND BOY'S

Frame: 16 in. Built of best quality tubing. Wheels: 16 in. x 1 1/8 in. Westwood. Tyres: Dunlop. Pedals: Rubber. Handlebar: North Road raised with two brakes. Fitted chainguard. Finish: Flamboyant Crimson, Magenta, Brilliant Green or Brilliant Red. Bright parts chromium-plated. Fittings: Tool bag, tools, inflator, reflector, rear carrier, and stand.

Net Cash Price (Tax paid) £10 16 3

Terms: £1 deposit and 38 weekly payments of 6/2 or 33/- deposit and 52 weekly payments of 4/4



Royal Scot Tricycle

Frame: Built of best quality cycle tubing. 14 in. or 16 in. with ball bearing fully adjustable head and bottom bracket. Handlebar and Front Brake: North Road raised, expander bolt fitting with roller lever rim brake. Wheels: 14 in. or 16 in. ball bearing cycle type front hub. Free-wheel on rear axle. Tyres: Dunlop puncture proof. Fitted chainguard giving complete protection from moving parts. Finish: Flamboyant Crimson, Magenta, Brilliant Green or Brilliant Red with White chainguard. Bright parts chromium-plated.


Net Cash Price: 14 in. (Tax paid) £8 12 6

Terms: £1 deposit and 38 weekly payments of 4/10 or 26/3 deposit and 52 weekly payments of 3/5

16 in. (Tax paid) £8 19 6

Terms: £1 deposit and 38 weekly payments of 4/11 or 27/- deposit and 52 weekly payments of 3/6

Car Boot type available at every Halford's Branch 14/6 extra.



Raleigh Winkie

Frame: Twin tube, brazed throughout. Handlebar and Front Brake: North Road raised, roller lever front rim brake. Wheels and Tyres: 16 in. rims. Dunlop "Air-sprung" puncture-proof tyres. Pneumatics available at extra charge. Freewheel on rear axle. Mudguards: Deep section. Chainguard: Designed for complete protection. Bottom Bracket: Standard cycle design. Pedals: 3 in. rubber. Bearings: Fully ball bearing throughout. Front metal basket. Fittings: Tool bag. Finish: Bright Red or Worcester Blue; mudguards, metal basket and chainguard finished White. Bright parts chromium-plated.


Price (Airsprung Tyres) (Tax paid) .. £9 9 6

Terms: £1 deposit and 38 weekly payments of 5/3 or 28/6 deposit and 52 weekly payments of 3/9



HALFORD COVERS


Halford Covers are offered with every confidence based on years of experience, and we feel certain they will give satisfactory service so that when next you are in need of a Cover you will ask for and see that you get the same make again. Next time you need a new tyre ask to see the Halford range.



HALFORD RENSHAW COVERS

The full-value cover for the keen cyclist.

26 x 1 3/8, 26 x 1 1/2, 26 x 1 1/4,
28 x 1 1/2 in. 12/-




HALFORD

TUFFWEAR COVERS

For long life under tough conditions.

26 x 1 3/8, 26 x 1 1/2, 28 x 1 1/2 in. 12/9




HALFORD

SPEED COVERS

A lively tyre for touring or pleasure riding.


26 x 1 1/4 in. 11/-

HALFORD CYCLE TYRES



ZULU

Good quality at a low price.
26 x 1 1/4 in. .. 11/-



TRANSPORT

The Carrier Type — made to stand hard wear.

26 x 1 1/4 in. 16/8
20 x 2 x 1 1/4 in. 17/2
14 x 2 x 1 1/4 in. 16/11

HALFORD TUBES

HALFORD

26 x 1 3/8 in. 5/9
26 x 1 1/2 in. 5/9
28 x 1 1/2 in. 5/9
26 x 1 3/8 in. (fitted with Schrader valve) .. 6/3

SPEED

26 x 1 1/4 in. 5/5

RENSHAW

26 x 1 1/4, 26 x 1 3/8, 26 x 1 1/2 in. 5/5
28 x 1 1/2, 22 x 1 3/8, 24 x 1 3/8 in. 5/5

HALFORD TRANSPORT


14 x 2 x 1 1/4 in. 4/10
20 x 2 x 1 1/4 in. 5/9
26 x 1 1/4, 26 x 2 x 1 1/4 in. 6/-

RENSHAW JUVENILE

12 x 1 3/8, 14 x 1 3/8, 16 x 1 3/8, 18 x 1 3/8,
20 x 1 3/8 in. 4/8

DUNLOP CYCLE TYRES

DUNLOP




	PRICE	
	Covers	Tubes
ROADSTER		
28 x 1 1/2, 28 x 1 1/2, 28 x 1 1/4 in.	13/-	6/2
26 x 1 1/2, 26 x 1 1/2, 26 x 1 1/4 in.		
26 x 1 in.		
24 x 1 1/2, 24 x 1 1/4 in.		
22 x 1 in.		
WITH BEADED EDGE		
28 x 1 1/2, 28 x 1 1/2 in.	15/10	
26 x 1 in.		
CAMBRIDGE		
28 x 1 1/2 in.	11/11	5/9
26 x 1 in.		
WHITE SPRITE		
26 x 1 1/4, 26 x 1 1/2 in.	16/2	—
27 x 1 1/4 in.		
SPEED		
26 x 1 1/2 in.	15/-	—
26 x 1 in.		
27 x 1 in.		
SPRITE TANDEM		
26 x 1 1/2 in.	18/8	6/2
SPORTS		
26 x 1 in.	11/11	5/5
26 x 1 in.		
JUNIOR		
20 x 1 in.	8/8	4/8
18 x 1 in.		
16 x 1 in.		
14 x 1 in.		
12 x 1 in.		
11 x 1 in.		
FORT		
26 x 1 1/2 in.	20/-	6/11
28 x 1 1/2 in.		

	PRICE	
	Covers	Tubes
CARRIER		
26 x 1 1/2 in. B/E	21/6	6/5
26 x 1 1/2 in.	18/8	6/5
26 x 1 1/2 in.	18/8	6/11
14 x 2 1/2 in.	21/6	6/11
14 x 2 x 1 1/2 in.	17/11	5/5
12 1/2 x 2 1/2 in. R	24/7	7/2
26 x 2 x 1 1/2 in.	23/11	6/5
26 x 2 x 1 1/2 in. Oversize	23/11	6/5
20 x 2 1/2 in.	25/7	6/11
20 x 2 x 1 1/2 in.	18/10	6/2
TOURIST SPRITE		
26 x 1 1/2, 26 x 1 1/2 in.	18/8	—
28 x 1 1/2 in.		
CHAMPION		
28 x 1 1/2, 28 x 1 1/2, 28 x 1 1/2 in.	10/11	5/5
26 x 1 1/2, 26 x 1 1/2, 26 x 1 1/2 in.		
26 x 1 1/2 in.		
24 x 1 1/2, 24 x 1 1/2 in.		
22 x 1 1/2 in.		
ROAD RACING HIGH PRESSURE		
27 x 1 1/2 in.	18/8	6/2
26 x 1 1/2 in.		
SPRITE		
27 x 1 1/2 in.	15/-	5/9
26 x 1 1/2, 26 x 1 1/2 in.		
TANDEM		
26 x 1 1/2, 26 x 1 1/2 in.	16/11	6/2
BALLOON		
12 1/2 x 2 1/2 in.	12/4	7/11
AIRSPRUNG TYRES		
14 x 1 1/2 in.	14/4	—
16 x 1 1/2 in.	15/10	—
DUNLOP MOTORETTE COVERS		
26 x 1 1/2, 26 x 1 1/2 in.	16/11	—
26 x 1 1/2 x 1 1/2, 28 x 1 1/2 in.	18/8	—
Tubes (fitted with Schrader Valve)		6/6
Tubes fitted with Schrader Valves. 7d. extra.		


CEMENT AND COMPOUNDS		
Dunlop G.P. Adhesive, Black		2/9
Bostik Sealing Compound No. 692		
Tubes		3/6
Bostik Compound No. 1651 Tins		3/3
Holdtite Cement, Non-flam. White		1/6
Dunlop Upholstery Solution		
1-pt. Tins		3/6
Dunlop Upholstery Solution		
1-qt. Tins		6/6

PRAM TYRING		
Plain grey. Wired-on. Prices per foot.		
	s. d.	s. d.
1/2 in.	3 1/2	1 1/2
3/4 in.	5	1 4 1/2
1 in.	5 1/2	1 8 1/2
1 1/4 in.	9 1/2	1 11

PALMER



PALMER COVERS		
Pilot		
26 x 1 1/2 in.	10/11	
26 x 1 1/2 in.	10/11	
Translucent Sports		
26 x 1 1/2 in.	13/-	
26 x 1 1/2 in.	13/-	
Translucent Tandem		
26 x 1 1/2 in.	16/11	
PALMER TUBES		
26 x 1 1/2, 26 x 1 1/2, 26 x 1 1/2, 28 x 1 1/2 in.	5/5	




TYRE REPAIR SUNDRIES

Outfits		
Halford de Luxe	1/6	
Halford Royal	1/-	
Dunlop Long	1/6	
John Bull Oblong	1/6	
Romac Cure C. Cure (self vulcanizing)	1/9	
RUBBER SOLUTION		
Halford Rubber Solution		
Small tubes No. 2	3d.	
Large tubes No. 4	4 1/2d.	
Flasks	8d.	
Dunlop small tubes	4 1/2d.	
Dunlop large tubes	6d.	
John Bull large tubes	6d.	
Punctureproof, tubes	3/6	

AVON & PALMER CYCLE TYRES

AVON




AVON JUVENILE COVERS		
Juvenile, 12 x 1 1/2, 14 x 1 1/2,		
16 x 1 1/2, 18 x 1 1/2, 20 x 1 1/2, ..		8/8
22 x 1 1/2, 24 x 1 1/2 in. ..		10/11

TYRE REPAIR SUNDRIES

PATCHING SHEETS		
Halford Nigger Gum		
Medium 4 x 3 in. R.6802		5 1/2d.
12 x 4 in. R.1634 ..		1/7
VALVE TUBING		
Halford Golden Valve Tubing .. Pkt.		3d.
REPAIR CANVAS		
12 x 3 in. ..		9d.
JOHN BULL PATCHES		
Packets of 7 ..		4d.
RIM TAPES		
Cotton Rim Tapes ..		6d.
Rubber Rim Tapes ..		1/-
DUSTING CHALK		
Halford Dusting Chalk 12 oz. boxes		11d.

CYCLE LAMPS

DYNAMO SETS




LUCAS

King Minor. A lightweight streamlined model, incorporating a small car style "Light Unit" of unique design. The single bulb light unit projects an intense spot beam with ample local


illumination. Complete with twin cable and C.D.33A. Dynamo with combined 1½ in. tail lamp.

Silver finish .. 34/6 Chrome finish .. 37/-



King Sports. Long Stream-lined Headlamp with 2¼ in. Light Unit. The choice of the lightweight enthusiast.


Silver finish .. 36/6 Chrome finish .. 39/-
Details as above.




King Major. 4 in. Headlamp with twin bulb car lighting unit. 1½ in. rear lamp.

Optically designed lens with special bulb shield. Provision for standby battery operated by two-way switch. Less battery.

Silver finish .. 42/6 Chrome finish .. 47/6



Lucas Ambassador. Headlamp incorporates the large Light Unit with single bulb. The lens rim illuminates to provide all round visibility without upward glare. Complete with C.D.33A. Dynamo and combined 1½ in. tail lamp. Silver finish .. 39/6




Model 683 Dynamo Set. Single bulb headlamp with 6 volt, 3.3 watt dynamo and streamlined 1½ in. rear lamp.

Silver .. 32/6
Chrome .. 35/-

FORMOTORIZED CYCLES

A Head and 1½ in. Tail Lamp Set specially designed for use on power assisted cycles. Complete with specially matched bulbs, and twin cables. Finished in Black with chromium-plated rim. VS.431 26/-




DYNAMO UNITS

This lightweight high efficiency generator No. C.D.33A is supplied with all the Lucas sets shown on this page. 6 volt, 3.3 watts, weight 2¼ ounces. 20/-


TAIL LAMPS ONLY

This streamlined King Torpedo model has a Red transparent lens, 1½ in. diameter, providing an intense light to the rear with a very wide angle of visibility. Weight 1½ ounces. VCT.88 .. 4/-




CYCLE LAMPS

DYNAMO SETS




MILLER


Sports Streamlined Model with 2¼ in. torpedo headlamp. 1½ in. rear lamp. Single bulb model. All chrome headlamp. 6 volt lightweight dynamo, incorporating tail lamp. V.535T/C .. 32/6



Twin Bulb Headlamp with provision for standby battery. In Black or Silver-grey finish with chrome rim. Lightweight 6 volt dynamo with tail lamp incorporated. V.536T .. 37/6



Twin Bulb Headlamp Set as V.536T., but with all chrome headlamp. 6 volt lightweight dynamo and 1½ in. rear lamp. V.537T .. 42/6




FOR "MOTORIZED" CYCLES

Head and 1½ in. Tail Lamp Set for power-assisted cycles complete with all cables. V.6TM .. 25/-

SPECIAL OFFER DYNAMO SETS


Complete 6 volt Dynamo Set with single bulb headlamp, 1½ in. rear lamp and all cables. V.1248 .. 24/11
Headlamp and Dynamo only with cable. Less rear lamp. VST.24S .. 21/-




CYCLE LAMPS

REPLACEMENT DYNAMOS AND LAMPS


All Rear Lamps except V.4975 have 1½ in. Red Lens to conform with new regulations which come into operation 1st October, 1955.



Torpedo shaped replacement Dynamo Headlamp, heavily chrome-plated on brass. V.5669 9/6



Replacement 6 volt 3 watt Dynamo, British made and guaranteed. V.1180A .. 14/6



Stadium 1½ in. large aperture Dynamo Rear Lamp, with all-round visibility, less bulb. V.525 2/6



Starlight Dynamo Rear Lamp, 1½ in. diameter, plastic body, less bulb. V.1268 .. 2/6



Hawk Torpedo Pattern with bracket. Black or Silver. 1½ in. diameter. V.4820 .. 3/-



Sparto combined 1½ in. Dynamo Rear Lamp and approved reflector. Less bulb. Mudguard fitting. V.1112 5/-

Miniature ¾ in. Rear Lamp, Black or Silver plastic or polished alloy, less bulb. V.4975 1/9
As used for various signalling purposes.

REAR REFLECTORS

All reflectors are of approved design and size.



Bluemels prismatic mudguard clip fitting Reflector. 1½ in. diameter. G.4 .. 2/3




Stadium 1½ in. Reflector. Rubber moulded body, one bolt fixing. G.5680 .. 1/-
Lucas rubber moulded mudguard fitting Reflector. 1½ in. diameter. G.4314 .. 1/3



Stay fitting Reflector 1½ in. diameter lens. G.1275 1/3



Bluemels prismatic flush fitting mudguard Reflector. 1½ in. diameter. G.51 .. 1/6



Fairlylight mudguard clip fitting Reflector. 1½ in. diameter. G.4112 .. 1/6

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

CYCLE LAMPS

FRONT LAMPS


SPECIAL VALUE

A good quality front lamp, 2½ in. front, complete with battery. V.800B 4/9



EVER-READY

Black or Coloured. Special waterproof sliding switch at rear. 2½ in. reflector. Complete with battery. V.2306 .. 5/-



EVER-READY

A new Ever-Ready front lamp with octagonal perspex lens, giving side radiation of light. Complete with battery. V.2536 5/3




STARLITE

2½ in. front for twin cell battery, with clear plastic lens, giving all round visibility. Complete with battery. V.1250 5/11




Streamlined Silver Hawk. The modern cycle lamp. Complete with battery. V.0691. 6/2



LUCAS


A lamp of original design incorporating switch at rear of reflector unit. Complete with battery. V.40 6/3



HAWK

Black or Silver, 3½ in. front. Side opening. With sliding switch. Complete with battery. V.4071 7/8

Hawk three-colour lamp. Variable knob operates Red, Amber or Clear output. Suitable for front lamp, rear lamp or fog lamp. Complete with battery. V3C/800 8/9




REAR LAMPS

All Rear Lamps have 1½ in. Red Lens to conform with new regulations which come into operation, 1st October, 1955.


PIFICO

Special unit rear lamp. Modern protruding design. Silver-grey finish, complete with battery. V.1221 2/5½



"G.E.C."

A unit rear lamp complete with bracket, battery and bulb. V/BA.152 3/0½



EVER-READY

The new Ever-Ready unit rear lamp. Large Red lens ensures good visibility "All Round". Complete with battery. V.2339 3/0½



EVER-READY

Twin cell long-life rear lamp. N.P.L. approved Red reflector lens, heavy gauge bracket. Complete with battery. V.2308 5/6




REPLACEMENT BATTERIES

Unit cell U.2 size 6½d.
Twin cell V.800 size 1/3

REAR LAMP CONNECTORS

The Halford special connector, fits inside the front lamp and enables a rear lamp to be used from the same battery. V.5502 7½d.



Halfords Cycle Leaflet—Free from any Branch

TOURING BAGS

TOURING BAGS


THE "HALFORD" RANGE



Wedge-shaped, 9 x 6 x 6 in. not stiffened. G.5266 .. 4/8

"HALFORD RENSHAW"



Small Shaped Bag. Black leather cloth. Bound in Black plastic. Detachable stiffener. 5½ x 7½ x 8½ in. G.5126 .. 9/-



A Leather Cloth Bag with inside tool pocket 13 x 8 x 7 in. G.5376 .. 12/9

"HALFORD RENSHAW"

Oval Shaped Bag. One end pocket, 11 x 9 x 6 in. Black piping, detachable stiffener. G.5130 .. 13/9




"HALFORD RENSHAW"

Two End Pockets. 12 x 6½ x 8 in. Detachable stiffener. G.5135 18/-

Leather Cloth Oval Shape two end pockets, one front pocket 12½ x 7 x 7 in. G.4632 .. 22/4



POPULAR PROPRIETARY MAKES




Baycliff "Moorside". Black leather cloth, one end pocket. Size 10 x 8½ x 7 in. G.5133 .. 16/2

Baycliff "Goodwill". Two end pockets, 13 x 7 x 7 in. G.4948 .. 19/2




"Midland" without side pockets. 13 x 8 x 7 in. G.652NP .. 13/2½

"Midland" with two side pockets. Rigid board stiffening. 13 x 8 x 6½ in. G.1334 .. 23/9



Brooks "Leabrook", size 18½ x 6½ x 7 in., with two end pockets. Fibre board liner. Reinforced back. G.5663 .. 26/6




Brooks "Mossbrook", with two side pockets. 13 x 8 x 9½ in. fitted with quick release rod and "D" loops for cape straps. G.2048 .. 37/6




Leather Cloth School Satchel, in black or brown, complete with shoulder strap and provision for fitting to cycle if required. G.5658 .. 13/-


PANNIER BAGS



Baycliff Solo. Black leather cloth with stiffener. 12 x 11 x 4½ in. (Two bags only). G.4949 .. 44/11 pair




Carrier, all steel strip with clip fitting. G.5167 .. 12/6 each



Lloyd tubular steel carrier for pannier bags, clip fitting. G.4732 .. 11/-

Lloyd alloy carrier. G.S. .. 18/4



Ashby Trade Carrier. This carrier is for front fixing only. Top and down tube fitting for use with baskets 18 x 12 in. G.2712 .. 19/6

LUGGAGE CARRIERS

REAR CARRIERS


SPINDLE FITTING

Manufactured from strip steel, black enamelled.

Ashby Summit with leather straps. G.27L .. 4/3

Ashby Princip with leather straps. G.6SL .. 7/-

Ashby Princip for caliper brakes. G.6SL/Cal. 8/-




G.5296

Tubular steel, with spring parcel clip (as illustrated).

Ashby. G.5296 .. 7/-

Lloyds. G.4774 .. 6/6


G.29L



FORK STAY FITTING

Ashby Summit with leather straps. G.29L. As Illustrated 5/3

G.6BL




Ashby Princip with leather straps. G.6BL. As Illustrated .. 6/-

Ashby Princip Caliper with leather straps. G.6BL/Cal. .. 7/-

Ashby Prestube Minor. Stay fitting with spring clip. Size 16 x 5½ in. Black. G.230. As Illustrated. 7/6

As above finished in Raleigh Superbe Green. G.5706 .. 8/-

Lloyds Jiffy Front Fork Fitting with quick release grip. 10/6



G.230


The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

See the full selection at your nearest Halford Branch

BAG SUPPORTS & BASKETS



BAG SUPPORTS

Bag supports relieve the strain on loaded touring bags and ensure longer life and safer riding.



Ashby wire type, seat pillar fitting. G.48 .. **1/8**
Midland with small platform. G.910 .. **4/6**

Lloyd tubular spring fitting. G.4986 .. **3/11**
Lloyd alloy. Steel spring fitting. G.5572 .. **5/3**
Brooks wire type. Stay fitting. G.2166 .. **5/6**



Lloyd's Hy-lo adjustable pattern, chromium plated .. **4/6**

BASKETS

Cycle Baskets are made of the finest wicker, and are supplied complete with fixing straps.



D shape. 10 × 7 × 7½ in. G.3599 .. **9/-**
D shape. 13 × 7 × 8 in. G.3600 .. **12/-**
D shape. 12 × 8 × 7½ in. G.3603 .. **12/9**
D shape. 14 × 10 × 7½ in. G.3610 .. **12/9**



Oblong shape. 14 × 7 × 9 in. G.3606 .. **13/7**
Juvenile D shape .. G.4762 .. **6/11**
Fairycycle D shape .. G.4768 .. **7/6**

PRAM BASKETS

16 × 9 × 9½ in. .. G.5585 .. **14/6**

STRAPS

FOR TOURING BAGS

Touring bag fastening straps, 6½ × ½ in. G.2191 .. **2½d.**
Touring bag cape straps, 15 × ½ in. G.1313 .. **6d.**

FOR BASKETS

Basket Straps, 9 × ½ in. G.6692 .. **3d.**



FOR CARRIERS

For carriers, 27 × ½ in. G.2357 .. **8½d.**
For carriers, 48 × ½ in. G.9537 .. **1/4½**

FOR TOOL BAGS

For tool bags, 12 × ½ in. G.3013 .. **3½d.**
Straps for toe clips see page 33.

CHILD CARRIERS



Top tube, leatherette covered saddle with sponge rubber interior, complete with footrests.

G.5139 .. **10/6**



Juvenile Leather Saddle with stirrups, top tube fitting.

G.7145 .. **12/6**


"DERRETTS" CHILD CARRIER

A "saddle" pattern carrier with spring back rest. Instantly detachable when not in use. Saddle fits in double socket for immediate removal.


Soft rubber seat in assorted colours, adjustable footrest. Fits any cycle, lady's or gent's. G.5097 .. **18/6**

CHILD CARRIERS

"COLORAL"



Rear fitting child carrier made from lightweight alloy with steel stays. Polished alloy seat, chrome-plated frame. G.5616 .. **19/11**



"Ashby" rear carrier and child carrier combined, with detachable seat, complete with legshields. Rear spindle fitting. The safest method of carrying a child on a cycle. G.5288 .. **24/-**

CARRIER SPARES



Pins and Wing Nuts.
½ × ½ in. .. **1½d. each**
1½ × ½ in. .. **3½d. each**

Back plates .. **2½d.**

Fork clips .. **8d. pair**

Leather carrier straps, 27 × ½ in. G.2357 .. **8½d.**
48 × ½ in. G.9537 .. **1/4½**

CYCLISTS CLOTHING



OILSKIN CAPES

Halford Black and Gold Oilskin. Lightweight, diagonal zip opening, fitted with strap and buckle, ventilated back, lined shoulders, 45 in. length, 136 in. skirt. R.5433 **31/5**

Black and Gold Oilskin, lightweight, button opening, 42 in. length, 124 in. skirt. R.5435 **21/9**

Black and Gold Oilskin, medium weight, button opening, 42 in. length, 120 in. skirt. **21/-**

Gold Oilskin, juvenile, lightweight, button opening, 36 in. length, 114 in. skirt. R.5551 **19/11**

Belstaff Hardrider. Black and Gold Oilskin, press stud fastening. Length 42 in. **25/-**

SOU'WESTERS

Black and Gold Oilskin. Lightweight. Sizes: small, medium, and large. R.5437 **5/3**

P.V.C. WATERPROOFS

A strong supported fabric cloth with Plastic Impregnated Coating **GUARANTEED WATERPROOF**. All principal seams welded for increased strength and complete waterproofing. Will not discolour and does not crack or peel. Lightweight but very strong.

Unless abused these garments will give excellent service. When wet they must be allowed to dry naturally; artificial heat should not be used.

CAPES

42 in. length, button front, vertical opening, wide skirt. Collar and all main seams welded, in Black or Gold. R.5722 **27/9**

42 in. length, 8 in. zip opening vertical, 128 in. skirt. Black or Gold. R.5724 **28/11**

Juvenile 36 in. length, button front, vertical opening, 112½ in. skirt. Gold only. R.5726 **26/6**

LEGGINGS

Button fitting, brace straps. Sizes: 28 in., 30 in., and 32 in. inside leg, welded seams, in Black or Gold. R.5725 per pair **18/11**

SOU'WESTERS

Fully lined, welded seams. Sizes: small, medium, and large. R.5723 **6/6**

OILSKIN LEGGINGS

Black and Gold Oilskin. Lightweight, zip fastening, Leather footstrap. Sizes: 28 in., 30 in., 32 in. inside leg. R.5434 pair **20/8**

Black and Gold Oilskin. Lightweight, button fastening. Leather footstrap. Sizes: 28 in., 30 in., 32 in. inside leg. R.5436 pair **15/-**

Black Oilskin, pull-up leggings. Medium weight. Sizes: 28 in., 30 in., 32 in. inside leg. pair **14/9**

CYCLISTS CLOTHING

CLOTH CAPES & LEGGINGS

Fawn Single Texture Capes. Button opening. 42 in. length, 108 in. skirt. R.5426 **28/9**

Fawn Double Texture Leggings. Zip fastening strap and chain footstrap. Sizes 28", 30", 32" inside leg. R.5557 **31/6**

Fawn Single Texture Pull-up Leggings. Self footstraps. Sizes: 28 in., 30 in., 32 in. inside leg. R.5427 **16/8**

LEATHER JACKETS

Three-quarter Length Leather Jackets. Belted pattern as shown. Full chrome leather, Chocolate or Black. Fleece lined, zip fastener front, two zip pockets. Sizes: 34 in., 36 in., 38 in., 40 in., 42 in., and 44 in. R.S. **£8/10/0**



CYCLING GLOVES



Tan Leather, fleece lined. Leatherette cuff. M.3747 **19/6**



Boy's Leather Gauntlets. fleece lined. Sizes: 6½, 7, 7½. M/G398. pair **14/11**



Tan Gauntlets. Roller strap fastening. Fleece lined. M.2195 **21/-**



Tan Hide. Rexine cuff. Lined fleece. M.1417 **23/-**



Natural Sheepskin Mitts. M/V81 **13/6**



Black Leather Mitts, bag type. Imitation lamb lined fleece. M/4109M **47/6**

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

See Halfords Motorist Catalogue for Clothing for Autocycle Riders

ENAMELS & BRUSHES

BRUSHING SYNTHETIC



RAPHAELITE.
In black, white, crimson, grey, mid blue, dark blue, mid green, dark green, deep cream, maroon and dark grey.
½-pints 2/9 ¼-pints 4/6
Note. Apply two or three thin coats with a clean brush either to bare metal or over previous finish. These materials do not need any Primer or Undercoat. See that the surface is clean and free from grease before application.

ROBBIALAC.
In black, white and fourteen colours.
½-pints 1/6
¼-pints 2/6
⅓-pints 4/3

THINNERS for both the above:
Humbrol white spirit in 8-oz. bottles 1/-



BRUSHING CELLULOSE



Note. Use primer over bare metal, undercoat over primer or over previously painted surfaces and apply the finish. Two or three coats can be given if desired but see that each coat is dry before the next one is applied.

BELCO in black, white, clear and twenty-three colours.
½-pints 2/11 ¼-pints 5/-
Also ½-pint "Brush-in-lid" tins in black only at 3/6
Belco Primer .. ½-pints 2/6 .. ¼-pints 4/3
Belco Undercoat .. ½-pints 2/6 .. ¼-pints 4/3
Belco Thinners .. ½-pints 3/-
Belco Stopper ½ lb. 2/6 .. 1 lb. 4/-

NUAGANE "TOUCH-UP".
Brushing Cellulose. Can be supplied in an exact match to manufacturer's shades for all cars and motor cycles.
½-pints (motor cycle colours only) 1/6
¼-pints 2/11
⅓-pints 5/-




HIGH GLOSS ENAMEL



Slipco white, green .. 2 oz. 2½ oz. ¼-pt. ½-pt.
Slipco black 1/9 3/- 5/-
Slipco blue, brown and cream 1/3 .. 3/- 5/-
Slipco red and maroon .. 2/- .. 3/6 6/9
TRANSFER VARNISH bottles 10d.

BRUSHES



Halford flat varnishing brushes are made from the finest quality China bristles. Each brush is rubber set and at the price are undoubtedly the finest value obtainable.

Halford Supreme
¾ in. G.4790 .. 1/7 ¾ in. G.4793 .. 1/9
1 in. G.4742 .. 2/6 1½ in. G.4797 .. 4/6
For Cellulose, Squirrel Hair
¾ in. G.5115 .. 1/9 1 in. G.5116 .. 2/6
Art Lining Brushes
No. 5, G.5544 .. 1/- No. 3, G.5219 .. 10½d.
Mops
Small, G.16/0 .. 1/8 Large, G.3339 .. 2/3

METAL POLISHES



PASTE TYPE
Buff for stainless steel and chromium, in domed dispensers 2/-



WADDING TYPE
Duraglit for brass 1/1
Duraglit silver polish (excellent for chromium) 1/4½



LIQUID TYPE
Simoniz chromium polish .. 2/6
Wondachrome chrome cleaner. 2/-
Silvo 1/3
Brasso 1/3
Wondachrome. Liquid cleaner for chromium, nickel, copper, brass, etc. 2/-

RUST TREATMENTS

(Cold Galvanizing). Articles may be dipped, brushed or sprayed.
Rustanode 3/6 6/-
Rustanode Thinners 2/9 4/- 6/-
Tekall 3/6
Apply freely over the rusted parts with brush or cloth. Leave for a few minutes, then rub vigorously with a dry cloth until all the rust is removed. No rinsing is necessary. Surface can be painted over immediately it is completely dry.
Derox 2/3
Jenolite 1/10 3/9



EMERY CLOTH
White Back. Grades F and 1½ sheet 5½d.
Grade 2 sheet 7d.
Best Blue Twill. (Extra heavy).
Grade F sheet 10½d.
Grade 2 sheet 10½d.
Grade 1½ sheet 10½d.

GLASS PAPER
Grades 0,00, 1 and 1½ sheet 1½d.
Grade 2 sheet 2d.
Grade 2½ sheet 2½d.

WET AND DRY PAPER
Fine, 400A, Medium 240 and Grade 280 — All at 5½d. sheet.

SPRAYERS, SPRAYING LACQUERS AND ACCESSORIES
fully described in HALFORDS MOTORIST CATALOGUE free from any Halford Branch.

CLEANING MATERIALS

CYCLE POLISH
3-in-1 Silicon process, cycle and motor cycle polish 2/6

CHAMOIS LEATHERS
Top grade oil dressed chamois leathers.
18 × 17 in. 9/11
21 × 20 in. G.5344 14/6
Other sizes and qualities from 3/6

POLISHING CLOTHS
Yellow polishing cloths. Fully bound. G.5030. 1/2
Vantona Posher polishing cloths. G.5683 .. 1/9

STOCKINETTE
½ lb. rolls of top quality double thickness stockinette. Approximately 30 × 8½ in. G.5075 4/9

STOCKINETTE DUSTERS
Double thickness stockinette dusters. Soft and clean. G.5157 1/-

SPONGES
Viscose synthetic sponges are unaffected by detergents if used in the recommended manner.
Wettex car sponge. A synthetic sponge in sheet form which can be used for washing or drying. Left in a special pouch it retains moisture for cleaning wind-screens, etc. G.5714 3/10
Spontex synthetic sponges.
Normal size 5½ × 4½ × 1½ in. G.5292 4/4½
Large size 5½ × 4½ × 2½ in. G.5539 6/1½

LEATHER PRESERVATIVES
Properts Leather Soap 10½d.
Brookes Proofide 1/4

HAND CLEANERS




Chemico hand soap. 1/- and 1/9
Gresolvent .. 1/- and 1/9
Swarfega, tins .. 1/6
Giant Pack 4/8
Dirty Paws. Tubes .. 1/4
Tins 1/11

ROZALEX BARRIER CREAM
Applied before working. Dirt and grease washes off instantly.
No. 1 Standard. No. 8 for wet work.
1/8 and 2/4½




HUBS AND CHAINS

HUBS AND HUB PARTS



CYCLE HUBS

Bayliss Wiley Ideal. The first quality Roadster Hub, solid barrels.
 Front .. 5/2 Rear .. 6/11
 Perry Coaster Hub .. 26/-



HUB SPINDLES

Complete with Cones and Nuts.
 Front. G.6254/F 1/3 Rear. G.6254/R 1/6
 Best quality fitted with Ground Races.
 Front. G.3693 .. 1/9 Rear. G.3701 .. 2/-
 Front Spindle for Juvenile Cycle 4 1/2 in. with cones and nuts. G.5226 .. 1/1 1/2
 As above 5 in. rear. G.5227 .. 1/2
 Sports Type Hub Spindles, 1 1/8 in. Front. G.5719 .. 2/3
 As above 3/4 in. Rear. G.5721 .. 2/6




CONES AND HUB NUTS

Front or Rear. G.6450 .. 4d.
 Hub Nuts, plated 1/8 in. front. G.907 .. 1 1/2d.
 Hub Nuts, plated 3/8 in. rear. G.908 .. 1 1/2d.



WING NUTS

Quick Release Wing Nuts with loose serrated washers, 1/8 in. front. G.9764/1 .. 9d.
 As above 3/8 in. rear. G.9764/2 .. 9d.
 Rustless Alloy Wing Nuts, Front. G.4775/F .. 8d.
 As above, Rear. G.4775/R .. 8d.



ROSA TRACK NUTS

Cyclo Front 1/8 in. G.5560 .. 4 1/2d.
 As above 3/8 in. Rear. G.5561 .. 4 1/2d.

CHAINS AND SPARES

Keep chains well lubricated by immersing in heavy oil or grease, thinned by warming. Allow surplus lubricant to dry off and wipe the chain before use. Oil on the outside of your chain collects dust and grit, and causes rapid wear.

Union chains, blue steel 1/2 x 1/8 in. x 114 links (Foreign). G.5086 .. 5/3

This chain is a highly efficient well finished product and must not be confused with the cheap chains offered elsewhere.

Perry Chain 1/2 x 1/8 in. or 1/8 in. G.7509 .. 7/4
 Coventry Chain 1/2 x 1/8 in. G.48 .. 7/4
 Renold Elite Chain 1/2 x 1/8 in. G.44 .. 9/1



Single link with clip for Union Chains. G.5132 .. 3 1/2d.


Single link for Perry Chains. G.7509/26 .. 5d.

Single link for Renold Chains. G.44/26 .. 5d.

Double cranked links for Perry Chains. G.7509/30 .. 7d.



Spring Clip only for Perry or Renold Chains 1 1/2d.



Renold Chain Punch. G.3806 .. 5/3 each

CHAIN ADJUSTERS

For standard hubs. G.2676 .. 5d. pair
 Cyclo Truetrack for drop-out fork ends. G.4121 .. 1/- pair

"ALL YEAR ROUND CLUB"

Pay **WHAT** you like.

There are no restrictions on the amount you pay.

Any sum can be paid in as is most convenient to you.

Pay **WHEN** you like.

No fixed times for payment — pay in at any time, as you can best afford it.


Any article reserved on first payment . . . but many customers make payments before deciding and then select the goods as required from Halfords fine range.

CHAIN WHEELS

Chain Wheel Sets are supplied complete with two cranks and two cotter pins.
 Stock sizes:

48 x 1/2 x 1/8 in. with 6 1/2 or 7 in. cranks.

46 x 1/2 x 1/8 in. with 6 1/2 or 7 in. cranks.




FRC — Fixed right-hand crank.

RC 5-pin. Right-hand crank, 5-pin.

Nicklin, FRC, chrome-plated. G.3675 .. 15/-

Williams FRC, chrome-plated. G.3684 .. 15/6


Williams RC 5-pin, flanged, chrome-plated. G.4053 .. 18/3



Williams Joggled, FRC, chrome-plated. G.3941 .. 15/6


Williams Flange, FRC, chrome-plated. G.4188 .. 19/9

Sports Set. Fluted cranks, chromium-plated. 48 x 1/2 x 1/8 x 7 in. only. G.5359 .. 25/-



CRANKS

Nicklin, left-hand, 6 1/2 or 7 in. G.5190 .. 4/9




CRANK COTTERS

Plated 3/8 in. G.915 .. 3d.

Chromium-plated 3/8 in. G.4970 .. 4 1/2d.

CHAINWHEELS AND COGS

FREE WHEELS



Villiers 16, 17, 19 and 20 tooth x 1/2 x 1/8 in. G.5192 .. 5/9

Villiers 18 tooth x 1/2 x 1/8 in. .. 5/8

Bayliss Wiley, 1/2 x 1/8 in. G.5191. 18 tooth .. 5/8

20 tooth .. 5/9

19 tooth .. 5/9

TDC 18 and 20 tooth x 1/2 x 1/8 in. G.5193 .. 5/8

TDC 16 and 19 tooth x 1/2 x 1/8 in. G.5193 .. 5/9

Bayliss Wiley Carrier Cycle, size 18 tooth x 1/2 x 1/8 in. G.5194 .. 5/9

As above, size 22 tooth x 1/2 x 1/8 in. G.5195. 6/8


Freewheels for Juvenile Cycles.

Size 14 tooth x 1/2 x 1/8 in. G.5196 .. 3/3

Cyclo Freewheels 22 tooth x 1/2 x 1/8 in. .. 8/-

24 tooth x 1/2 x 1/8 in. .. 8/6

HUB COGS



Sizes from 14 to 19 teeth. 1/2 x 1/8 in. G.1251 .. 1/8

Hub Lock Rings. G.5197 .. 3d.

CYCLE STANDS

Improved type of Floor Stand for 26 in. and 28 in. wheel, rustless galvanized finish. E.5711 .. 7/7

Floor Stand consisting of two parallel steel rods, bolting into die-cast alloy end plates. E.5710 .. each 7/7


STANDS FITTED TO CYCLES

Shuresta kick-up bracket stand .. 8/9

Shuresta XL twin-leg pattern .. 15/6

WHEELS & BRAKE HUBS

WHEELS AND RIMS



Single Speed, best quality hubs, Dunlop rims, 14/15 gauge spokes.

Black front .. 14/4 Chrome front .. 17/4
Rear .. 17/4 Rear .. 20/4

Speed Wheels. Dunlop rims, 14/15 gauge spokes with Sturmey-Archer gears.

Wide Ratio, 3-speed (AW) hub. Chrome .. 57/3

Medium Ratio, 3-speed (AM) hub .. 63/9

Wide Ratio, 4-speed (FW) hub .. 61/6

Medium Ratio, 4-speed (FM) hub .. 69/6

Close Ratio, 4-speed (FC) hub .. 72/3


Wide Ratio, 3-speed (AB) with hub brake .. 75/-

Wide Ratio, 3-speed hub, combined patent 6 volt dynamo (AG) .. 101/-

Wide Ratio, 4-speed hub, combined patent 6 volt dynamo (FG) .. 108/-

Single speed wheels with Sturmey-Archer dynamo hub (GH6) .. 67/6

Wheels with Perry coaster hub .. 42/11



RIMS

Endrick 26 x 1 1/4 in. or 1 1/8 in.
Westwood 26 x 1 1/2 in. or 1 3/8 in., 28 x 1 1/2 in.
Black 5/6 or Chrome 8/6

SPOKES

With Nipples and Washers, rolled thread.

High tension, 15 gauge or 14 gauge .. doz. 9d.


High tension, rustless, 15 gauge. G.5407. doz. 1/3

High tension, rustless, 14 gauge. G.5408. doz. 1/3

BRAKE HUBS



Sturmey-Archer three-speed hub. Wide Ratio with hub brake, rod or cable fitting .. 58/6



Sturmey-Archer chrome-plated hub complete with lever and cable, or with rod fitting. .. Front 29/-

Rear 30/-

DISC AND PRAM WHEELS

Disc Wheels 1 1/8 in. diameter x 3/8 in. bore. E.5080 .. each 7d.

3 3/8 in. diameter x 1/2 in. bore. E.5081 .. each 1/-

4 1/2 in. diameter x 3/4 in. x 1/2 in. Red E.4327 .. each 2/-

6 in. x 3/4 in. x 1/2 in. Red. E.4329 .. each 2/8

Red Disc Wheels, complete with hub cap. 6 in. x 3/4 in. x 1/2 in. E.4902 .. each 3/-

8 in. diameter wheels with ribbed tyres. E.5532 .. each 3/6

PRAM WHEELS

Bright Aluminium Wheels with ribbed tyres, welded spokes, 6 in. x 3/4 in. x 1/2 in. E.5694 .. each 3/6

Tangent Spoke Wheels 6 in. x 3/4 in. bore, 3/4 in. White tyres. E.5696 .. each 4/10


With Black tyres. E.5695 .. each 4/8

As above, but 7 in. diameter wheels. With White tyres. E.5698 .. each 4/10

With Black tyres. E.5697 .. each 4/8

HUBS AND GEARS

VARIABLE GEARS



STURMEY-ARCHER

Roadster Gears

AW. Three-speed, wide ratio, 33 1/2% increase. 25% decrease from normal. Specially suitable for Roadster machines .. 40/9


FW. Four-speed, wide ratio. The great advantage of this Hub against the corresponding three-speed lies in the fact that there are two normal gears. Ratios give 26.6% increase, 21% and 33% decrease from normal. There is no doubt that this is the Hub of the future, as far as Roadster machines are concerned .. 45/-

Club Gears

AM. Three-speed, medium ratio. 15.55% increase, 13.46% decrease from normal. Ideally suitable for Sports machines .. 47/3


FM. Four-speed, medium ratio. 12.5% increase. 14.3% and 33 1/2% decrease from normal. Unquestionably the best all-round Club Gear .. 53/-

FC. Four-speed, close ratio. 9.1% increase, 10% and 25% decrease from normal. Specially designed for Massed Start Races .. 55/9




The Famous "Dyno-Hub"

The most popular form of Cycle Lighting, silent, frictionless and trouble free.
Front dynamo-hub (G.H.6) 6 volts. .. 51/6




3-speed and dynamo-hub combined (A.G.) 6 volts .. 84/6
4-speed and dynamo-hub combined (F.G.) 6 volts .. 91/6



CYCLO

Complete with freewheels .. 44/-
2-speed Gear .. 50/-
3-speed Gear. Solo .. 55/-
3-speed Gear. Tandem .. 53/-
4-speed Gear. Solo .. 58/-
4-speed Gear. Tandem .. 40/-
3-speed Gear. "Ace" Solo .. 45/-
4-speed "Ace" Solo .. 50/-
3-speed Gear. Benelux Solo .. 55/-
4-speed Gear. Benelux Solo .. 58/-
4-speed Gear. Benelux Solo 1/2 x 3/8 in. .. 58/-
5-speed Gear. Benelux Solo .. 61/6



SIMPLEX

3-speed complete with triple freewheels .. 37/6
4-speed and 5-speed Gears only .. Each 27/6
Freewheel assemblies for above:
3-speed .. 12/-
4-speed .. 16/6
5-speed .. 21/6

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain


See the full selection at your nearest Halford Branch

STURMEY-ARCHER PARTS

"AW" HUB

THREE-SPEED WIDE RATIO GEAR

		s.	d.
K.16	Planet pinion	..	8
K.47A	Cone lock nut	..	2
K.58	Pawl pin	..	1
K.60	R.H. ball ring	..	4
K.62	R.H. outer dust cap	..	3
K.63	R.H. inner dust cap	..	2
K.64	Pawl spring	..	1
K.67Z	Ball cage	..	6
K.227	Lock nut	..	1
K.411	Washer	..	1
K.462	3-splined driver	..	5
K.463	Circlip	..	2
K.468	3-splined sprocket	..	1
K.504Z	Indicator spindle	..	10
K.505A	Sliding clutch	..	1
K.506Z	Cone axle	..	1
K.508	Sun pinion	..	11
K.509	Dowel	..	1
K.510	Planet spindle	..	2
K.511A	Gear ring	..	5
K.512	Gear ring pawl	..	4
K.513	Low gear pawl	..	4
K.515	Planet cage	..	5
K.516	Cone lock washer	..	1
K.517	Left hand ball cup	..	4
K.518	Shell	..	7
K.519	R.H. axle nut	..	1
K.520	L.H. axle nut	..	4
K.521	Axle dock washer	..	1
K.526	Axle key	..	3
K.527	Clutch sleeve	..	7
K.528A	Thrust ring	..	7
K.529	Clutch spring cap	..	1
K.530A	Clutch spring	..	2
K.601AZ	Axle with sun pinion	..	4
LB.405	Dust cap	..	1 1/2
S.545	Lubricator	..	3
X.42A	Washer	..	1
X.49	Spacing washer	..	1 1/2
Handlebar flick control, complete		..	10 0



STURMEY-ARCHER PARTS


GH.6. HUBS

6 VOLT DYNO HUB

		s.	d.
LB.162	Axle-nut	..	4
X42A	Axle washer (1/8 in. thick)	..	1
LB.155	Cone lock nut (spigotted)	..	3
LB.155A	Cone lock nut (spigotted)	..	3 1/2
GL.623	Spacing cap	..	2
GL.612	Magnet fixing screw	..	1
GL.611	Cover plate	..	6
GL.610	Patent number disc	..	1
GL.613	Terminal nut for armature	..	1
GL.603AZ	Armature complete	..	11
GL.343A	Magnet	..	6
GL.609	Magnet spacing disc	..	4
LB.357A	Left hand cone	..	1
GL.621	Spindle	..	9
GL.345Z	Hub shell	..	10
GL.333	Spring washer for GL.316 nut	..	1 1/2
GL.316	Nut for magnet fixing screw	..	1
M.355	Lubricator spring clip	..	1 1/2
K.67Z	Ball retainer	..	6
LB.405	Dust cap	..	1 1/2
LB.358Z	Right hand cone	..	1
X.42	Axle washer (1/8 in. thick)	..	1

HEAD AND TAIL LAMP SPARES FOR GH.6 DYNO HUB

Headlamp R.625, roadster type	..	15	6
Headlamp S.625, sports type	..	15	6
Tail Lamp M/6	..	2	9
Flex Wires, headlamp to dyno hub	..	1	9
Flex Wires, headlamp to tail lamp	..	2	0



DRY BATTERY UNIT

This is available with the dyno hub illustrated above; it provides, with the aid of three batteries, a light when stationary.

GA.393 with clips.
Less batteries .. . 7/10



BENDS AND BOTTLES


BENDS




SPECIAL OFFER
All-steel Chrome-plated Light Tourist Pattern. G.4714 **6/6**



All Rounder Pattern. G.4714 **6/6**



BEST QUALITY
G.4973
Continental .. **10/5**
Maes .. **10/-**



Lauterwasser **9/11**
Bailey .. **10/5**

ALLOY HANDLEBAR BENDS

Reynold's Lightweight in popular shapes. G.S.3850 from **12/-**



HANDLEBAR STEMS

Chrome-plated with expander bolt
1 in. extension. G.5268 .. **8/6**
Chrome-plated with expander bolt
2 in. extension. G.5514 .. **11/6**
Alloy Handlebar Stems from **15/-**

BAR & BRAKES

COMPLETE WITH ALL BRAKE PARTS


Expander bolt fitting, North Road raised bars. Roller lever brakes. Chromium-plated bars and brake parts. G.3680 **27/9**

Phillip's Bars and Brake Sets. North Road Raised Pattern. G.5351 **34/10**

Other patterns, (North Road Dropped, Juvenile, etc.) supplied to order

EXPANDER BOLTS

For handlebar stems, with cone and washer. G.1441 **1/3**




FEEDING BOTTLES

The bottles we supply are guaranteed by the manufacturers to be so treated as not to be adversely affected by chemical re-action from any drinks likely to be carried.



Coloral Bottle, straight sided, ribbed, anodized in colours, with cork. 1/2-pint size. G.5628 .. **2/11**
Coloral Bottle, 1-pint size. G.5298 **4/6**

Coloral Standard Carriers. 1/2-pint Single. Handlebar or down tube fitting **2/-**



1-pint Single. Handlebar fitting. Locking type. G.5299 .. **4/6**

1-pint Double. Handlebar fitting. Locking type. G.5300 .. **6/11**



HANDLEBAR GRIPS



Popular 4 in. rubber, 7/8 in. diameter, black. G.3565 .. **10d. pair**



Stadium 4 1/2 in. rubber, 7/8 in. diameter, red or black.

G.5277 **1/6 pair**




Shockstop 4 in. rubber, 7/8 in. black. G.52 .. **1/7 pair**

As above, but 4 1/2 in. long. G.54 .. **1/7 pair**




Shockstop Sponge Rubber, assorted colours, 7 3/8 in. G.53 **2/- pair**




Shockstop 5 in. Grey or beige colour. G.26 **5/6 pair**

FOR JUVENILE CYCLES

3/8 in. Rubber for positive grip. G.4027 .. **8d. pair**
3/8 in. Rubber comfortable positive grip. G.5373 **9d. pair**



Bluemel Plastic 3/8 in. Black or colours. G.274 **2/- pair**



HANDLEBAR TAPE

Transparent or opaque Plastic Tape. Ten assorted colours, self sealing. 3 yard rolls. G.5623 .. **1/3**

GRIPS AND HEAD PARTS

HEAD PARTS



BALL RACES
Frame. G.6507 .. **3d.**
For crown. G.6506 .. **3 1/2d.**



Screwed for expander bolt. G.6508 **7d.**



LOCK NUTS
1 in. x 24 threads, hexagon top. G.8763 **7d.**
As above, but round top. G.7575 **7d.**

LAMP BRACKETS



Ashby Ratchet Clip Fitting, black. G.18 **1/9**
Ashby Spring Band, black, "D" clip. G.15 **1/6**
With Round Clip. G.16 **1/6**
Ashby Spring Band, Round Clip, chrome. G.16CP **3/3**

Ashby one or two screw fitting clip, "D" or Round.
Front. G.1 **10d.**
Rear. G.1C **10d.**



TO FIT ON HEAD OF CYCLE
Ashby Plated, 10 gauge metal. G.3678 **1/1**

Ashby Girder Type, chrome. 10 gauge metal. G.8 .. **1/10**
Ashby Girder Type, 8 gauge metal, 3 1/2 in. extension, chrome. G.8B **2/8**




The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

See the full selection at your nearest Halford Branch

SADDLES

SPORTS



The choice of the cyclist who puts speed first. Specially designed to aid fast pedalling. Straight wire frame, leather top.

Leatheries. G.99	23/9
Mansfield. G.38	24/-
Brooks. GSB.15	33/6
Mansfield. GSRR.56	39/-
Brooks Champion. GSB.17	46/6
Champion Narrow. GSB.17N	46/6


STRAIGHT WIRE



Best for the "every-day" rider. More resilient than the sports types, they give extra comfort over bumpy road.

Wrights. G.700	16/8
Leatheries No. 21. G.3686	23/9


COIL SPRING



For increased comfort. Coil springs take additional load and decrease vibration.

Wrights. G.601	16/3
Wrights. G.75	22/-
Brooks. GB.73	35/-

JUVENILE



For Tricycles and Juvenile Cycles.

Leather saddle fitted with ring clip. G.7972 ..	8/6
Brooks Juvenile Saddles, Leather Top.	
3-coil $\frac{3}{8}$ in. clip. G.3666	12/-
Brooks, $\frac{3}{8}$ in. clip. G.500	8/6
Straight Wire $\frac{3}{8}$ in. clip. GJ.5	19/9



JUVENILE SPRING SEAT
A beautifully made replica of the popular Adult Mattress type saddle. With $\frac{3}{8}$ in. clip. G.5635. 9/6

AUTO-CYCLE SADDLES


Wright's, heavy duty, G.5546	25/6
Terry's. GS.1348	36/6
Lycett's. GS.185	23/6

CLUB SECRETARIES

HALFORD GIFT TOKENS make ideal prizes for meetings and competitions organized by Cycling Clubs. Obtainable at all Halford Branches, vouchers are supplied value 5/-, 10/-, or 20/-, and may be exchanged at any Halford Branches in England, Scotland, or Wales. Please ask your local Manager for full particulars.


SPRING SEATS

Each year the Spring Seat Saddle becomes more and more popular. Because all the saddle top rests on tension springs, bumps are smoothed out and the waterproof leather cloth seat is a boon to the rider who must be out in all weathers.



HALFORD'S SPECIAL VALUE


If you prefer a mattress type saddle the Halford offers unbeatable value. Black enamelled frame and springs with waterproof leather cloth top. G.5509 .. 9/11



Wright's No. 33. G.3439	13/11
Wright's. G.40	15/6
Wright's Featherbed Spring Seat. Deep "Airfoam" interior, anti-friction lining. G.505	25/6

For Motor Assisted Cycles.


Wright's large heavy duty Spring Seat Saddle. G.5546	25/6
--	------



Terry's Spring Seats. The original spring seat saddle. All models now fitted with the extra coil spring which ensures that the tension is correct for people of all weights on all surfaces.

Gent's model. G.1086	26/6
Ladies' model. G.1087X	26/6
Wilby Spring Seat. G.312	17/-
Lycett's. G.21S	16/-

SADDLES



SADDLE PADS

Twill covered Airfoam rubber saddle pads. Waterproof and very comfortable. G.5614. 3/6

Padded and shaped reversible pattern, attractive outer cover with waterproof reverse side. Thick Airfoam rubber interior. G.5553 .. 7/11

SADDLE SPARES




Stretcher Bolts. For adjustment of leather top saddles. Nickel-plated. GS.1677. 6d.

As above chromium-plated. .. 10d.

Bifurcated Rivets G.9 Plated 1/9 box Coppered 1/8 ..

Coil Springs. Best quality replacement springs, suitable for all makes of saddle. G.1069 4d.



SEAT PILLARS (Straight pattern)

Chrome-plated. G.2CP	2/10
"L" shaped, chrome-plated. G.1CP	3/1

RENOLDS SEAT PILLARS (Straight pattern)

GS.3854. 8 in. .. 4/1	9 in. .. 4/5
10 in. .. 4/10	12 in. .. 5/2

SPRING SEAT SADDLE TOPS

Terry type. G.5017	5/8
Wright or Wilby type	5/2

BELLS, HORNS AND MIRRORS

BELLS



A good quality rotary pattern Bell, 2½ in. dome, N.P. finish. G.5508 .. 1/8


As above, but chrome finish with "emblem" on dome. G.5358 .. 2/6

Miller Rotary Action C.P. Bell, 2½ in. dome. G.420 .. 3/3



Miller Rotary Bell, brass dome, C.P. finish. Band clip. G.520 .. 3/9

Lucas Rotary Action 2½ in. steel dome. Chrome-plated (as illustration). G.3 .. 4/-



LUCAS CHALLIS BELLS

Silver finish. G.30S .. 4/-

Steel dome, chrome finish. G.30 .. 4/6

Bell metal dome, sports type, chrome. G.50 .. 6/-

REVOLVING CHIME

British-made Chime Bell Chrome-plated. G.5548 .. 5/9

Lucas Chime, Bell metal dome, as shown. G.32 .. 10/6




JUVENILE BELLS

Juvenile Bell. Assorted anodized colours. G.5045 .. 2/-

With polished dome and reversible clip. As illustrated. G.5676 .. 2/6




HORNS



Juvenile Horn, assorted anodized colours, 5½ in. G.5012 .. 1/11
Small type, black or coloured finish. 8½ in. overall .. 2/6
Superior Horn in assorted colours. G.109 .. 3/6
Large size 10½ in. black. G.4813 (as shown) .. 3/11
Silver. G.5048 .. 3/11

Vidor Electric Cycle Horn, handlebar fitting, less battery. G.5604 .. 6/11½
Batteries from .. 6½d. each




Clearhooter Cadet Cycle Electric Horn, handlebar fitting with push to fit near finger. Less battery. G.5622 .. 16/6
Batteries from 6½d. each




MIRRORS

Round Type 2½ in. with adjustable clip. G.4612 .. 1/11

Stadium Round Type. Best quality, as illustrated. G.5245 .. 6/-




Stadium Oblong Type, 3½ x 2½ in. Chromium-plated. G.5357 .. 7/6



Round pattern handlebar mirror, 3 in. diameter, N.P. with positive ball adjustment on mirror. G.5654 .. 3/9

Round pattern handlebar mirror, 3 in. diameter, N.P. with ball joint. Adjustable in any position. G.5662 .. 2/6



BRAKES

THE HALFORD
The finest value in caliper brakes offered. Specially produced for Halfords.



Side Pull Caliper complete with waterproof covered cable. Front. G.5350 .. 8/6
Rear, Gent's. G.5352 .. 8/6
Rear, Lady's. G.5354 .. 8/11


MONITOR SHEERLINE

Side Pull Caliper. Front. G.3942 .. 10/11
Rear, Gent's. G.3946 .. 10/7½
Rear, Lady's. G.3950 .. 10/7½



PHILLIPS VOX POP

Front. G.400 .. 10/-
Rear, Gent's. G.401 .. 10/6
Rear, Lady's. G.402 .. 10/6




WEBB NEW PATTERN

Universal front. G.5304 .. 10/-
Rear, Gent's. G.5305 .. 10/6
Rear, Lady's. G.5306 .. 11/-



G.B. LIGHT ALLOY BRAKES

With hooded lever .. 38/6 pair
With super-hooded lever .. 40/- pair




ROLLER LEVER BRAKES

Phillips Cosmos, Roller Lever. Front. G.4993 .. 8/6
Rear. G.4994 .. 11/3

Phillips Quickfit, pull-up action, short lever. Front. G.4995 .. 8/-
Rear. G.4996 .. 10/8

BRAKES AND BRAKE BLOCKS

BRAKE BLOCKS



Worn brake blocks can ruin the efficiency of your brakes. Replace them before they wear down to the brake shoe, and be sure to fit the correct

pattern. Halfords stock Ferodo, Fibrax and Dunlop brake blocks in shapes to suit all brakes.

Prices from 6d. pair



Dunlop, flat top. G.2 .. 6d. pair
Fibrax and Ferodo from .. 8d. pair




Anti-slip brake blocks. G.5275 .. 8d. pair

SHOES AND BLOCKS



Universal pattern for pull-up brakes. G.3014 .. 9d. pair
Fitted with Fibrax or Ferodo blocks. G.3903 .. 1/- pair

Caliper Type. Pin and nut fitting with Fibrax or Ferodo blocks. G.3910 .. 1/- pair



Juvenile pattern for pull-up brakes. G.5029 .. 9d. pair

BRAKE LININGS

Prices are per set. One set consists of two segments, sufficient for one wheel.

FIBRAX UNDRILLED

Raleigh, Sturmey-Archer ..	PCL/15	4/7
Rudge ..	PCL/20	5/10
Enfield to 1934 ..	PCL/23	3/5
New Hudson 1935/6 ..	PCL/24	4/7
B.S.A. Solo ..	PCL/30	4/2
Sturmey-Archer K.T. Tandem ..	PCL/26	5/3


Prices of others on application.

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

Brake Spares, see page 32. Handlebar Bends, see page 26

BRAKE SPARES

FOR CALIPER BRAKES



BRAKE LEVERS

For caliper brakes, chrome-plated. G.5534 .. 2/9

ADJUSTERS

Cable stop and adjuster. G.5610 .. 4d.




SOLDERLESS NIPPLES



Ideal for wayside repairs. G.1681 .. 2d.

CABLE STRAPS

Rubber cable bands. G.9970 .. 1½d.
John Bull, black. G.5246 .. 2½d.
John Bull, coloured. G.5247 .. 3d.
Aluminium Cable Bands. G.2338 .. 2d. each



SPRING CABLE CLIPS
C.P. for double or single cables .. 1½d.

SPRINGS

Tension Springs for caliper brakes. Centre pull as shown .. 1½d.




HORSE SHOE TYPE

Front. G.3410 .. 4d.
Rear. G.3413 .. 4d.

CABLE END STOP

For Cable Outer Casing G.1685 .. 1d.



BRAKE CABLES

Gills cables, suitable for Raleigh, Vox Pop, Hercules. Standard Centre Pull Brakes, B.S.A., etc. Prices from 1/- each according to types. Please ask for particulars. A full stock is carried at all branches.

FOR PULL-UP BRAKES

PLATED FORK GUIDES



Round hole only. G.4283 .. 1/- pair

DRAW BOLTS

To suit standard pull-up brakes. chromium-plated. G.2776 .. 4d.



TOP JOINTS

For front and rear brake tubes. G.42 .. 6d.



SWIVEL JOINTS

For rear brake tubes G.52 .. 6d.



ADJUSTING SCREWS

For rear brake stirrups. G.1674 .. 5d.




PLUNGER RODS AND ARMS

Front. G.8604 .. 9d.
Rear, as shown. G.8605 .. 9d.



BRAKE TUBES


Front. G.5345 .. 1/3
Rear. G.5347 .. 1/6



FRONT STIRRUPS

Standard replacement unit, complete with shoes and blocks and guides. G.5627 .. 5/3

For Juvenile cycles, complete with shoes and blocks and guides. G.5053 .. 4/3 set




REAR BRAKE BOTTOM PARTS

Down tube, rods, shoes and blocks, guides, etc. as shown. G.5630 .. 7/11 set

PEDALS



SPECIAL BARGAIN OFFER



Gent's Full Rubber Pedals, 4 in. G.5331 .. 5/6 pair

RUBBER PEDALS


Phillips, full rubber, chrome finish. Gent's 4 in. G.65 .. 6/6 pair
Lady's 4 in. G.66 .. 6/6 pair
Best Quality, full rubber, Gent's 4 in. G.45 .. 9/6 pair



Union Sports, alloy and rubber (foreign) G.5333 .. 7/6 pair
Phillips Alloy and Rubber, lightweight. G.102 .. 11/4 pair


RAT TRAP PEDALS

Union Rat Trap, 4 in. chrome. G.5258 .. 5/6 pair
Phillips Celtona, Gent's 4 in. G.61 .. 6/11 pair



Phillips Lightweight Rat Trap. Sports type. G.83 .. 7/10 pair
Phillips Anglo, with specially hardened spindles. G.55 .. 10/6 pair
Phillips Philite, rustless lightweight. G.166 .. 14/- pair
Phillips Credalux, sports pattern. G.101 .. 15/3 pair
Brampton Quill Pattern. G.4609 .. 15/- pair

REFLECTOR PEDALS



A full rubber Pedal, 4 in., chromium-plated. With amber reflectors as shown. G.5594 .. 7/11 pair

PEDALS & TOE CLIPS


JUVENILE

Full Rubber. G.58 .. 6/- pair



PEDAL SPINDLES

Left or Right-hand, complete with cone, nut and washer. Gent's. G.7409 .. 1/4
Lady's. G.7410 .. 1/4




PEDAL RUBBERS

Four to a set. Halford Best Quality. Gent's. R.3512 .. 2/2 set
Lady's. R.3514 .. 1/11 set
Other patterns from 1/2 set




JUVENILE

3 in. size. R.5106 .. 1/- set




TOE CLIPS

Ashby Ace, chrome-plated. G.20/CP .. 3/6 pair




Ashby Princip, chrome-plated G.12/CP .. 3/9 pair



Ashby Wanderlust, chrome-plated G.15/CP .. 4/6 pair

Catos, adjustable. Spring steel, chrome-plated. G.4903 .. 4/6 pair



All Toe Clips are quoted without Straps

STRAPS FOR TOE CLIPS


Chrome Leather Straps with quick release buckle. G.4723 .. 2/9 pair
Best Quality Chrome Leather with quick release clip. G.4811 .. 4/- pair



MUDGUARDS

- Bluemels. "Airweight" pattern, cadmium stays .. pair **12/6**
- Bluemels. "Continental" pattern, cadmium stays .. pair **13/6**
- As above, with prismatic reflector pair **15/6**
- Bluemels. "Tour-de-France" pattern, cadmium stays. pair **13/6**
- Alloy Sports, narrow section, ribbed spearpoint front, front guard fitted with splasher pair **8/6**

PLASTIC AND CELLULOID




HALFORD SPECIAL VALUE

White plastic guards. Spearpoint extension, reflector and white flap pair **7/11**

CELLULOID GUARDS

- Bluemels "Noweight" pair **13/6**
- Bluemels "Spearpoint" Ribbed Sports, white pair **13/6**
- Bluemels Featherweight with fittings. pair **13/6**
- B. & T. Ribbed Sports with spearpoint extension pair **12/9**
- Ivorette Carri-Guards with fittings pair **14/6**

MUDGUARD SPARES




Mudguard bridges. **6d.** each



Bluemel stay draw bolts and nuts .. **4d.**



Bluemel stay wing nuts and bolts. **4d.**



Bluemel mud-guard stays. **4d.**



Pins and nuts. N.P. with hexagon bar nuts **1/-** dozen

TRICYCLE MUDGUARDS


TRICYCLE MUDGUARDS

- 14 in. Black beaded ends set **4/6**
- As above but White or Cream set **5/3**
- 16 in. Black beaded ends set **4/9**
- As above but White or Cream set **5/6**
- 18 in. Black, beaded ends set **5/-**
- As above, but White or Cream set **6/-**



MUDGUARD SPARE PART KITS

- Packet of four each Acorn Nuts, "U" Clips and Bolts set **1/2**
- Packet of four each Acorn Nuts, Stay Wing nuts and Bolts set **10d.**

ALLOY MUDGUARDS



STEEL MUDGUARDS



Dunlop black rubber mudflap .. **3/-**

MUDGUARDS

STEEL MUDGUARDS — BLACK

Price includes White Tails.

Standard Roadster, 2 ³/₈ in. wide, crescent section, for 22, 24, 26 and 28 x 1 ¹/₂ in. wheel.

No. 192 pair **3/5**
As above, but all white.
No. 192W pair **4/-**

Heavy Roadster, 2 ¹/₂ in. wide, crescent section, for 26 and 28 x 1 ¹/₂ in. wheels. No. 127 pair **4/-**

Heavy Duty Roadster "U" Section, 2 ¹/₂ in. wide, 1 in. deep for 26 in. and 28 in. wheel.
No. 44 pair **5/4**

Carrier Mudguard. For 26 in. wheels, front and rear, or low gravity 14 in. and 16 in. front and 26 in. rear for box carrier cycles.
No. 45 pair **6/8**

Roadster Mudguards specially made for motorised cycles. No. 34 pair **5/9**

Juvenile, narrow section, for 14 in., 16 in., 18 in., and 20 in. wheels. No. 3 pair **2/11**
As above, but all white. No. 3W pair **3/11**

Sports, 1 ¹/₂ in. wide 26 in. wheel, Black. No. 33 pair **3/11**

As No. 33 above, but all white.
No. 33W pair **5/-**

Sports, as No. 33, but with chrome nose.
No. 33B pair **5/-**

Sports Roadster, 1 ¹/₂ in. wide, spearpoint front. Adjustable single stays front and rear. Spring clip for chain stay brackets. Adjustable claw spring clip for seat stay bridge.
No. 36 pair **5/9**

Black mudguards can be supplied lined Red/Gold or Green/Gold at **6d.** extra.


Genuine Raleigh Sports Mudguards

Black, lined Red and Bronze or single bronze pair **7/-**
White (with detachable stays) pair **9/6**

MUDFLAPS



Cykwear rubber. **1/-**
7 ¹/₂ x 5 ¹/₂ in. .. **1/-**
9 ¹/₂ x 8 ¹/₂ in. .. **1/6**



Bluemel white safety rear flap .. **2/-**

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

Have you seen Halfords Cycle Leaflet?
Free from any Branch

MAPS AND HANDBOOKS

MAPS

ORDNANCE SURVEY. Popular Series 1 inch scale. Maps on the scale of One inch to One mile are the original standard maps of the Ordnance Survey and are admirably suited to the needs of walkers, cyclists, and motorists, and all those who require accurate maps for scientific or commercial purposes. For walking, in particular, one inch

maps are essential as it is impossible to delineate at any smaller scale for footpaths, byways, antiquities and the many topographical details which give charm to the countryside. All roads are shown and are classified by means of distinctive colouring according to the nature of their surfaces, suitability for fast traffic, etc. Footpaths, towns, villages, railways and stations, rivers, streams, parks, woods, county boundaries, high and low watermarks are all accurately delineated. Altitudes above mean sea level are shown along main roads and on the summits of high ground, and contours are drawn at 50 feet intervals. Antiquities are indicated by Old English or Roman Characters. Improved symbols have been devised for railways and main roads; the road classification has been simplified and adapted to modern conditions; the Ministry of Transport road numbers are shown; parish boundaries have been restored and new methods adopted for showing modern features, such as National Trust Areas, Youth Hostels, Wireless Masts, and Electricity Transmission Lines, and Telephone Call Boxes in open country. 190 Sections. Paper flat 3/- Paper folded 4/- Cloth folded 6/6



BARTHOLOMEW'S HALF INCH

Printed in Bartholomew's famous contour-colouring, each of the sixty-two sheets, frequently revised. Roads are shown in four classifications: Recommended Through Routes, Other Good Roads, Serviceable Roads, and Other Roads and Tracks. Ministry of Transport Road Numbers are shown. Railways, Canals, Overhead Power Lines, Golf Courses, Hotels, Inns, Youth hostels and National Trust Properties are distinctly marked. County Boundaries are clearly defined. For convenience in measuring distances the borders of each map are marked off in half-inch divisions each equal to one mile.

Sheet size, 22½ × 33 in. Folded size, 7½ × 4 in.

Price per sheet. Paper, folded or flat, 3/-; Cloth folded, 5/-; Cloth, dissected, folded, 7/6.

1 Cornwall	22 Mid-Wales	42 Northumberland
2 Dartmoor	23 North Shropshire	43 Islay and Kintyre
3 Exmoor	24 Vale of Trent	44 Firth of Clyde
4 Dorset	25 Fenland	45 Mid-Scotland
5 New Forest	26 Norfolk	46 Firth of Forth
6 Sussex	27 North Wales	47 Argyll
7 North Somerset	28 Merseyside	48 Perthshire
8 Salisbury Plain	29 Peak District	49 Firth of Tay
9 Surrey	30 Lincolnshire	50 Arisaig and Lochaber
10 Kent	31 North Lancashire	51 Grampians
11 Pembroke	32 Wharfedale	52 Deeside
12 South Wales	33 South Yorks and Humber	53 Uist and Barra
13 Wye Valley	34 English Lakes	54 Skye and Wr. Ross
14 Oxford	35 Teesdale	55 Moray Firth
15 Herts and Bucks	36 North Yorkshire Coast	56 Buchan and Strathbogie
16 Essex	37 Galloway	57 Harris and The Lews
17 Cardigan	38 The Solway	58 Cape Wrath
18 Vale of Severn	39 Tyneside	59 Sutherland
19 Warwickshire	40 Ayrshire	60 Caithness
20 Cambridgeshire	41 Tweeddale	61 Orkney
21 Suffolk		62 Zetland

ROAD ATLASES

Halford Road Atlas (Great Britain). Second edition, pocket size, thirty-two pages of maps. Seventeen town plans. Table of distances between towns. Scale 1 inch to 12 miles. 2/6
 Johnston's Handy Road Atlas. 1 inch to 10 miles. 4/6
 Johnston's Motorists Atlas. Scale 1 inch to 8 miles. Forty-eight pages of coloured maps. 7/6



SILVA

Combined Compass and Protractor. Needle is "induction damped", ensuring quick and accurate positioning. 15/-

HANDBOOKS


"Cycling Book of Maintenance"	2/6
"Cycling Manual"	3/6
Double-sided Transparent Map Case 12 × 9½ in. with shoulder sling. G.5636	9/11



Map Measure suitable for all scale maps. Gives readings in miles and kilometres. G.101 10/6
 Combined Map Measure and Compass. For all scale maps. 12/6


FRAMES AND FORKS

FRAMES



ROADSTER FRAME (26 in. and 28 in. wheel)

Sizes 21 in. or 23 in. Frames and forks, lined double gold, complete with chain wheel and cranks. 1½ in. chain line, ½ × ½ pitch. Straight pattern seat pillar. Expander head fittings with head lamp bracket, and chromium-plated crown cover. Gents' £4 16 8. Ladies' £5 0 9. Colours: 8/9 extra.



SPORTS FRAME

Frames and forks built up as shown, lined single gold 21 in. and 23 in. only. Black enamel, Cream mudguards or Self colour. Quick release fork ends, chain wheels and cranks 1½ in. chain line, ½ × ½ pitch. Straight seat pillar. Expander head fitting with head lamp bracket. Chromium-plated crown cover.

Gents' £5 4 1. Ladies' £5 8 4.
 Maroon and Blue 8/9 extra. Pastel tints 10/11, Flamboyant 12/6

FRONT FORKS



ROADSTER. Butted, expander bolt fitting, all black 26 in., 14/6
 SPORTS. Super Quality. Plated fork crown solid fork ends 18/6
 Juvenile 14 in., 16 in., 18 in. and 20 in. 12/-



The Halford Cycle Co. Ltd. Branches throughout Gt. Britain


Have you got Halfords Cycle Leaflet, which shows the full range of Halford models?

CYCLE EQUIPMENT

LOCKS



Snap pattern locks, 1½ in. with two keys. Less chain. Six key numbers. G.3966 .. 1/6
Zip Bag Padlocks ¾ in. Two keys. G.4907 .. 2/3



Long hasp type. G.4841. 2/6




Warded lever padlocks, twelve key numbers. G.4840. 3/3



Keyless code lock. G.4447 5/6




Large padlock for shed doors. G.02 .. 7/9



Squire's cycle lock with chain, cadmium finish. G.60 .. 3/6



Lucas gem lock and chain. G.104 5/-



Heavy gauge cadmium plated. G.3027 6d.
Welded links. 10 gauge. G.5078 1/-



Plated lock and chain G.5103 .. 2/9

Adie Acorn lock and chain. G.5626 3/9

PUMPS



Black Enamelled Metal 15 × ¾ ins. G.5033 .. 2/11

CELLULOID OR PLASTIC

Black celluloid 15 × ¾ in. G.7405 .. 3/11
White celluloid 15 × ¾ in. G.3746 .. 4/3
Halford, Black celluloid, metal lined. 15 × ¾ in. G.4816 .. 4/9

BLUEMELS PUMPS

(As illustrated)
Black celluloid 15 × ¾ in. G.5207 .. 6/3
White celluloid 15 × ¾ in. G.5208 .. 6/6
White celluloid "Ringed" 15 × ¾ in. G.5516 .. 5/9

JUVENILE PUMPS

Halford Juvenile 12 × ¾ in., White. G.5511 .. 3/11
Bluemels Black celluloid 12 × ¾ in. G.5372 .. 5/-
Bluemels White celluloid 12 × ¾ in. G.5370 .. 5/3



PUMP CLIPS
Black finish for 1½ in. tube. G.5020 .. pair 7d.
As above, but for 1 in. tube on juvenile cycles. G.4563 .. pair 7d.

AT LAST!
The foot pump specially designed for the cyclist. Measures only 4½ in. overall when closed and weighs 5 ounces. Ideal for use by ladies and children. 5/9




PUMP CONNECTIONS

Braided, 5 in. G.4712. 8½d.
Bluemels braided. G.9 .. 1/-
Bluemels braided, 6½ in. G.9P .. 1/4
Belvin armoured. G.19B .. 1/6

PUMP WASHERS

Leather, ¾ in. G.5210 .. each 1½d.
Best quality Bluemels ¾ in. washer. G.5369 each 4d.



DUNLOP PRESSURE GAUGE


For use with "Dunlop Easy Pump" valve insides. You get greater riding comfort and longer tyre life when you check your tyres regularly and accurately with this pressure gauge. G.20 .. 7/6



"DUNLOP EASY PUMP" INSIDES

Easily interchanged with the rubber sleeved plug, it needs no valve rubber, yet offers better air retention and easier pumping. G.5715 .. pair 1/-

MILEAGE RECORDERS



SPEEDOMETERS

Smith's Speed and Mileage Recorder combined, for 26 in. wheel fitting. Right or left-hand drive available. G.3845 .. 38/6

De-luxe model for cycles or motorized cycles. G.5609 .. 49/6

Precision Speed and Mileage Recorder combined. G.3750 .. 37/6

Halfords supply spares for Cycle Speedometers. When ordering inner cables always state length of the outer casing. Where complete drive units are required, please state length.

CYCOMETERS

Lucas cyclometers for 24 in., 26 in., 27 in., and 28 in. wheel fitting. each 7/6

"Counting Instrument" cyclometers 24 in., 26 in., and 28 in. wheel fitting .. each 7/6




Cyclometer Strikers. Standard type. G.5482 .. each 6d.

Roller Type Strikers. G.5318 .. each 7d.

Cyclometer brackets, hub spindle fitting. G.4708 .. each 6d.


TOOL BAGS



Leatherette, reinforced back, nickel-plated, turn-button fastening. G.5384 .. 2/10

CYCLE EQUIPMENT

TROUSER BANDS



Terry push-up type, bronzed finish. G.2 .. pair 4½d.



Steel, blued finish. G.5527 .. pair 5d.
Plastic covered. G.5254 .. pair 10½d.
Dover celluloid trouser bands. G.5629 .. pair 1/4

OIL CANS



Small Round Brass. Side filling. 2½ in. G.4697 .. 1/4



The Alton Transparent Celluloid Oil Can. Fitted with patent forced feed spout and safety leak-proof cap. G.4193 .. 3/-



Polythene Transparent Oiler. Small round type. G.5648 .. each 10d.

GREASE GUNS

Tecalemit Visigun made from transparent plastic. G.1682 .. 5/3




LUBRICATOR NIPPLES

Tecalemit ⅝ in. G.5205 .. 4d.
Tecalemit ½ in. G.5206 .. 5d.
Helmet type, ⅝ or ½ in. G.7070 .. 2d.

TOOLS


TOOLS

SPANNERS



Ashby Universal, set of 3. Spanners and tyre-levers combined. G.5 .. set **1/4**

Ashby 4-way as shown. G.8 .. **7d.**




Ashby 6-way. Fits all standard cycle nuts. G.7 **8½d.**

Ashby 5-way, combined with screwdriver. G.11 **7d.**

Dumbbell shape. Fits various sizes. G.5559 .. **10d.**
G.4838 .. **1/3**

B.S.A. type spanner, fits four sizes. G.5303 **2/2**




HACKSAWS


Fuluse. Polished frame with blade, midget type. M.242 .. **1/1**

HACKSAW BLADES

10 in. Coarse. M.4408 .. **4½d.**
10 in. Medium. M.4410 .. **4½d.**
10 in. Fine. M.4412 .. **4½d.**
For Midget Frames. M.4764 .. **3½d.**



Genuine Abingdon King Dick adjustable spanner 3 in. G.0 .. **6/-**



Billings type, 7 in. M.3657 .. **4/2**
11 in. M.3917 .. **8/3**



Renshaw tubular spanners. 6 sizes and tommy-bar. M.3746 .. set **2/8**

TYRE LEVERS

Cycle tyre levers. Heavy gauge. Set of 3. G.2 .. **1/2**



TURNSCREWS

Cabinet Pattern.
3 in. .. **1/6**
4 in. .. **1/9**
6 in. .. **2/-**
8 in. .. **2/6**



Cabinet pattern with 1½ in. blade. M.4567 .. **1/5**



Stead, plastic handle. **5d.**




Three-in-One bakelite case, fitted with pocket clip and end cap. .. **1/6**



PLIERS

Snipe nose "Radio" pliers, 5½ in. M.4696 .. **4/9**




Combination pattern, 6 in. M.4700 .. **5/9**
Combination pattern, 7 in. M.4700 .. **6/-**



Combination pliers insulated handles. 6 in. M.4022 .. **7/3**
7 in. M.4022 .. **7/9**


"BIJOU" TORCHES



Coloured Alloy with tapered cigar end. Complete. V.1715 .. **2/3**

Beamlight Coloured Alloy with right-angled head. Belt clip, complete. V.1711 .. **3/3**
Chrome-plated Brass Torch. Complete. V.1736 .. **3/3**
Ever Ready Extruded Aluminium. Three permanent finishes. Plated — black and plated — coloured. Complete. V.0158 .. **3/7**

"BABY" Chrome-plated Brass Torch. Attractive ringed body. Complete. V.1722 .. **5/11**




"BANTAM" Pifco Coloured Alloy. Tapered end with carrying loop. Complete. V.1489 .. **5/-**




Full Pre-focus Torch. Black and chrome finish. Special bulb. Complete. V.1501 .. **6/11**

"BIG BEN"



Empire Made. Chrome-plated Brass Focusing Torch. 3½ in. top. Complete. V.1476 .. **12/6**

Ever Ready Square Hand Lantern. One front reflector. Pistol grip handle with sliding switch. Takes R.996 battery. Complete. V.5096 .. **32/6**



Ever Ready Pocket Lamp (2.U10 batteries). Coloured enamel finish. Complete. V.8188 .. **4/3**

Ever Ready Night Light. Mushroom shape. Complete. V.4722 .. **8/8**



Pifco Bedlite. For V.800 batteries. Complete. V.1642 .. **13/11**

Pifco Mains Nursery Light. Incorporating 200/250 volt to 6 volt transformer, 6 volt 3 amp. bulb giving 600 hours light for one unit. Press on/off switch. V.985 **19/11**



ELECTRICAL GOODS



Lantern Table Lamp complete with V.1839 battery. V.1644 .. **6/11**

HOUSE LAMPS

Mazda, Osram, Philips, etc. 200/250 volts. Type A, single coil.
Watts Finish
15 and 25 Pearl and Clear .. **1/10**
40 and 60 Pearl and Clear .. **1/7½**
75 Pearl and Clear .. **2/2**
100 Pearl and Clear .. **2/2**
Watts Finish
150 Pearl and Clear .. **3/0½**
200 Pearl .. **5/0½**
200 Clear .. **4/5½**
Prices on application for lamps below 200 volts.

BULBS

For Torches, Cycle Lamps, etc., using 2-Cell Battery.
2.5 volt .3 amp. Spot Bulb (Empire made). V.5230 .. **2½d.**
2.5 volt .22 amp. "S" filament 12 mm. Flat Bulb. V.1890 .. **5d.**
2.5 volt .15 amp. 12 mm. Spot Bulb. V.3300 .. **5d.**
2.5 volt .3 amp. 12 mm. Spot Bulb. V.7464 .. **5d.**
2.5 volt .2 amp. Lens end Bulbs (Empire made). V.5228 .. **5d.**
2.2 volt .25 amp. British made Lens end Bulb. V.8225 .. **8d.**
2.5 volt .3 amp. Flange type Pre-focus Bulbs (Empire made). V.1522 .. **7d.**
2.5 volt .3 amp. British made Pre-focus Bulbs. V.5580 .. **1/2**

For Hand Lamps, Flash Lamps, Torches, etc.
3.5 volt .3 amp. Spot Bulb (Empire made). V.5231 .. **2½d.**
3.5 volt .3 amp. 12 mm. Spot Bulb. V.6841 .. **5d.**
4 volt .3 amp. Spot Bulb. V.3315 .. **5d.**
5.5 volt .3 amp. 15 mm. Spot Bulb for R.996 Lanterns. V.2114 .. **8d.**
6.5 volt .3 amp. Tubular (radio panel). V.90 .. **8d.**

For Cycle Dynamo Head Lamps (M.E.S. Fitting).
6 volt .3 amp. 15 mm. Round, British. V.3211 .. **9½d.**
6 volt .45 amp. 15 mm. Round, British. V.645 .. **9½d.**
6 volt .5 amp. 15 mm. Round, British. V.4364 .. **9½d.**
6 volt 6 watt 15 mm. Round. V.55 .. **10½d.**

For Cycle Dynamo Tail Lamps (M.E.S. Fitting).
3.5 volt .15 amp. 12 mm. Round, British. V.3515 .. **5d.**
4 volt .04 amp. 15 mm. Round, British. V.1147 .. **9½d.**
6 volt .04 amp. Round, British. V.604B .. **9½d.**
6 volt .1 amp. Round, British. VC.998 .. **9½d.**

For Cycle Dynamo Head Lamps (S.C.C. Fitting).
6 volt 1.8 watt British. V.4279 .. **1/7**
6 volt 3 watt British. V.4942 .. **1/7**

The Halford Cycle Co. Ltd. Branches throughout Gt. Britain


A full range of Torches and Flashlamps at every Halford Branch

ELECTRICAL GOODS

BELLS


These Bells can be used on 2, 4 or 6 volt dry batteries or with a bell transformer.

Bakelite Bell with 2½ in. round gong. V.5242. **4/6**



Round Bakelite Base with 2½ in. gong. V.3106 .. **6/6**
G.E.C. Best Quality Bakelite Bell. 2½ in. round gong. V.2020 .. **9/4**

Gents All-in-one Door Bell (less battery). V.398 .. **11/6**
Quickfit Bell and Transformer combined. A.C. mains only. V.4442 .. **15/6**



BELL PUSHES

Bakelite. Various shapes. V.9893 .. **1/1½**



Dimex Square Plastic as shown with coloured Plastic Push. V.4356 **1/11**

Sesame Round Plastic with coloured Plastic Push. V.4357 .. **1/11**



Light-Spot for use with transformer-operated bell. Push is permanently illuminated. Uses 1 unit of electricity in 600 hours. V.53 .. **4/3**



BELL TRANSFORMERS

Transformers can only be used on A.C. mains.
Lilliput Midget Transformers. V.4443 .. **7/-**
Victor Transformer. 200/250 volts A.C. input with 3-5-8 volt output tappings at 1 amp. V.2882 **9/-**
Transa 200/250 volts A.C. input with 6 volt output at 1 amp. Fitted with fuse and earthing terminal. V.4359 .. **14/9**
Morphy Richards A.C. input. 12 volt, 1.7 amp. A.C. output. VSMR5 .. **18/6**

BELL WIRE
Twin Plastic Covered. 1/026. V.3936. **3d.** yard
Twin Twisted Flexible, silk covered, in hanks of 36 yards. V.3445 **3d.** yard

STAPLES
Fibre Threaded Insulated Staples, ½ in. V.6298 **2½d.** doz.
Ditto. Box of 100 .. **1/8**
Fibre Saddle Type Staples, ½ in. V.5404 **2½d.** doz.
Ditto. Box of 100 .. **1/8**

BATTERIES FOR BIJOU TORCHES



Size ⅞ × 2 ⅞ in. Ever Ready 1½ volt. V.8 **6d.**
Size ⅞ × 2 ⅞ in. Drydex. V.2.T10 **6d.**

FOR BABY TORCHES

Size 1 × 2 in. Ever Ready 1½ volt. VU.11 .. **4½d.**
Size 1 × 4 in. Ever Ready (2 units) 3 volts. V.1839 .. **9d.**



LARGE UNIT CELLS

Size 1 ⅞ × 2 ⅞ in. Ever Ready 1½ volt. VU.2 **6½d.**
Size 1 ⅞ × 2 ⅞ in. Drydex 1½ volt. VT.20 **6½d.**
Ray-o-Vac cased in steel 1½ volt. V.2LP .. **9d.**



TWIN CELL FOR CYCLE LAMPS

Size 2 ⅞ × 1 ⅞ × 3 ¼ in. Ever Ready 3 volt. V.800 .. **1/3**
Size 2 ⅞ × 1 ⅞ × 3 ¼ in. Drydex 3 volt. VC.60 .. **1/3**
Ray-o-Vac cased in steel. V.9LP **2/-**



FOR FLAT POCKET LAMPS

Size 2 ⅞ × ⅞ × 2 ⅞ in. Ever Ready 4½ volt. V.1289 .. **11d.**



BOX FOR HAND LAMPS OR BELLS

Two screw terminals size 4 × 1 ⅞ × 3 ⅞ in. Ever Ready 4½ volt. V.126 **2/6**
Hand Lamp, battery, 2 ⅞ × 2 ⅞ × 3 ¼ in. Ever Ready 6 volt. VR.996 **3/6**




FOR PENLIGHT TORCHES

Ever Ready ⅞ × 4 in. (2 units) 3 volt. V.1915 .. **6d.**



FOR GASLIGHTERS

1 ½ × 4 ½ in. Ever Ready 1½ volt. VU.14 **2/6**



ADAPTORS BAYONET CAP (B.C.) ADAPTORS

For fitting into Lamp Holders. Bakelite. V.2911 .. **8½d.**

HEAT AND LIGHT ADAPTORS

Two-way adaptors with switch. B.C. fitting for lamp holder. Two B.C. outlets — one controlled by switch for use when electric iron or vacuum cleaner is needed to be working while lamp is switched off.



Bijou Heat and Light Adaptor. Push switch. V.6010 .. **3/-**


MULTI ADAPTORS

Two or three-pin plugs giving two or three outlets where it is desired to use two or three household accessories from one plug point.




3-pin 2 amp., giving three outlets. V.5431 .. **4/2**
2-pin 5 amp. pattern, with triple 2-pin 5 amp. outlets. V.4192 .. **1/10**

2-pin 15 amp., giving one 2-pin 15 amp. outlet and two 2-pin 5 amp. V.2910 .. **2/6**
3-pin 5 amp., giving one 3-pin 5 amp. and two 2-pin 5 amp. outlets. V.5205 .. **4/10**
3-pin 5 amp., giving three 3-pin 5-amp. outlets. V.5204 .. **4/10**
3-pin 15 amp., giving one 3-pin 15 amp., and two 2-pin 5 amp. outlets. V.5429 .. **6/5**



3-pin 15 amp., giving one 3-pin 15 amp., and two 3-pin 5 amp. outlets. V.5430 .. **6/5**

13 amp. 3-pin dual plug. Remains fixed to cable and gives one 13 amp. 3-pin outlet. Ediswan Clix. V.6008 .. **7/-**



MULTI ADAPTORS




13 amp. 3-pin Fuse Adaptors for use with three 13 amp. flat pin plugs. V.3230/1 .. **11/-**


ELECTRICAL GOODS

PLUG ADAPTORS

Bakelite B.C. Adaptor with 5 amp. 2-pin plug attached. V.3235 .. **1/11**
Multi Plug Adaptor, 2-pin 5 amp. with B.C. outlet and twin 2-pin 5 amp. outlets. V.4300 .. **1/9**



CEILING ROSES



White bakelite, 2-plate. V.5317 .. **1/-**
White bakelite, 3-plate. V.113W .. **1/5**

CABLE AND FLEX

LIGHTING AND APPLIANCE FLEX

Twin Letter "B" Flat P.V.C. Plastic flex. 14/36. V.504 .. **3½d.** yard
Twin Twisted P.V.C. Plastic flex. 14/36. V.186 .. **3½d.** yard
Twin Flat. Clock flex. Braided, silk covered. 14/36. V.356 .. **6d.** yard
Twin Twisted. Silk covered flex. 14/36. V.274 .. **8d.** yard
Twin Circular. Non-kink appliance flex (cotton covered) 23/36. V.4604 .. **1/6** yard
Triple Circular. Non-kink appliance flex (cotton covered) 23/36. V.4606 .. **1/9½** yard
Triple Circular. Rubber covered appliance. Flexible. 14/36. V.396 .. **1/2** yard
Twin Circular. Rubber covered appliance. Flexible. 23/36. V.5100 .. **1/2** yard
Triple Circular. Rubber covered appliance. Flexible. 23/36. V.5101 .. **1/4** yard
Twin Circular. Rubber covered appliance. Flexible. 40/36. V.395 .. **1/5** yard
Triple Circular. Rubber covered appliance. Flexible. 40/36. V.398 .. **1/9** yard

T.R.S. CABLE

Twin T.R.S. cable. 1/044. V.1036/2 .. **9½d.** yard
Single T.R.S. cable. 3/029. V.1549/1 .. **6½d.** yard
Twin T.R.S. cable. 3/029. V.1549/2 .. **1/-** yard
Single T.R.S. cable. 7/029. V.3896/1 .. **11d.** yard
Twin T.R.S. cable. 7/029. V.3896/2 .. **1/8** yard
Twin T.R.S. cable with bare earth continuity conductor. 3/029 (3-core). V.317 .. **1/2½** yard
Twin T.R.S. cable with bare earth continuity conductor. 7/029 (3-core). V.319 .. **2/-** yard

"ASHATHENE" PLASTIC CABLE

Twin 1/044. V.399 .. **9½d.** yard
Single 3/029. V.464 .. **7d.** yard
Twin 3/029. V.400 .. **1/-** yard
Twin 3/029 with earth conductor. (3-core). V.408 .. **1/2½** yard
Twin 7/029. V.402 .. **1/3** yard
Twin 7/029 with earth conductor (3-core). V.401 .. **2/1** yard
Any other type of Flex or Cable can be promptly supplied.

ELECTRICAL GOODS

WIRING ACCESSORIES PORCELAIN CONNECTORS (For use in ceiling roses, etc.)



Standard pattern. 1-way.
V.1357/1 4½d.

Standard pattern. 2-way.
V.1357/2 7d.



Standard pattern. 3-way. V.1357/3 10d.




Screw cable connectors. Small.
V.4639 2d.

Screw cable connectors. Medium.
V.4640 2½d.

FIXING CLIPS

For binding and holding cables fast to flat surfaces.
No. 1 Single. V.1355/1 doz. 3½d.

No. 2 Twin.
V.1355/2 doz. .. 4d.
No. 3 Triple.
V.1355/3 doz. .. 8½d.



FUSE WIRE

Cards of 5 amp., 10 amp., or 15 amp. each.
V.1402 Card 1d.

Cards of three sizes 5-10 and 15 amp.
V.1402/3. Card 2d.

Cards of three sizes 5-10 and 15 amp. with small
screwdriver. V.4980 Card 6d.



Endo Repair Kit as shown. Small
screwdriver and card of fuse
wire. V.5603 1/3



Fusemaster screwdriver. Plastic handle holds spare
fuse wire. V.505 3/6



FLEX CONNECTORS

For joining twin cables
together, etc. 5 amp. 2-pin.
V.2884 1/6

FLEX CONNECTORS

Non-reversible type for locat-
ing polarity. 5 amp. 2-pin.
V.4283 2/6

Non-reversible type for locat-
ing polarity. 5 amp. 3-pin.
V.5465 2/9



FIRE SPIRALS


Nichel-chrome Wire Spirals for replacements on
boiling rings, fires, etc.

600 watts. 230/250 volts. V.2961 1/1
750 watts. 230/250 volts. V.2962 1/5½
1,000 watts. 230/250 volts. V.2963 1/11



FIRE BARS (With Elements)

Adjustable Pencil Type Rod with elements, 8½ in. to
12 in. adjustment. 230/250 volts. 1,000 watts.
V.5090 4/6
Curved Fire Bar with element, 9 in. × 3 in., 230/250
volts, 1,000 watts. V.4864 4/11
Curved Fire Bar with element, 10 in. × 3 in., 230/250
volts, 1,000 watts. V.4863 5/11



Round Boiling Ring with
elements, 5½ in. diameter,
230/250 volts, 1,000 watts.
V.4862 4/9



Bowl Fire Elements. Adjustable
2-pin fitting for 5-10 or 15 amp
sockets. V.600 4/10

Bowl Fire Elements. Edison screw fitting. 230/250
volts, 600 watts. VS.65 4/6


ELECTRIC IRONS

Explorer Electric Iron. Chrome-
plated body. 200/250 A.C. or
D.C. V.5552 18/11



Morphy Richards Electric
Iron. Chrome-plated sole
with Pastel coloured metal
body. Heat control. Indica-
tor light. 225/250 volts.
A.C. only. VCA.75 39/6

Morphy Richards Atlantic Lightweight Iron. Chrome-
plated body. Heat control. Indicator light. 225/250
volts. A.C. only. VS. LA/75 45/-
Other models and alternative voltage ratings available.



IRONING ACCESSORIES
Morphy Richards Flex Support.
Clips on ironing table. VFS/1 5/11

Morphy Richards Iron Stand.
Pastel shades to match irons.
V.2 6/-



ELEMENTS



Suitable replacement for most
230/250 volt irons. Whole plate
mica insulation. V.3591 2/3

Compensated Voltage Type 200/
250 volt range. 450 watts.
VAE.21 3/3

Whole Plate Mica Element for Morphy Richards
Irons. 225/250 volt. VS/HE.745 6/-

IRON CONNECTORS

Nettle. All Bakelite, Earthed Type. Best quality
V.4961 1/6

Bakelite with Rubber Neck. Earthed. V.3330 1/7



Bakelite Connector with Switch. Earthed.
V.4848 3/3

JUNCTION BOXES



Four Pillar Bakelite Junction Box
for T.R.S. cable. Small. V.1354/S
1/6




Four Pillar Bakelite Junction Box
for T.R.S. cable. Large. V.1354/L
1/9

LAMP HOLDERS


All Bakelite. Cord grip. V.202 10d.
Cord grip. With special Flex grip. V.362 1/3

Clang. Cord grip. Long shade ring.
V.5441 1/5½



Cord grip with Push Bar Switch. V.9918 .. 3/3
Dual Holder to convert Single Lamp Holder to take
two bulbs. V.3329 2/9

Triple Holder to convert
Single Lamp Holder to take
three bulbs. V.3328 4/-



Brass Batten Holder. V.9314 2/3

Brass Cord grip. V.9315 2/3

Brass ¼ in. Neck for table lamps,
etc. V.3265 2/1

Brass ½ in. Neck for table lamps,
etc. Polished brass with switch.
V.0004 3/8



ELECTRICAL GOODS

LAMP HOLDERS

Brass ½ in. Neck for table lamps,
etc. Chrome-plated with switch.
V.4000 4/2

Bakelite Heavy Pattern Batten
Holder. V.4772 1/6

Bakelite Angle Pattern Batten
Holder. V.3658 1/8



LAMP CONVERTER

Pifco Adapalite. Switched bulb holder with flex
and plug for making table lamps, etc.

Small. V.998A 9/11

Medium. V.998B 9/11

Large. V.998C 9/11

SWITCHES

(surface mounting)

Porcelain Base. A.C./D.C. round shape.

One-way. V.4677 2/-

As above. Two-way. V.275B 3/3



Clang. Porcelain Base. A.C./D.C.
rounded square shape. One-way
V.5840 2/1

As above. Two-way. V.5843 3/-

Mutac Bakelite. A.C. only, round
shape. V.4532 1/10½

One-way Flush Fitting Switch.
Brown square plate. V.5149/1
2/6




Dry Battery Gas-
lighters are economi-
cal and dispense with
matches.

Ever Ready .. 8/-

Complete with Battery V.2247
10/6

Ever Ready Spare Burners. V.2247/2
1/3

Ever Ready Spare Battery. VU.14
2/6




ELECTRICAL GOODS



SWITCHES


Press switch. One hole fixing.
V.2534 1/6

Through switch. Torpedo shape.
V.3617 2/3
Castelco coloured through switch
Press on/press off. V.3519 2/4
Through switch. Heavy pattern.
V.4018 2/6
Pear suspension switch. 1 or 2
way. V.18 3/2



Coloured pendant switch.
V.2714 2/4

Remote control push bar switch. operating ceiling
light by special bulb holder adaptor. V.3348 .. 6/6
Ceiling on/off switch operated by hanging cord.
V.4883 5/6



SWITCH PLUGS

Top entry. 5 amp. 2-pin. Round
porcelain base. With plug.
V.4968 4/11

Top entry. 5 amp. 3-pin. Round
porcelain base. With plug.
V.824 7/3



Front entry. 5 amp. 3-pin.
Oblong. Shuttered sockets.
With plug. V.5244 .. 7/6

Front entry. 13 amp. 3-pin. Oblong. Less plug.
VT.1230 6/8
Top entry. 15 amp. 3-pin. Round porcelain base.
With plug. V.4729 .. 10/6
Front entry. 15 amp. 3-pin. Oblong. Shuttered sockets
With plug. V.4730 12/11

SWITCHED FUSE BOX
Mains switched fuse box. 15 amp. V.4967 .. 11/9



SOCKETS ONLY

Bakelite 5 amp. 2-pin. Clang.
Round. V.5307 2/1
Bakelite 5 amp. 3-pin. Shuttered
V.1130B 3/5

Bakelite 13 amp. 3-pin. Flat
pins. Fused. V.1232 .. 3/10
Bakelite 15 amp. 2-pin. Round.
V.5319 3/2
Bakelite 15 amp. 3-pin. Oval.
V.4385 3/6



PLUGS ONLY

Round. 2 amp. 2-pin. V.3549 10d.
Round. 2 amp. 3-pin. V.3727 1/6



Oblong. 5 amp. 2-pin.
V.1365 10 1/2d.
Round. 5 amp. 2-pin.
V.9478 1/1
Round. 5 amp. 3-pin.
V.5503 1/3

Clang. Round. 5 amp. 3-pin.
V.4860 2/1

Nettle. Oval. 5 amp. 3-pin.
V.4872 2/6

5 amp. 3-pin. Rubber.
V.5668 3/3

15 amp. 3-pin round.
V.3072 2/10



Nettle square. 13 amp. 3-pin. Flat
pins. Fused. VRF.1231 .. 3/3

Clix. 13 amp. 3-pin. Flat pins. Fused.
V.4434 3/8



INDEX

A	
Adaptors	43
Adjusters	20, 32
Adjustable Spanners	40
Avon Tyres	7

B	
Baby Carriers	15
Bags	12, 13, 39
Bag Supports	14
Bag Straps	14
Ball Races	27
Bars and Brakes	26
Baskets	14
Batteries	42
Battery Lamps	11
Bells (Cycle)	30
Bells (Electric)	42
Bell Pushes	42
Bell Wire	42
Bends (Handlebar)	26
B cycles	1, 2, 3, 4
Bottle Carriers	26
Brakes	31
Brake Blocks	31
Brake Cables	32
Brake Hubs	22
Brake Levers	32
Brake Linings	31
Brake Parts	31, 32
Brake Shoes and Blocks	31
Brake Tubes	32
Brushes (Enamel)	18
Brushing Lacquer	18
Bulbs (Electric)	41

C	
Cable Connectors	44
Cables and Flex	43
Cable Stops	32
Cable Straps	32
Caliper Brakes	31
Canvas (Tyre)	7
Capes	16, 17
Carriers and Spares	13, 14, 15
Ceiling Roses	43
Cellulose Lacquer	18
Cements	6
Chains	20, 38
Chain Parts	20
Chain Punches	20
Chain Wheels and Cranks	21
Chalk	7
Chamois Leathers	19
Child Carriers	15
Children's Cycles	3-4
Cleaning Materials	19
Clothing (Waterproof)	16, 17
Cogs	21
Compasses	36
Cones	20
Connections	38
Cotters	21
Covers	5, 6, 7
Cranks	21
Crank Cotters	21
Cycles	1, 2, 3
Cycle Frames	37
Cycle Stands	21
Cyclo Gears	23
Cyclometers	39

D	
Derailleur Gears	23
Disc Wheels	22

Draw Bolts	32
Drinking Bottles	26
Dry Batteries	42
Dynamo Lighting Sets	8, 9
Dyno-hubs	23, 25
Dunlop Tyres	6
Dusters	19
Dusting Chalk	7

E	
Electric Bells	42
Electric Fire Replacements	44
Electric Irons and Parts	44, 45
Electric Lamps	8, 9, 10, 11, 41
Electrical Goods	41-46
Emery Cloth	19
Enamel	18
Enamel Brushes	18
Expander Bolts	26

F	
Feeding Bottles	26
Flashlamps	41
Flex Connectors	44
Forks	37
Fork Guides	32
Frames	37
Freewheels	21
Fuse Wire	44

G	
Gas Lighters	45
Gift Tokens	28
Glass Paper	19
Gloves	17
Grips	27
Grease Guns	39

H	
Hacksaws	40
Halford Cycles	2-3
Halford Tyres and Tubes	5
Handbooks	36
Hand Cleaners	19
Handles	27
Handlebar Bends and Stems	26
Handlebars and Brakes	26
Handlebar Mirrors	30
Handlebar Tape	27
Head Ball Races	27
Head Lock Nuts	27
Heat and Light Adaptors	43
Horns	30
Household Electrical Fittings	43-46
House Lamps	41
Hubs	20-22
Hub Gears	23
Hub Nuts	20
Hub Parts	20

I	
Inflators and Connections	38
Inner Tubes	5, 6, 7

INDEX

J	
Jackets	17
L	
Lacquers	18
Lamps	8, 9, 10, 11, 41
Lamp Brackets	27
Lamp Holders	45
Leather Jackets	19
Leather Soap	19
Leggings	16, 17
Locks and Chains	38
Lock Nuts	27
M	
Maps	36
Map Measurers	36
Metal Polish	19
Mileage Recorders	39
Mirrors	30
Mitts	17
Mudguards and Parts	34-35
Mudguard Splashes	35
N	
Nipples	22, 32, 39
O	
Oil Cans	39
Oilskin Clothing	16
P	
Padlocks	38
Palmer Tyres	7
Patching Sheets	7
Pannier Bags	13
Pedals and Parts	33
Pedal Rubbers	33
Pliers	40
Plugs and Sockets	45-46
Plunger Rods	32
Polishing Cloths	19
Pram Baskets	6
Pram Tying	6
Pram Wheels	22
Pumps and Parts	38
Q	
Quick Release Nuts	20
R	
Raleigh Cycles	1
Rear Carriers	13, 14, 15
Rear Lamps	11
Rear Reflectors	10
Reflector Pedals	33
Repair Outfits	7

Rims	22
Rim Tape	7
Roller Lever Brakes	31
Rubber Patches	7
Rubber Solution	7
Rust Treatments	19
S	
Saddles	28, 29
Saddle Parts	29
Saddle Pads and Tops	29
School Satchels	12
Screwdrivers	40
Seat Pillars	29
Shoes and Blocks	31
Simplex Gears	23
Solderless Nipples	32
Sou' Westers	16
Solution (Rubber)	7
Spanners	40
Speedometers	39
Speed Gears	23
Speed Gear Parts	24
Spindles	30-33
Spokes	22
Sponges	19
Springs	29-32
Spring Seats	29
Stems (Handlebar)	26
Straps	14, 15, 33
Stretcher Bolts	29
Sturmey-Archer Hubs and Parts	22, 23, 24, 25
Switches	45, 46
Switch Plugs	46
T	
Table Lamps	41
Tail Lamps	8, 10, 11
Toe Clips	33
Toe Straps	33
Tools	40
Tool Bags	39
Torches	46
Touring Bags	12
Tradesmen's Carriers	13
Transfer Varnish	18
Transformers	42
Tricycles	4
Trouser Bands and Clips	39
Turnscrews	40
Tyres and Tubes	5, 6, 7
Tyre Pressure Gauges	38
Tyre Levers	40
Tyre Repair Outfits	7
U	
Upholstery Solution	6
V	
Valves	38
Valve Tubing	7
W	
Waterproof Clothing	16, 17
"Wet and Dry" Papers	19
Wheels	22
Wing Nuts	20
Wrenches	40

BRANCH ADDRESSES AND TELEPHONE NUMBERS

ABERDARE, 2 & 3 Commercial St. ..	157	EAST HAM, 403 Barking Rd., London E.6	3273
ABERDEEN, 39-41 St. Nicholas St. ..	25068	Grangewood	
ABERGAVERNNEY, 12 Cross St. ..	128	EDINBURGH 3, 138 Lothian Rd. Fountainbridge	3620
ACOCKS GREEN, 1136 Warwick Rd., Birmingham 27 ..	0869	Leith St. Central	3780
ALDERSHOT, 7 Union St. ..	126	EDMONTON, 165 & 167 Fore St., London, N.18 ..	2585
ASHFORD, 12 High St. ..	424	ERDINGTON, 229 High St., Birmingham 23 ..	2277
AYLESBURY, 28 High St. ..	2097	EXETER, 31 Sidwell St. ..	2617
BANBURY, 15 High St. ..	3945	EXETER, 3 Alington St. ..	54056
BARNET, 123 High St. ..	3747	FOLKESTONE, 36 Guildhall St. ..	2430
BARNSTAPLE, 18 Eldon St. ..	3068	FROME, 13 Market Place ..	2842
BARNSTAPLE, 90-91 Boutport St. ..	3068	GLASGOW C1, 26 Jamaica St. Central	1494
BARROW-IN-FURNESS, 72 Duke St. ..	164	GLOUCESTER, 45 Northgate St. ..	22878
BARRY DOCK, 108 Holton Rd. ..	720	GRANTHAM, 6 Watergate ..	86
BATH, 5 Stall St. ..	3604	GRAVESEND, 4A Windmill St. ..	982
BEDFORD, 7 Harpur St. ..	2926	GRIMSBY, 181 Freeman St. ..	2292
BEXLEY HEATH, 150 The Broadway ..	2534	GRIMSBY, 29 Victoria St. ..	4512
BIRKENHEAD, 151 Grange Rd. ..	2287	GUILDFORD, 69 High St. ..	62554
BIRMINGHAM 4, 50 Bull St. Central	5458	HALIFAX, 1 Market St. ..	2997
BIRMINGHAM 10, 218 Coventry Rd. Victoria	0077	HANLEY, 15 Piccadilly, Stoke-on-Trent	25381
BIRMINGHAM 6, 90 Aston Rd. North ..	Aston Cross 1582	HARROW, 239 Station Rd. ..	2558
BIRMINGHAM 4, 96-8 Corporation St. Central	7488	HASTINGS, 42 Queen's Rd. ..	2371
BISHOP AUCKLAND, 156 Newgate St. ..	141	HEREFORD, 3 St. Peter St. ..	2180
BLACKBURN, 13 Town Hall St. ..	5882	HERTFORD, 27 Fore St. ..	2122
BOLTON, 40 & 42 Knowsley St. ..	240	HIGH WYCOMBE, Priory House, Castle St. ..	1029
BOSCOMBE, 544 Christchurch Rd. ..	33523	HORNCHURCH, Essex, 147 High St. ..	2913
BOSTON, 3 Bridge St. ..	2140	HOUNSLOW, 192 High St. Central	4319
BOURNEMOUTH, 419 Wimborne Rd., Winton	2721	HULL, 50 King Edward St. Central	289
BRADFORD 1, 47 Godwin St. ..	21951	HULL, 330 Hessle Rd. Central	33778
BRADFORD 1, 30 Tyrrel St. ..	23005	HULL, 427 Anlaby Rd. Central	37050
BRIDGWATER, 11 Eastover ..	2166	IPFORD, 7 Cranbrook Rd. ..	16691
BRIGHTON 1, 34-5 Western Rd. ..	24734	IPSWICH, 41 Westgate St. ..	0740
BRIGHTON 1, 45 London Rd. ..	27226	KETTERING, 59 High St. ..	3373
BRISTOL 1, 12 Union St. ..	23927	KIDDERMINSTER, 19 Vicar St. ..	2132
BRISTOL 3, 30 Cannon St. ..	63312	KILBURN, 173 High Rd., London N.W.6	7488
BRISTOL 7, 195 Gloucester Rd. ..	47488	KILMARNOCK, 106 King St. ..	1207
BRITTON, 6 Acre Lane, London S.W.2	4402	KING'S HEATH, 129 High St., Birmingham 14	Highbury 1673
BROMLEY, 108 High St. Ravensbourne	4125	KINGSTON-ON-THAMES, 19 Market Place	0851
BURTON-ON-TRENT, 13 Station St. ..	2551	KIRKCALDY, 157-159 High St. ..	3217
BURY ST. EDMUNDS, 5 Brentgovel St. ..	561	LANCASTER, 22 Cheapside ..	4553
CAMBRIDGE, 41 Sidney St. ..	4808	LEAMINGTON, 68 Regent St. ..	440
CANTERBURY, 9 St. Peter's St. ..	3359	LEEDS 1, 61 Vicar Lane ..	22124
CARDIFF, 87 Queen St. ..	25930	LEEDS 1, 163 Lower Briggate ..	32305
CARDIFF, 246 City Rd. ..	27816	LEEK, Staffs, 72 Derby St. ..	402
CARDIFF, 186 Cowbridge Rd. ..	26742	LEICESTER, 29 Halford St. Central	22862
CARLISLE, 60 Scotch St. ..	22744	LEICESTER, 76-78 High St. ..	65362
CARMARTHEN, 122 Lammas St. ..	7087	LEYTONSTONE, 48 Church Lane, London E.11	2160
CHATHAM, 101 High St. ..	2586	LINCOLN, 326 High St. ..	368
CHELMSFORD, 67 High St. ..	2309	LIVERPOOL 1, 60-62 Renshaw St. Royal	3246
CHELTENHAM, 145 High St. ..	3602	LIVERPOOL 3, 27 London Rd. North	1859
CHESTER, 15 & 17 Northgate St. Row	20952	LLANELLY, 18 Cowell St. ..	310
CHESTERFIELD, 13 Cavendish St. ..	2835	LOUGHBOROUGH, 28-29 High St. ..	2860
CHORLEY, Lanes, 84 Market St. ..	2306	LUTON, 12 Park Square ..	541
CLAPHAM JUNCTION, 299 Lavender Hill, London S.W.11	Battersea 6618	LUTON, 134 Dunstable Rd. ..	4859
COLCHESTER, 19 Head St. ..	4022	MACCLESFIELD, 53 Mill St. ..	2014
COVENTRY, 27 Trinity St. ..	60541	MAIDENHEAD, Berks, 8 Queen St. ..	1299
CREWE, 7 Victoria St. ..	2689	MAIDSTONE, 67 Week St. ..	2408
CROYDON, 40 & 42 London Rd., West End	2131	MANCHESTER 2, 14 Peter St. ..	Blackfriars 5992
DARLINGTON, 24-25 Skinnergate ..	2682	MANCHESTER 4, 24 Corporation St. ..	Blackfriars 6052
DARTFORD, 17 Lowfield St. ..	3715	MANCHESTER 1, 34 Oxford St. ..	Central 4563
DERBY, 107 & 109 St. Peter's St. ..	45902	MANCHESTER 3, 192 Deansgate	Blackfriars 4154
DEVONPORT, 48 Marlboro' St. ..	322	MANSFIELD, 9 Church St. ..	342
DONCASTER, 56 Hall Gate ..	2133		
DUDLEY, 61b High St. ..	2147		
DUMFRIES, 109 High St. ..	1230		
DUNDEE, 1a High St. ..	3517		
DUNFERMLINE, 8-10 Bridge St. ..	298		
EALING, 49 New Broadway, London W.5	3211		
EASTBOURNE, 17 Seaside Rd. ..	1416		


The Halford Cycle Co. Ltd. Branches throughout Gt. Britain

BRANCH ADDRESSES and Telephone Numbers — CONTINUED


MERTHYR TYDFIL, 125 High St.	391	SOUTH SHIELDS, 83 King St.	575
MIDDLESBROUGH, 123 Linthorpe Rd. . .	2082	SOUTHAMPTON, 92 Above Bar	26562
NEATH, 53 Wind St.	7	SOUTHAMPTON, 56 High St., Shirley . .	72267
NEWARK-ON-TRENT, 13 Carter Gate . . .	679	SOUTHPORT, 39 Eastbank St.	3328
NEWBURY, 64 Northbrook St.	285	SOUTHSEA, 35 Albert Rd.	Portsmouth 33748
NEWCASTLE-UNDER-LYME, 30 High St. . .	66579	SPALDING, 1 & 2 Station St.	2143
NEWCASTLE-ON-TYNE 1, 81 Clayton St. .	22852	STAFFORD, 34 Gaolgate St.	297
NEWCASTLE-ON-TYNE 2, 2 Handyside Bldgs., Percy St.	21629	STAINES, 47 High St.	3305
NEWCASTLE-ON-TYNE 1, 23 New Bridge St.	21618	STIRLING, 13 Murray Place	1541
NEWPORT, Mon, 142-3 Commercial St. . .	3643	STOCKPORT, 76 Princes St.	2062
NEWTON ABBOT, 24 Queen St.	114	STOCKTON-ON-TEES, 16-18 Dovecot St. . .	66265
NORTHFIELD, 748 Bristol Rd., South, Birmingham 31	Priory 2528	STOKE-ON-TRENT, 43-45 Church St. . . .	48414
NORTHAMPTON, 40 Abington St.	330	STOURBRIDGE, 84 High St.	57087
NORTHWICH, 41 Witton St.	2587	STRATFORD-ON-AVON, 30-31 Wood St. Rd., London S.W.16	2804
NORWICH, 6 & 8 Brigg St.	24565	STREATHAM, 6 Central Parade, 254 High Rd., London S.W.16	7525
NORWICH, 40 Magdalen St.	26140	STROUD, 10 Gloucester St.	571
NOTTINGHAM, 5 Wheelergate.	42985	SUNDERLAND, 217 High St. West	4251
NUNEATON, 2-6 Newdegate St.	2050	SUNDERLAND, 12 Waterloo Place	4840
OLDHAM, 5 George St.	Main 2767	SUTTON, 188 High St.	Vigilant 0359
OSWESTRY, 5 Willow St.	173	SUTTON-COLDFIELD, 45-49 Birmingham Rd.	4437
OXFORD, 18 Queen St.	2184	SWANSEA, 5 Castle Sq.	55032
OXFORD, 133 Cowley Rd.	3818	SWANSEA, 250-1 Oxford St.	2681
OXFORD, 60 High St.	2676	SWINDON, 19 Regent St.	2068
PECKHAM, 70 Rye Lane, London S.E.15 New Cross	2782	TAUNTON, 30 North St.	2937
PETERBOROUGH, Westgate	2140	TOOTING, 60 High St., London S.W.17 Balham	7796
PETERBOROUGH, 14 Bridge St.	3944	TRURO, 10 St. Nicholas St.	3220
PLYMOUTH, 44 Mutley Plain	63937	TUNBRIDGE WELLS, 15 Mount Pleasant Rd.	901
PLYMOUTH, 3 Cornwall St.	61652	WAKEFIELD, 92 & 94 Kirkgate	2926
PONTEFRACT, Corn Market	132	WALSALL, 85 Bradford St.	3465
PONTYPRIDD, 6A Taff St.	2498	WALTHAMSTOW, 147 Hoe St., London E.17	Larkswood 4388-4389
PORT TALBOT, 107 Station Rd.	192	WARRINGTON, 118 Bridge St.	605
PORTSMOUTH, 200 Commercial Rd. End	5635	WATFORD, 53 The Parade, High St. . . .	3609
PRESTON, 38 Market Place	73079	WATFORD, 253 St. Albans Rd.	4977
READING, 13 West St.	3965	WEMBLEY, 543 High Rd.	2604
REDDITCH, 37 Evesham St.	3707	WEST BROMWICH, 199 High St.	0479
RETFORD, 9 Cannon Sq.	677	WEST HARTLEPOOL, 21 Lynn St.	2868
ROCHDALE, 110 Yorkshire St.	177	WIGAN, 8 Standishgate	3314
ROMFORD, 97 South St.	2935	WIMBLEDON, 5 Wimbledon Hill Rd., London S.W.19	1775
ROTHERHAM, 18 Bridgegate	1895	WINCHESTER, 165 High St.	3549
RUGBY, 12 High St.	3497	WOLVERHAMPTON, 17 Victoria St. . . .	20480
SALISBURY, 7 Minister St.	3233	WOOD GREEN, 4 Cheapside, High Rd., London N.22	Bowes Park 1329
ST. ALBANS, 35 Market Place	3046	WOOLWICH, 81 Powis St., London S.E.18 Worcester, 12 Broad St.	0650
SCUNTHORPE, 128 High St.	1680	WORKSOP, 20 Bridge St.	2088
SHEFFIELD 1, 53 & 55 Fargate	2182	WREXHAM, 16 Regent St.	2185
SHEFFIELD 1, 615 & 617 Attercliffe Rd. Attercliffe	25558	YARMOUTH (Gt.), 21 King St.	2418
SHEFFIELD 1, 200 The Moor	41940	YEOVIL, 87 Middle St.	2103
SHREWSBURY, 7 Mardol Head	24366	YORK, 8 Feasegate	145
SLOUGH, 174 High St.	2434		2632
	22808		

Head Office: 239 Corporation Street, Birmingham 4

Tel: Aston Cross 2081



IceniCAM On-Line Library



www.icenicam.org.uk