



MOTOBECANE

QUALITY MOPEDS

Model AV89



Specifications:
Engine: 49.9cc. Two Stroke.
Compression Ratio: 8.6 : 1.
2.5 BHP at 5200 R.P.M.
Carburettor: Gurtner.
Magneto: Novi.
Clutch: Automatic Dimoby with

Mobymatic Automatic Variable
Gearing.
Transmission Ratios:
12.1 : 1 to 21.7 : 1.
Length: 176cms. max.
Dry Weight: 56kgs. approx.
Fuel Capacity: 1.1 gals.

Telescopic Front Forks and
Swinging Arm Rear with Shock
Absorbers.
Tyre Size: 2.25 x 18.
Colour: Metallic Bronze.
Dualseat, Legshields and Pillion
Footrests Standard Equipment.

This moped is for the discerning rider who requires power and comfort, suitable for two up riding over long distances. A powerful headlight gives safety on the dark byways and deep valanced mudguards and tailored legshields give outstanding weather protection.

Motobecane Mopeds have been sold and serviced in the United Kingdom for well over a quarter of a century no other moped has this distinction. Motobecane (or Mobyette) as it is more commonly known have proven so reliable over the past quarter of a century that few radical changes have had to be made apart from styling, and spare parts are readily available with very few exceptions even for the older models.

A full range of accessories are available such as Carriers, Panniers, Mirrors, Top Boxes, Legshields, Windscreens, Flashing Indicator Kits. See price lists. REMEMBER ALWAYS ASK FOR GENUINE RECOMMENDED ACCESSORIES.

ALL MOPEDS ON THIS LEAFLET MEET THE U.K. MOPED LEGISLATION AND MAY BE DRIVEN ON A NORMAL CAR LICENCE.

Information given in this leaflet is purely for guidance and should be confirmed with your dealer to avoid misunderstanding.

We reserve the right to alter specifications without prior notice.

THAMESDOWN DISTRIBUTORS

U.K. Importer Motobecane Mopeds

207 RODBOURNE ROAD, SWINDON, SN2 2AE

Telephone: (0793) 31944

Telex: 44833 Chacom G

Your Nearest Dealer:

AUTOMATICALLY YOURS MOTOBECANE

of course



MOTOBECANE

QUALITY MOPEDS

Model 40TSL



Specifications:

Engine: 49.9cc. Two Stroke.
Compression Ratio: 8.8 : 1.
1.8 BHP at 5500 R.P.M.
Carburettor: Curtner.
Magneto: Novi.
Clutch: Automatic Dimoby.
Transmission Ratio: 13.2 : 1.
Length: 168cms. max.
Dry Weight: 40kgs. approx.
Fuel Capacity: 0.8 gals.
Telescopic Front Forks.
Tyre Size: 2 x 17.
Colour: Beige with Black
Headlamp and Trim.
Mudguards: Stainless Steel.

This simple to operate moped is ideal for in town use, its single, twistgrip control makes commuting a pleasure and with up to 180 mpg very easy on the pocket.

Model 50VLCB


Specifications:

Engine: 49.9cc. Two Stroke.
Compression Ratio: 8.8 : 1.
1.8 BHP at 5500 R.P.M.
Carburettor: Curtner.
Magneto: Novi.
Clutch: Automatic Dimoby with
Mobyatic Automatic Variable
Gearing.
Transmission Ratio:
10.7 : 1 to 18.9 : 1.
Length: 176cms. max.
Dry Weight: 50kgs. approx.
Fuel Capacity: 0.9 gals.
Telescopic Front Forks and Swinging
Arm Rear with Shock Absorbers.
Tyre Size: 2.25 x 17.
Colour: Provence Blue and
White Trim.
Stainless Steel Front Guard.
Dualesat, Legshields and Flashing
Indicators as Standard Equipment.



YOUR AUTOMATIC CHOICE

IceniCAM On-Line Library



www.icenicam.org.uk