





### engine and electrical equipment

Engine Garelli 351P - two-stroke - cubic capacity 49 c.c. - bore and stroke 40 x 39 - air cooled - alloy cylinder head - fully automatic transmission with centrifugal automatic clutch in oil bath - starting by pedals - chain drive - carburettor Dell'Orto SHA 14/12 with semi-automatic cold start plunger - ignition and lighting by flywheel magneto, output 6V. 18W. - front headlamp with main beam and pilot light with indicator - rear tail light with reflector - electromagnetic horn - lighting switch fitted on handlebar.

#### frame and suspension

Sturdy frame in steel tube with pressed steel attachments - petrol tank mounted over rear wheel - tank capacity over 1/2 gallon - fuel tap with main and reserve position - tank fitted with overflow pipe - rear carrier in pressed steel with built-in brackets for the fitting of pannier bags, which are available as extras - tool box incorporated in the petrol tank - chain cover - telescopic front fork - sprung comfortable oscillating saddle with waterproof cover - wheels with large section tyres (16" x 2.25) - full width hub brakes front and rear.

features and performance

The « Super Mini Moped » combines modern and elegant styling with practical and commonsense features, both the result of more than half a century motorcycle and moped manufacturing. The frame design ensures easy access and comfortable riding position. The centre-balanced and low engine ensures perfect road holding, the large diameter full width hub brakes front and rear operated by two handlebar levers (as on a normal bicycle) allow prompt, efficient and smooth stopping. A practical footrest platform is incorporated, a front carrier can be fitted especially designed to house a chrome wire basket available at extra cost to make shopping an easy and enjoyable task. The « Super Mini- Moped » is riding simplicity itself, thanks to its fully automatic clutch a twist to the throttle grip will enable you to accelerate fast and smoothly from standstill to top speed with a climbing ability of over 1 in 10.

LENGTH 1,700 mm. (66") WIDTH 700 mm. (27") HEIGHT 1,030 mm. (40") WEIGHT 41.5 kg. (11 lbs)
PETROL CONSUMPTION 140 miles per gallon.







On the experience made for over 50 years of production and after more than 200 World Records won, we are happy to introduce now the

### **GULP SUPER**

(SUPER MINI MOPED)

manufactured in the two large and modern Plants in Monticello and Sesto San Giovanni.



Stabilimento AGRATI Monticello



Stabilimento GARELLI Sesto S. Giovanni

# agrali-GARELLI

SEDE E STABILIMENTO MECCANICO MONTICELLO BRIANZA (COMO)

Telefono 54.491/92/93 (Rete Merate) Telegrammi: AGRATI MONTICELLO Filiale di Milano - Viale Monza, 53 Tel 283204-285.0.438

Stabilimento Motori e Ufficio Vendite Veicoli Italia SESTO S. GIOVANNI - Viale Matteotti, 353 Telefono 247.6.661/62/63/64/65 - Casella Postale 43 Telegrammi: MOSQUITO - SESTO S. GIOVANNI

# IceniCAM Information Service



www.icenicam.org.uk