



## engine and electrical equipment

Engine Garelli 354nBZKW - two stroke cubic capacity 49 c.c. - bore and stroke 40x39 - air cooled - alloy cylinder head high performance alloy cylinder with chromed sleeve - multidisc clutch in oil bath operated by handlebar control lever - constant mesh four speed foot change gear box - starting by kickstarter - transmission by chain drive - carburettor Dell'Orto with cold start plunger - air intake incorporating air filter - ignition and lighting by flywheel magneto, - output 6 V. 20/28 W. with external high tension coil - square type headlamp with pilot light indicator and ignition key - rear tail light with reflector - electromagnetic horn - lighting switch incorporating horn button situated on handlebar.


## frame and suspension

Light and sturdy double-cradle type tubular steel frame - frame mounted petrol tank, capacity 2 1/3 gallon - racing type chrome petrol tank cap - fuel tap with main and reserve position - tool and glove compartment - chain fully enclosed by chain cover centre stand - front suspension by hydraulic telescopic fork with rubber gaiters - rear suspension b swingingarm and telescopic suspension units - wheels with chrome steel rims and tyres 19"x2.25 front and 19" x2.50 rear - large and safe full width hub brakes front and rear (5" diameter) - rear sprocket rubber cushed - stainless steel front and rear mudguards - very large and comfortable dual seat in suede finish speedometer.

#### features and performance

Everything about the Garelli « Record » is motorcycle manufacturing at its best. The swift four speed high-performance engine with plenty of power for fast acceleration, overtaking and maximum speed, the sleek styling, the extra safety features as powerful full width hub brakes, hydraulic telescopic suspensions and perfect road-holding, the comfortable dual seat, the metallic silver colour and the excellent finish elevate this machine to a class of its own.

LENGTH 1,830 (71'') WIDTH 600 mm. (23'') HEIGHT 940 mm. (36") WEIGHT 63 kg. (138 lbs)







On the experience made for over 50 years of production and after more than 200 World Records won, we are happy to introduce now the

## **GARELLI RECORD**

manufactured in the two large and modern Plants in Monticello and Sesto San Giovanni.



Stabilimento AGRATI Monticello



Stabilimento GARELLI Sesto S. Giovanni

## agrali-GARELLI

SEDE E STABILIMENTO MECCANICO MONTICELLO BRIANZA (COMO)

Telefono 54.491/92/93 (Rete Merate) Telegrammi: AGRATI MONTICELLO Filiale di Milano - Viale Monza, 53 Tel 283204-285.0.438

Stabilimento Motori e Ufficio Vendite Veicoli Italia SESTO S. GIOVANNI - Viale Matteotti, 353 Telefono 247.6.661/62/63/64/65 - Casella Postale 43 Telegrammi: MOSQUITO - SESTO S. GIOVANNI

# IceniCAM Information Service



www.icenicam.org.uk