
INDEX


COMPANY									PAGES
Esge-Marby						•.•.	••		1 – 6
Bierreci								****	7
Laprade		• • •					*2.*	32.00	9 – 10
Maillard		• • •							11 – 17
Ofmega							***		19 – 29
Sedis		•:•						10.00	31 – 33
Sella Italia							•		35 – 38
Steco									39 – 40
Vredestein							***		41 – 42
Weinmann						*/*			43 – 67
ITEM									PAGES
Bottom Brackets									19, 24
Brakes			-						49–51, 53–55, 57
Brake Levers						4			58–59, 61–63
Brake Spares									47–48, 52, 55–56,
									60, 62, 64, 65, 68
Carriers			202			* **	••	•=•	2, 3, 39, 40
Chain									31–33
Chainwheels	0.0		1000					***	19–23, 28
Cranks	4.0							20.4	24
Freewheels	* *		\$167			2 2		2.0	15, 16
Freewheel Removers	**	**							16
Headsets	• •	• •			••	•			24
Hubs	9.	* *			• •	4.4			11–13, 17, 19, 26, 29
Kickstand	••	10						**	1
Mudguards	• •			• •	•	**		*:**	4–6, 66
Pedals	¥ .							- 111	13, 14, 19, 25
Rims	* *	• •	* *		• •		f.,.		42–45, 67
Saddles		• •	*/**					60	35–38
Seat Pins		***							9–10, 38
Toe Straps			10.7				*/55	• •	7
Tubes									41–42
Tyres		*: *:	*2.*		*:			*0.46	41–42







ESGE, one of the most successful companies in modern cycle component design, have perfected the manufacture of chromo-plastic mudguards, an involved and difficult production process yielding an outstanding product for which ESGE have obtained world patents. Other innovations from ESGE are also world patented. These exceptional cycle accessories include both carriers and the ESGE kickstand.



ESGE Kickstand




KICKSTAND COVER SHIELD

A patented, non-corrosive, shield link and spring ensures optimum working efficiency.

THE ESGE PATENTED KICKSTAND

- * Suitable for all size wheel cycles.
- * Calibrated from 140 mm to 265 mm in 5 mm sections for cutting to length required.
- * Made from tough, light aluminium alloy with a condensed shiny surface.
- * Supplied complete with cover plate, hexagonal screw for perfect fitting.
- * No maintenance required 100% efficient.

THE HIDDEN STRENGTH





KICKSTAND SCALE

Cut to the required length with ease using this calibrated scale.



ESGE BR 40F

steel rod folding carrier fits 26" and 27" wheel cycles:

- * Straightforward yet stylish.
- * 3 single supporting bars with concealed welds for added safety.
- * Strong single-piece spring and specially designed securing clip.
- * Niro plated finish.
- * Fitted with J62 fixing plate for full clearance to caliper brake cables.

ESGE BR 44F

steel rod folding carrier fits 20", 22", and 24" wheel cycles and is otherwise identical to the BR 40F model.




ESGE A 130F

steel rod carrier. One of the most versatile carriers. Fits almost every 20", 22", 24" and all 26", 27" and 28" wheel cycles.

- * Attractive counter rests and inset plastic stripping for secure fastening.
- * High-lustre, non-corroding finish.
- * Fitted with J62 fixing plate for full clearance to all caliper brake cables.
- * Single-piece spring with specially designed clip for luggage safety.
- * Strong single-section stays with no rivets that are liable to break.


NOW AVAILABLE

J62 Universal Fixing Plates.




ESGE A 130F Carrier






L200F



Strong, elasticated strap capable of taking various size, light luggage packs and holding them securely in place.

Strong counter rests with a sloping profile. These buttresses prevent luggage from sliding onto caliper brakes.



Exclusive joints and no rivets that are liable to break. A folding carrier that fits all 26" and 27" cycles.

ESGE L200F

Superlight alloy carrier suitable for Cycle Tourist, Sports and Racing Cycles with 26" and 27" wheels.


- * Made from the best quality aluminium alloy.
- * Entire carrier with a full 12" luggage carrying capacity weighs only 11 oz. Possibly the lightest rear carrier of its size.
- * Ideal for lightweight cycle touring bicycles though not intended for heavy loads. It is preferable to use an ESGE A130F carrier for this purpose.
- * Attractive black counter rests and supports contrasting superbly with high lustre, non-corrosive finish.
- * Strong, flexible and grooved elastic securing straps.
- * STREAMLINE, SMART AND VERY USEFUL mounted with J62 fixing plates, suitable for centre-pull and side-pull brake fittings.



Now supplied with front wheel J64S fixing plates and screws.

Useful alternative adaptation.

Full instruction leaflet supplied.




L200F Fitted to lightweight touring cycle



ESGE CHROMOPLASTIC LAMINATED MUDGUARDS


An entirely new patented concept in the manufacture of mudguards.



- * Attractive, shining chromium appearance with neat contours and smart black lining.
- * Scratchproof, corrosion-proof and virtually unbreakable.
- * Rounded, sealed edges, elegantly cut away with no protrusions liable to cause damage or injury.
- * Adding virtually no weight to a cycle even as supplied in full mudguard length.

Half guards

An all-weather resistant product




Corrosion-proof and unlikely to mark. An eye-catching, high-lustre, non-tarnishing accessory that is not only useful but also improves the look of a bicycle.

Safe for children



Rounded, smooth sides throughout. No sharp edges to catch fingers or clothing.

Entirely pliable



Bend or twist the ESGE chromoplastic guards to an excessive degree and they will still re-attain their shape and resume their original position.



ESGE CHROMOPLASTIC LAMINATED MUDGUARDS

- * Much stronger, than conventional plastic mudguards, to provide years of good service.
- * Complete with fittings, they are still almost as light as conventional plastic mudguards.
- * Manufactured with thin layer of aluminium foil concealed between two thicknesses of chromoplastic. This foil acts as a conductor of electricity for integrated dynamo lighting sets and enables one to dispense with a lot of unwanted electrical cable.
- * Fitting the four stays per full mudguard is simple. Eyelet screws with dome nuts hold the stay and brace firmly together. The fork end and rear stay fitting is equally as simple.
- * Supplied complete with reflector to B.S. 3224 and shaped rear guard mudflap.
- * Fitted as original equipment to some of the best quality British and Continental manufactured bicycles.



INSIST ON THE ESGE LABEL. This blue and yellow label is on every ESGE rear full mudguard just above the reflector.



Now also available in bronze.

The perfect match for green and black and other coloured frames.



NEW



NARROW-SECTION ESGE MUDGUARDS

- * Ideal for cyclists using the WEINMANN/VREDESTEIN rim and tyre combination or any narrow-section products.
- * Specially shaped chromoplastic guards with close tolerances and narrow profile ideal for new section wheels.
- * Supplied in attractive, shining chromium with smart black lining.
- Unique stay fittings, as supplied with standard ESGE full-guard section, exterior to the guards themselves with protected stay-ends.

NOW AVAILABLE

Replacement sets of mudguard fittings, comprising complete pack of 8 stays, nuts, bolts, washers and end pieces.

R. J. CHICKEN & SONS LTD.

LYON INDUSTRIAL ESTATE, HARTSPRING LANE, WATFORD, HERTS. WD2 8JD. Telephone: Watford (0923) 33027 Telex: 922093 CHICKS G

Telegrams: CHICKLON LONDON



SUGGESTED TRADE PRICE LIST

REF	DESCRIPTION	W/S Pack	Trade Price	PER	REF	DESCRIPTION	W/S Pack	Trade Price	PER
	BIERRECI/					Omoillard NORMANDY			
	TOE STRAPS	5.4				SOLID SPINDLE	-		
	Q/R Buckles,		8 6			ALLOY HUBS		-	
	polybagged pairs	-31				36H BOXED	1 1		
	"Super Competition" Black	10 00	2.00	pr		L/F Gear Side	pr	3.26	pr
	"Competition" Black, white or red	7	0.89	pr		L/F Gear Side Rear	ea	1.85	ea
	"Gran Premio" Black, white, blue or red	The second	0.63	pr		L/F Gear & Fixed	pr	3.42	pr
						L/F Gear & Fixed Rear	ea	1.94	ea
	BIERRECI/ TOE CLIPS					L/F Double Fixed QUICK RELEASE	pr	3.42	pr
	w. fixing plates		-	Tro I	S S S S S S	ALLOY HUBS		134	
			W. NEWSER	Constant		36H BOXED	-		
	"Competition" Black plastic covered steel	10 pr	Madauca	pr		3011 BOXED			
	"Gran Premio" steel	10 pr	0.62	Pi		ATOM S/F, Q/R	pr	6.59	pr
						NORMANDY S/F, Q/R de Luxe .	pr	9.01	pr
			- 18		1 B 1000	NORMANDY L/F, Q/R NORMANDY L/F, Q/R de Luxe	pr	9.78	pr
	KICKSTANDS						1	0.70	Pi
	ESGE Tough alloy, calibrated	50	1.19	ea		SOLID SPINDLE HUB SPARES			
	FOLDING SPORT				3010	Front Solid Axle complete	ea	5.35	10
	CARRIERS				3062	Rear Solid Axle complete	ea	6.31	10
L200F	Front or rear fixing, alloy, elastic straps	1			3007	Front Solid Axle only	ea	0.96	10
LZUUF	26"/27"	40	4.07	ea	3057	Rear Solid Axle only	ea	0.96	10
L255F	Rear, alloy, pannier, 27"/28"	50	3.27	· ea	3004	Front Cones for Solid Axle	ea ea	1,17	10
A130F	Rear. UNIVERSAL - fits some 20"/24"				3054	Rear Cones for Solid Axle	Ca		10
	& all 26"/27"/28"	40	2.81	ea		QUICK RELEASE	1		
A605F	Rear, 27"/28"	50	2.53	ea		HUB SPARES			
BR40F BR44F	Rear, steel rod, w.clamp 26"/27" As BR40F, 20"/24"	50	2.11	ea ea	3110	Front Q/R Axle complete	ea	1.07	ea
DN44F	AS BR 401, 20 724	00		Ca	3162	Rear Q/R Axle complete	ea	1.33	ea
	CHROMOPLASTIC	177	1		3107	Front Q/R Axle only	ea	5.77	10
	MUDGUARDS	-			3157	Rear Q/R Axle only	ea	7.06	10
		- 335	- 00	10,000	3304	Front Cones for Q/R Axle	ea	0.96	10
	Full-guards. Silver or Bronze Full-guards, narrow-section. Silver or	5 pr	5.06	pr	3354	Rear Cones for Q/R Axle	ea	1.17	10
	Bronze.	5 pr	5.06	pr	3003 3053	Front Dust Cap for Q/R Hub Rear Dust Cap for Q/R Hub	ea ea	0.42	10
	Half-guards. Silver	15 pr		pr	3412	Front Q/R de-Luxe Axle complete	ea	1.65	ea
	Mudguard fittings w. stays	set	1.65	set	3461	Rear Q/R de-Luxe Axle complete	ea	1.87	ea
	Mudguard fittings without stays	set	0.90	set	3414	Front Cones for Q/R de-Luxe Axles	ea	0.64	ea
		31		-	3464	Rear Cones for Q/R de-Luxe Axles	ea	0.64	ea
	LADDADE	1.57	1	18.5	3403	Front Dust Cap for de-Luxe Hub Rear Dust Cap for de-Luxe Hub	ea	0.96	10
	LAPRADE				3453		1		
	ALLOY SEAT PIN	357				Front Q/R Skewers	5	1.55	ea ea
606	Professional w. allen key, boxed		13			Rear Q/R Skewers	9	1.55	ea
- 0-	26.4, 26.8, 27.0, 27.2 mm	ea	9.50	ea	000	ATOM			
505	26.2, 26.4, 26.6, 26.8, 27.0, 27.2 mm	ea	6.00	ea		ALLOY PEDALS			,
					450RA		pr	3.31	pr '
	ATOM SOLID SPINDLE	139			450RN	Quill, black cage, 13mm spindle	pr	2.89	
	ALLUY HUBS				600RC 600RN	Quill, chrome, 13mm spindle Quill, black cage, 13mm spindle	pr	4.03	
	36H BOXED				JUUNIN	Com, place cage, romm spindle	1	4.03	
	S/F Gear Side	pr	2.26	pr		5 SPEED	100		1
	S/F Gear Side Rear	ea	1.39			FREEWHEELS		1	
	S/F Gear & Fixed	pr	2.39	1000		14 10 10 20 00		2 40	
	S/F Gear & Fixed Rear	ea	1.49			ATOM 14-16-18-20-22 teeth	ea	3.49	100000
	S/F Double Fixed	pr	2.39	pr	1	NORMANDY 14-16-18-21-24 teeth NORMANDY 14-17-20-23-26 teeth	ea	3.19	
E 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			130	100		NORMANDY 14-17-20-23-20 teeth	ea	3.37	A CONTRACTOR
		PARTY.	1	1	1.4	NORMANDY 14-17-21-26-32 teeth	ea	3.77	ea
			199		Mary and	NORMANDY 14-18-23-30-34 teeth*	ea	4.17	1
								1	

IceniCAM Information Service



www.icenicam.org.uk