

Wonder-Wheels

by

Hercules

The Finest Breycle Built To-day



WITH REYNOLDS "531" TUBING

Frame: 23 in., 73° head, 71° seat angles, 40/41 in. wheelbase. Brazed-on brake and gear cable eyes. Special cut-away chamfered lugs. Wheels: Dunlop H.P. 27 in. x 1½ in. rims, 15/17 D.B. spokes. Airlite hubs. Tyres: Dunlop High Pressure. Chainwheel and Cranks: Hercules Kestrel 46T 3-pin detachable chainwheel with fluted cranks. Pedals: Brampton solid centre. Handlebar: Maes bend (steel) with Tape and Stops, "all-in-one" 2½ in. extension. Saddle: B.17N. Brakes: G.B. Alloy Super Hood with

Saddle: B.17N. Brakes: G.B. Alloy Super Hood with cross-over cable clip. Mudguards: Bluemel "Tour de France" Alloy with stay-eye fittings and integral reflector. Accessories: Large touring bag. Alloy 18 in. inflator. Finish: High Lustre Magenta; tasteful contrasting Panel and Continental Chevrons. FRAME SETS ALSO AVAILABLE

Hercules 3-speed Hub with Her-cu-matic Handlebar Control extra Herailleur Gear with Down Tube Control (as illustrated) extra





WITH REYNOLDS "531" FRAME TUBES

Frame: 21 in. and 23 in., 73° head, 71° seat angles. Special cutaway lugs. Brazed-on brake and gear cable eyes. Forks: Narrow pattern crown. 'D' to round section with solid ends. Wheels: 27 in. x 11 in. H.P. rims, with track nuts. Narrow barrel racing hubs. Tyres: Dunlop High Pressure. Chainwheel and Cranks: Hercules Kestrel 46T 3-pin detachable, with fluted cranks. Pedals:

Racing rat-trap, quill type. Handlebar: Maes bend with Shockstop pattern grips. Brakes: G.B. Alloy with hooded levers, with cross-over cable clip. Mudguards: White celluloid. Saddle: "Kestrel" Racing, narrow. Accessories: 18 in. alloy inflator, reflector. Finish: Violet with Lilac Panel and Chevrons. FRAME SETS ALSO AVAILABLE.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control extra Herailleur Gear with Down Tube Control (as illustrated) extra.





WITH REYNOLDS "531" FRAME TUBES

Frame: 21 in. and 23 in., 70½° head, 70½° seat angles. Special cut-away lugs. Forks: Narrow pattern crown. 'D' to round section with solid ends. Wheels: 26 in. x 1½ in. Endrick rims, with track nuts. Narrow barrel racing hubs. Tyres: Dunlop Speed. Chainwheel and Cranks: 48T with 6½ in. cranks. Pedals: Racing rat-trap, quill type. Handlebar: Maes bend on

Racing rat-trap, quill type. Handlebar: Maes bend on adjustable stem, with Shockstop pattern grips. Brakes: Caliper with silvered cables. Mudguards: White celluloid. Saddle: "Kestrel" Racing, leather. Accessories: Touring Bag, 15 in. alloy inflator, reflector. Finish: Hercules Phosphorescent Dark Green with Cream Head and Panel; or Petunia with Lilac Head and Panel.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control extra Herailleur Gear with Down Tube Control (as illustrated) extra





Kestrel LADIES' CLUB


WITH REYNOLDS "531" FRAME TUBES

Frame: 21 in. and 23 in., Special cut-away lugs. Forks: Narrow pattern crown. 'D' to round section with solid ends. Wheels: 26 in. x 1½ in. Endrick rims, with track nuts. Narrow barrel racing pattern hubs. Tyres: Dunlop Speed. Chainwheel and Cranks: 44T with 6½ in. cranks. Pedals: Racing rat-trap, quill type. Handlebar Bend: Half Drop on adjustable stem, with Shockstop

pattern grips. Brakes: Caliper with silvered cables. Mudguards: White celluloid. Saddle: "Kestrel" Racing Leather. Accessories: Touring Bag, 15 in. alloy inflator, reflector. Finish: Hercules Phosphorescent Dark Green with Cream Head and Panel; or Petunia with Lilac Head and Panel.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control (as illustrated) extra.

Herailleur Gear with Down Tube Control extra.



AUTOGRAPHED MACHINE


WITH REYNOLDS "531" FRAME TUBES

Frame: 21 in. and 23 in. Special cut-away lugs and brazed-on mudguard eyes. Forks: Narrow pattern crown, 'D' to round section with solid ends, and brazed-on snug for lamp bracket. Wheels: 26 in. x 1½ in. Endrick rims, with track nuts. Narrow barrel racing hubs. Freewheel and fixed sprocket. Tyres: Dunlop Speed. Chainwheel and Cranks: Special flanged 46T 3-pin detachable with square cranks. Pedals: Racing rat-trap, quill type. Handlebar: Maes bend, taped with stops. Brakes: G.B. Alloy with hooded levers. Mudguards: White celluloid; entirely new type front spearpoint. Saddle: Narrow racing. Accessories: 15 in. alloy inflator,

reflector, tourist bag. Finish: Hercules Phosphorescent Light Green with Cream Head; Eileen Sheridan autograph transfer on

top down tube.

Alternative Components available at small extra cost:
Hercules 3-speed Hub. Herailleur Gear with Down Tube Control.
Dunlop High Pressure Rims. Dunlop High Pressure Covers and
Tubes. G.B. Super Hood Front and Rear Brakes. B.15 Saddle.
Maes Bend Handlebar with 2 in. adjustable stem (or other
handlebars as desired).



'HARLEQUIN' SPORTS

(LADIES' MODEL ALSO AVAILABLE)

Frame: 21 in. and 23 in. Double-tapered seatstays. Cut-away lugs. Wheels: 26 in. x 1\(\frac{1}{2}\) in. Endrick rims. Tyres: Dunlop Sports. Handlebar: Maes bend with extended adjustable Clip. Rubber Grips. Brakes: Caliper. Mudguards: Steel spearpoint. Saddle: Leather. Pedals: Rat-trap, quill type. Accessories: Reflector, alloy 15 in. inflator, and hold-all. Finish: Sapphire Blue or Maroon with distinctive lining.

Also available — HERCULES LADIES' 'HARLEQUIN' SPORTS with Half Drop handlebar, rubber pedals, spring seat saddle, and celluloid inflator.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control (as illustrated) extra.

Herailleur Gear with Down Tube Control extra.



Kestrel lightweight tourist

WITH REYNOLDS "531" FRAME TUBES

Frame: 21 in. and 23 in. Special cut-away lugs. Forks: 'D' to round section with solid ends. Wheels: 26 in. x 1\frac{3}{2} in. Endrick rims, with track nuts. Narrow barrel racing hubs. Tyres: 26 in. x 1\frac{3}{2} in. Dunlop Sports. Chainguard: Metal. Pedals: Ultralightweight Dual type. Handlebar: All-rounder bend on adjustable

stem. Brakes: Caliper. Mudguards: White celluloid. Saddle: Spring seat. Accessories: Reflector, celluloid inflator and hold-all. Finish: Standard Black enamel or

Olive Green, with Cream Head and Panel.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control (as illustrated) extra.

Herailleur Gear with Down Tube Control extra.

AVAILABLE ON EASY TERMS

page eight

Hercules *Cycles*

PRICE LIST

EFFECTIVE 15th NOVEMBER, 1952

This price list supersedes all previous price lists. All orders are accepted at price ruling at date of delivery.

THE PRICES QUOTED HEREIN ARE THOSE APPLICABLE TO GT. BRITAIN AND NORTHERN IRELAND

Hero

PRICE LIST · Effecti

		£	s.	d.
MASSED START Machine		34	0	0
LAPWING Track Machine		33	0	0
KESTREL				
SUPER CLUB		27	9	2
SENIOR CLUB	- 10	19	17	2
CLUB Gent's		16	10	0
LICHTWEIGHT TOURIST* Gent's		15	19	6
LIGHTWEIGHT TOURIST Gents		15	19	6
CLUB Gent's CLUB Ladies' LIGHTWEIGHT TOURIST* Gent's LIGHTWEIGHT TOURIST* Ladies' *Small extra for colour			.00	170
SPORTS				
EILEEN SHERIDAN AUTOGRAPHED MACHINI	E*	17	17	4
EILEEN SHERIDAN AUTOGRAPHED MACHINE	, with	16	19	5
Standard Caliper Brakes		14	14	0
HARLEQUIN Gent's HARLEQUIN Ladies'		14	14	0
*For prices of alternative components see facing p	age .		**	
SPORTS TOURIST Gent's				
SPORTS TOURIST 'F' Standard Black SPORTS TOURIST 'F' Maroon or Olive Green .	- 14	13	19	6
SPORTS TOURIST 'F' Maroon or Olive Green .		14	5	9
CAERNARVON 'P' Standard Black	100	16	9	4
CAERNARVON 'P' Standard Black WINDSOR 'P' Olive Green		17	- 4	9
SPORTS TOURIST Ladies'				
SPORTS TOURIST 'FA' Standard Black		13	19	6
SPORTS TOURIST 'FA' Maroon or Olive Green		14	5	9
CAERNARVON 'PA' Standard Black		16	9	4
SPORTS TOURIST 'FA' Standard Black SPORTS TOURIST 'FA' Maroon or Olive Green CAERNARVON 'PA' Standard Black WINDSOR 'PA' Olive Green		17	4	9
SAFETY Gent's			5050	- 28
SAFETY 'C' Standard Black	- 2	13	17	6
SAFETY 'C' Maroon or Olive Green		14	3	9
ARUNDEL 'U' Standard Black		16	6	10
SAFETY 'C' Standard Black		17	2	3
SAFETY Ladies'				7.04
LADIES' LOOP TUBE MODEL 'CA/LT,' Standard LADIES' LOOP TUBE MODEL 'CA/LT,' Olive Gro	Black	14	.6	9
SAFETY 'CA'	(5)	13	1/	6
SAFETY 'CA' Maroon or Olive Green ARUNDEL 'UA' Standard Black		14	3	10
ARUNDEL 'UA' Standard Black		10	0	110
BALMORAL 'UA' Olive Green		17	2	3


ALL PRICES INCLUDE PURCHASE TAX

cules

ive 15th November, 1952

	£	s.	d.
LIGHT ROADSTER			nrse:
ARTISAN MODEL	11	19	6
BOY'S			
'JEEP,' 18 in. frame, Standard Black . 'JEEP,' 18 in. frame, Maroon, Sapphire Blue or Olive Green	12	19	11
'JEEP,' 18 in. frame, Maroon, Sapphire Blue or Olive Green 'RANGER,' 16 in. frame, Maroon, Sapphire Blue or Olive	13	0	2
Green	11	19	3
GIRLS'			
' JEEP,' 18 in. frame, Standard Black . ' JEEP,' 18 in. frame, Maroon, Sapphire Blue or Olive Green	13	2	5
'JEEP,' 18 in. frame, Maroon, Sapphire Blue or Olive Green 'RANGER,' 16 in. frame, Maroon, Sapphire Blue or Olive	13	8	8
Green	11	19	3
CARRIERS (No Purchase Tax)			
CTANDADD (D.)	14	8	3
HOLD-ALL 'K,' small front wheel	15	19	9
EXTRAS HERCULES 3-SPEED HUB with Her-cu-matic Patented Handlebar			
Control		2	9
HERAILLEUR 3-SPEED CHAIN GEAR	2	1	0
STURMEY-ARCHER FRONT DYNOHUB GH6, with Lamp .	3	0	3
STURMEY-ARCHER FRONT DYNOHUB GH6, with Lamp and			
D.B.U. Battery Unit		10	
CARRIER BASKET 'D'	- 17	3	: 50
CARRIER BASKET 'K'	1	12	1
ALTERNATIVE COMPONENTS AVAILABLE FOR			
EILEEN SHERIDAN AUTOGRAPHED MACHINE ON	LY		
Dunlop High Pressure Rims, with Dunlop High Pressure Covers			120
and Tubes		8	1 33
G.B. Super Hood Front and Rear Brakes		4	
B.15 Saddle		10	3
Maes Bend Handlebar with 2 in. adjustable stem (other Handlebars available on request)		16	3

ALL MODELS AVAILABLE ON EASY TERMS
PLEASE SEE YOUR LOCAL HERCULES DEALER



GENT'S ARTISAN MODEL

Frame: 22 in. and 24 in. Finest quality steel throughout, "Spra-Bonderized" before enamelling for rust resistance and long life. Wheels: 26 in. x 13 in. Westwood. Tyres: Dunlop Champion. Handlebar: "North Road" raised. Brakes: Double Roller-lever.

Mudguards: Deep domed. Saddle: Spring seat. Pedals: Rubber. Accessories: Reflector, inflator and toolbag. Finish: Standard Black enamel, Red and Gold lining.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control extra

AVAILABLE ON EASY TERMS

page twelve






Kestrel ladies' lightweight tourist

WITH REYNOLDS "531" FRAME TUBES

Frame: 21 in. and 23 in. Special cut-away lugs. Forks: 'D' to round section with solid ends. Wheels: 26 in. x 1½ in. Endrick rims with track nuts. Narrow barrel racing hubs. Tyres: 26 in. x 1½ in. Dunlop Sports. Chainguard: Metal. Pedals: Ultra lightweight dual type. Handlebar: All-rounder bend on adjustable stem. Brakes: Caliper. Mudguards: White

celluloid. Saddle: Spring seat. Accessories: Reflector, celluloid inflator and hold-all. Finish: Standard Black enamel with Cream Head and Panel, or Violet with Gold Head and Panel, or Olive Green with Cream Head and Panel. Hercules 3-speed Hub with Her-cu-matic Handlebar Control (as illustrated) extra.

Herailleur Gear with Down Tube Control extra.



(LADIES' 'WINDSOR' ALSO AVAILABLE)


Frame: 19 in., 21 in. and 23 in. Low built. Brazed-on pump pegs. Wheels: 26 in. x 1\(\frac{3}{2}\) in. Endrick steel. Tyres: Dunlop Roadster. Gear: Hercules 3-speed with Her-cu-matic Handlebar Control. 48T chainwheel, 6\(\frac{1}{2}\) in. cranks, 18T sprocket. Gear Case: Hercules. Handlebar: "New Pattern" raised. Brakes: Caliper. Saddle: Spring scat. Pedals: Rubber. Accessories:

Reflector, inflator and hold-all bag. Finish: Olive Green (gold lined), with Green Mudflap, Green Inflator, Green Cables, Green Grips, and Green Hold-all Bag.

Also available — HERCULES GENT'S or LADIES' "CAERNARVON," specification as above, but Standard Black finish throughout.

Sturmey-Archer Front Dynohub, type GH6, with head and tail Lamps (as illustrated) extra. Also available as extra —Dry Battery Unit (D.B.U.).






(GENT'S 'BALMORAL' ALSO AVAILABLE)

Frame: 19 in., 21 in. and 23 in. Low built. Cut-away lugs. Wheels: 26 in. x 1\(\frac{1}{6}\) in. Tyres: Dunlop Roadster. Gear: Hercules 3-speed with Her-cu-matic Handlebar Control. Cranks: 6\(\frac{1}{2}\) in. Gear Case: Hercules. Handlebar: "North Road" high raised. Brakes: Roller-lever. Saddle: Spring seat. Pedals: Rubber. Accessories: Reflector, inflator and hold-all bag. Finish: Olive Green (gold lined), with Green Mudflap, Green Inflator, Green Cable, Green Grips, and Green Hold-all Bag.

Also available — HERCULES GENT'S or LADIES' "ARUNDEL," specification as above, but Standard Black finish throughout.

Sturmey-Archer Front Dynohub, type GH6, with head and tail Lamps (as illustrated) extra. Also available as extra —Dry Battery Unit (D.B.U.)



SPORTS TOURIST 'F'

(LADIES' 'FA' ALSO AVAILABLE)

Frame: 19 in., 21 in. and 23 in. Fully brazed-up. Double-tapered scatstays. Cut-away lugs. Low built. Wheels: 26 in. x 1½ in. Endrick steel. Tyres: Dunlop Sports. Chainguard: Metal. Handlebar: "New Pattern" raised. Brakes: Caliper. Mudguards: Steel spearpoint. Saddle: Spring scat. Pedals: Rubber. Accessories: Reflector, inflator and hold-all bag. Finish:


Standard Black enamel, gold lining; or Maroon with White mudguards; or Olive Green with Green mudguards; all tastefully lined. Colour finishes at small extra cost.

Also available —

HERCULES LADIES' SPORTS TOURIST 'FA' in Standard Finish or Maroon with White mudguards or Olive Green with Green mudguards, all tastefully lined. Colour finishes at small extra cost.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control extra.





(LADIES' 'CA' ALSO AVAILABLE)

Frame: 19 in., 21 in. and 23 in. Fully brazed-up. Double-tapered seatstays. Cut-away lugs. Wheels: 26 in. x 1\(^3\) in. West-wood. Tyres: Dunlop Sports. Chainguard: Mctal. Handlebar: "North Road" high raised. Rubber Grips. Brakes: Roller-lever. Saddle: Spring seat. Reflector, inflator and toolbag. Finish: Standard Black enamel, gold lining; or Maroon with White mudguards; or Olive Green with Green mudguards; all tastefully lined. Colour finishes at small extra cost.

Also available-

HERCULES LADIES' SAFETY 'CA' in Standard Finish, or Maroon with White mudguards or Olive Green with Green mudguards, all tastefully lined. Colour finishes at small extra cost.

Hercules 3-speed Hub with Her-cu-matic Handlebar Control extra



Hercules

BOY'S & GIRL'S 18 in. 'JEEP' MODELS

(AGES 7-9 ACCORDING TO HEIGHT)

Frame: 18 in. built with adult-size tubing. Double-tapered seatstays. Brazed-up seat and chain stays. Cut-away lugs. Wheels: 24 in. x 13 in. Tyres: Dunlop Juvenile. Handlebar: "North Road" high raised. Brakes: Roller-lever. Mudguards: Steel

spearpoint, black enamelled. Saddle: Spring seat. Pedals: Rubber. Accessories: Toolbag, reflector and inflator.

Finish: Standard Black enamel; Maroon, Sapphire Blue, or Olive Green at small extra cost.

GIRL'S MODEL: Specification as above but fitted with chainguard.



Hercules


BOY'S & GIRL'S 16 in. 'RANGER' MODELS

(AGES 5-8 ACCORDING TO HEIGHT)

Frame: 16 in., built with adult-size tubing and brackets. Wheels: 20 in. x 1\(\frac{1}{4}\) in. Junior. Tyres: Dunlop Junior. Chainguard: Metal, half-pattern. Handlebar: Narrow pattern "North Road" raised.

Brakes: Roller-lever. Mudguards: Steel spearpoint. Saddle: Spring Seat. Pedals: Rubber. Accessories: Reflector, toolbag, white celluloid inflator. Finish: Maroon, Sapphire Blue, or Olive Green. Very attractive "Ranger" pictorial transfer on frame tube.





There are 31 Hercules models to choose from, to suit every cyclist. Particulars of Models not illustrated will gladly be given by your local Hercules Cycle Dealer.

Hercules Cycles are "Spra-Bonderized" before enamelling to ensure rust-proofing and long life. All Models have Hercules High Lustre Chromium Plating, subject to the provisions of "The Nickel Prohibited Uses (Minister of Supply) Order 1951," and availability of supplies.

All Specifications and Prices (which are those applicable in Great Britain and Northern Ireland) subject to revision without notice. All prices are INCLUSIVE of Purchase Tax.

The World Centre of Cycle Craftsmanship.

The HERCULES CYCLE & MOTOR CO. Ltd.

BRITANNIA WORKS, ROCKY LANE, ASTON, BIRMINGHAM 6
(Factories at Rocky Lane, Aston; and Manor Mills)


Cables and Telegrams: CYMO

Telephone: ASTON CROSS 3040 (12 lines)

London Office: 3 SOHO SQUARE, LONDON W.1

Telephone: GERrard 7544

IceniCAM Information Service



www.icenicam.org.uk