
IceniCAM Information Service



Specifications of Bobby 3

An elegantly styled frame of precision steel tube construction embodying rear forks of unique design and incorporating drop-out fork ends: finished with three coats of rust-proof stove enamel with lines of contrasting colour.

Precision steel embodying super-sprung suspension.

mudguards hubs wheels

Sports type with throttle and gear twistgrip-brake and clutch lever.

Newly designed rubber-cushion type slung on shock absorbing cradle for maximum riding comfort.

Extra large capacity holding 8\frac{3}{4} pints finished three coats anti-rust stove enamel with contrasting lines and "LEOPARD" medalion.

accessories

frame front forks

3 inches wide with anti-splash metal side skirts and stays recessed, and lined in contrasting colour to give streamlined effect.

90 mm, special type hubs having large diameter brake drums of the "Super-Safety" class.

"Anti Twist" box type rims of light metal with high tension spokes reinforced at hub for added strength; Balloon Tyres 23 in. × 2 in.

handlebars saddle fuel tank


Headlamp 6 V/15 W with Bilux-bulb and Dip/Switch on handlebar: tail lamp: pressed steel luggage carrier with spring: central propstand: tool kit container with tools: anti-theft lock: reflector pedals: pump: electric horn: Chromium plated exhaust box: chainguard: speedometer with mileage recorder.

EXTRAS: Leg shields and wind screen.

YOUR LOCAL DEALER

1 AND 2 EAST HILL
Phone COLCHESTER 6131/2

Printed in England



one of the

lively

Leopards



The lively Leopard

BOBBY 3

The front suspension is by a sprung swinging-link which, together with a rubber cushion saddle in a shock absorbing cradle, ensures comfortable riding under all conditions.

The full-width brakes and re-inforced axle add to the safety of this machine.

Every LEOPARD dealer is able to give immediate after-sales service and spare parts for the SACHS engine are always available.



The famous 50 cc Sachs engine is light and compact and is built "in unit" with a two speed gearbox and sturdy clutch. With pedal kickstarter, output 1.6 H.P. "Bosch" flywheel magneto-dynamo 6 V/17 W.A.C. The coaster brake is operated by the pedals.



The specially designed saddle, broad and well-sprung, takes the jolts out of the toughest going.

The super-suspension Springing is an extremely important feature to which the Designers have paid special attention thus ensuring smooth riding.



The special carrier with spring clips for holding light luggage or parcels securely.

