
INDEX

COMPANY									PAGES		
Esge-Marby						•.•.	••		1 – 6		
Bierreci								****	7		
Laprade		• • •					*2.*	32.00	9 – 10		
Maillard		• • •							11 – 17		
Ofmega							***		19 – 29		
Sedis		•:•						10.00	31 – 33		
Sella Italia							•		35 – 38		
Steco									39 – 40		
Vredestein							***		41 – 42		
Weinmann						*/*			43 – 67		
ITEM									PAGES		
Bottom Brackets									19, 24		
Brakes			-						49–51, 53–55, 57		
Brake Levers						4			58–59, 61–63		
Brake Spares									47–48, 52, 55–56,		
									60, 62, 64, 65, 68		
Carriers			202			* **	••	•=•	2, 3, 39, 40		
Chain									31–33		
Chainwheels	0.0		1000					***	19–23, 28		
Cranks	4.0							20.4	24		
Freewheels	* *		\$167			2 2		2.0	15, 16		
Freewheel Removers	**	**							16		
Headsets	• •	• •			••	•			24		
Hubs	9.	* *			• •	4.4			11–13, 17, 19, 26, 29		
Kickstand	••	13						**	1		
Mudguards	• •			• •	•	**		*:**	4–6, 66		
Pedals	¥ .								13, 14, 19, 25		
Rims	* *	• •	* *		• •		f.,.		42–45, 67		
Saddles		• •	*/**					60	35–38		
Seat Pins		***							9–10, 38		
Toe Straps			10.7				*/55	• •	7		
Tubes								1.4	41–42		
Tyres		*: *:	*2.*		*:			*0.48	41–42		










One of the most progressive cycle component manufacturers in Italy, Ofmega produce Chainwheel Sets, Bottom Brackets, Head Sets, Hubs and Pedals in largely automated factories using titanium, alloy and steel.

TITANIUM-THE ULTIMATE QUALITY



Model 2100: Ultra-lightweight stamped alloy double chainwheel set with ground teeth. 5-pin black anodised cut-out detachable rings with slotted arms. Forged fluted alloy cranks, milled and serrated. Exclusive shaped, well-champhered crank shoulders. Allen key bushes and bolts. Hand finished throughout. 42/52 teeth combination with 170 mm cranks. Weight: 520 gms complete.

Model 2200: Patented ultra-lightweight bottom bracket set. Alloy cups with cylindrical roller bearings and bush thrust ball bearing. Titanium axle and crank arm fixing bolts. Spindle lengths suitable for 68 mm shell. Weight: 185 gms.

Model 2300: Ultra-lightweight magnesium alloy small flange 36-hole hubs. Fitted with special sealed ball bearings and titanium spindles. Super de-luxe Q/R mechanisms. Available for 5- and 6-speed freewheels. Weight: Front 160 gms, rear 210 gms.

Model 2400: Forged ultra-lightweight alloy pedals with cylindrical roller bearing and ball bearings. Titanium spindles. Weight: 270 gms.

Model 2500: Titanium handlebar expander bolt with light alloy nut.





SUPER COMPETITION ALLOY CHAINWHEEL SET





Superlight stamped double alloy chainwheel set with ground teeth.

5-pin anodised and cut-out detachable rings with slotted arms.

orged alloy fluted cranks, milled and serrated.

/ell champhered exclusively shaped crank shoulders.

Allen key bushes and bolts.

Hand finished throughout.

Weight: 570 gms.

Model 1090 Cranks 170 mm.

Model 1000 Chainwheel Combination: 42/52 teeth.

Supplied with Model 7000 bottom bracket, details on page 24

Rings interchangeable with Campagnola and other leading makes.


Supplied with Model 1990 extractor tool.





COMPETITION ALLOY CHAINWHEEL SET





COMPETITION stamped double alloy chainwheel set with ground teeth. Similar to the SUPER COMPETITION model with unique shape and well champhered crank shoulders.

5-pin anodised detachable rings.

Forged alloy fluted cranks.

Allen key bushes and bolts.

Hand finished throughout.

Model 1190 Crank: 170 mm.

Model 1100 Chainwheel combination: 42/52 teeth.

Supplied with Model 7000 bottom bracket (details on page 24).

Rings interchangeable with Campagnola and other leading makes.

Supplied with Model 1990 extractor tool.





GRAN PREMIO ALLOY CHAINWHEEL SET





GRAN PREMIO stamped light alloy cotterless double chainwheel set with ground teeth.

High quality assembly.

5-pin detachable rings.

Black anodised Allen key bushes.

Forged alloy fluted cranks—Model 1290: 170 mm. Model 1200 Chainwheel combination: 42/52 teeth.

Supplied with Model 7100 bottom bracket and


Model 1990 extractor tool.





TURISIMO ALLOY CHAINWHEEL SET






Model 1920

Cotterless, pressed light alloy, single interchangeable chainwheel set.

170 mm cranks.48 teeth ring.Supplied with Model 7100 bottom bracket set.

OFMEGA

Alloy chainwheel protector. Model 1970 for 52 teeth rings. Slotted, 5-arm fixing.







SPARE PARTS AND ACCESSORIES

NEW

CHAINRINGS


for Super Competition set Model 102: 53 teeth Model 103: 54 teeth Model 105: 44 teeth

for Competition set Model 112: 53 teeth Model 113: 54 teeth Model 115: 44 teeth

for Gran Premio set Model 122: 53 teeth Model 123: 48 teeth Model 125: 44 teeth



105



103

CRANKS

Model 109: L/H for Super Competition

set

Model 119: L/H for Competition set Model 129: L/H for Gran Premio set



109



119

HEADSETS

Model 8000: Nickelled chrome steel, ball races selected and ground bearings.

Model 8100: De-Luxe chrome-plated special steel and ball races with black anodised

sections. Boxed.

Model 8200: Chrome-plated steel. Boxed.

BOTTOM BRACKET SETS

Model 7000: Nickelled chrome steel with ball races,

selected and ground bearings. Spindle

length suitable for 68 mm shell.


Model 7100: Special steel with ball races.

OTHER PARTS


Model 107 and 108 set of 5, black anodised or chrome Allen Key, nuts, bolts and braces.

Model 0100: Dust caps.

Model 1990: Extractor tool, black, polybagged.



8100




7100





ALLOY QUILL PEDALS






Model 9600

Quill pedals of lightweight alloy throughout with cut out sides and ends.

Polished barrel, black anodised cage and caps.
Ground bearings.

Weight: 320 gms



Model 9650

Lightweight alloy throughout. Cut out sides and ends. Silver anodised. Weight: 320 gms

Spare Parts available on request.






ALLOY HUBS

NEW

6000 SUPER COMPETITION



Extra lightweight: only 495 gms pair with quick releases.

Lighter than most comparable models.

Unique design and smooth running.

Precision machined ground races and quality sealed bearings.

Quick-action release mechanisms.

Spring lubricator.

Silver anodised with small flanges.

5- or 6-speed. 36 hole.

6100 COMPETITION


Similar design to Super Competition model. Silver anodised and hand finished. 5- or 6-speed. 36 hole.

Spare Parts available on request.









HIGH QUALITY BICYCLE PARTS
IN ALLOY AND STEEL.






NEW

STEEL CHAINWHEEL SETS

are manufactured to high quality standards. The deep lustre finish is obtained from a special plating process involving an initial coating of dull nickel, then copper, followed by bright nickel before a final coating of chrome. This process affords a high degree of protection against a harsh climate.



Model: 4000. Single $\frac{3}{32}$ " NGCC. Single $\frac{1}{8}$ " NGCC & GCC. Available in 46 and 48 teeth. 170 mm ($6\frac{3}{4}$ ") and 165 mm (6") fluted cranks.(not as illustrated) 5 arm rings with cut-outs.



Model: 3120. Double $\frac{3}{32}$ ". Available in 42/52 teeth combination. 170 mm $(6\frac{3}{4}$ ") and 165 mm (6") plain cranks.

Model: 3950.

Steel chainwheel protector for








Manufactured in one continual process, Ofmega steel hubs are precision machined, specially assembled and very competitively priced with other makes of steel hubs.

- * Front hubs with ball races.
- * Integral dust cap and cones on front hubs.
- * Highly polished finish—no excess grease.



Steel hubs

An exceptional highly polished finish is obtained from a special four-phase plating process:

- 1. Dull nickel coating.
- 2. Copper coating
- 3. Bright nickel coating.
- 4. Chrome coating.

Small flange single-speed.

Model 5800: Front 5851 36 hole

Rear 5852 36 hole

Model 5870: Front 5871 28 hole


Rear 5872 28 hole

Model 5895: Front 5896 32 hole

Rear 5897 40 hole

Small flange five-speed.

Model 5852: Rear 36 hole Model 5897: Rear 40 hole



REF	DESCRIPTION	-	Trade Price	PER	REF	DESCRIPTION	W/S Pack	Trade Price	D. B.
						OFMEGA			
	Amoillard FREEWHEEL					Sofmega ALLOY			
	TOOLS					CHAIN RINGS			
06	De Luxe remover	1	5.35	ea		"Super Competition" Outer Rings		- 20	
107	Small splined remover	5	1.97	ea		52 Teeth	2	5.00	-
108	Large splined remover	5	2.47	ea		53 Teeth	2	5.98	- 20
	Cog removing tool (set of 2)	set	3.10	set		54 Teeth	2	6.30	e
A						"Competition"/"Gran Premio"			1
						Outer Rings	2	4.66	e
	OFMEGA					49, 50, 51, 52 Teeth 53 Teeth	2	4.66	200
	Sofmega LIGHT ALLOY					53 Feeth	2	5.31	
	COTTERLESS					Inner Rings for "Super Competition"		5.0	A B
	CHAINWHEEL SETS					"Competition" and "Gran Premio" Sets.			All
	CHAINWHEEL SETS					42, 44, 45 Teeth	2	3.31	e
1220	0	set	34.31	set		48 Teeth	2	3.65	
1000	"Super Competition" 42/52	set	25.66	STATE OF THE PARTY					1
Contract .	"Competition" 42/52	set	18.31	5 M. S. S. M.		OFMEGA	1		4
1200	"Gran Premio" 42/52	set	11.25	The state of the s		ALLOY CHAINWHEEL			
1300	"Super Corsa" 42/52 "Corsa" 42/52	set	10.45			SPARES/ACCESSORIES			A
1400 1920	"Corsa" 42/52 "Turismo" single 48T	set	12.30			of Alles			48
1920	"Competition" single 48T	set	22.90			Replacement Left Hand Cranks			4
	OFMEGA		-	30		"Super Competition" and "Competition"			A
7	LIGHT ALLOY HUBS	1				and "Gran Premio"	ea	3.50) 6
NE CE	LIGHT ALLOT HOLD					"Super Corsa" & "Corsa"	ea	2.81	6
6000	"Super Competition Q/R				1970	Alloy chain protector	ea	1.98	е
	Drillings: 5 spd. 36H				9840	Extractor tool - special design	ea	1.39	
25 E E E	6 spd. 24,28,32,36H	pr	17.31	pr	107/8	Nut, bolt, brace set			An
6100	"Competition" Q/R					Black anodised or chrome	set	1.50	
	Drillings: 5 spd. 36H				100	Dust Cap	ea	0.20	
	6 spd. 24,28,32,36H	pr	11.31	1 2 3		Pedal caps	pr	0.20	
1	Super Competition Q/R Skewers	pr	5.30	200		Screws for "Corsa" chainwheels	set	0.40) s
	Competition Q/R Skewers	pr	3.60	pr					1
	OF MECA					OFMEGA			楊
	OFMEGA					STEEL CHAINWHEEL			4
	LIGHT ALLOY PEDALS					SETS			
	dia di		, 25	-					
9600	Quill, black anodized	pr	3.35	1 1/2	4	3/32" 42/52T Double 170mm cranks	24	4.25	S
9650	Quill, silver anodized	pr	5.20	pr		3/32" 46 or 48T GCC or NGCC 170mm	24	- 70	
	OFMEGA					cranks	24	2.79) si
						1/8" 46 or 48T GCC or NGCC 170mm	24	2.70	4
	STEEL HEADSETS					cranks	24	2.70	
THE	w. BALL RACES				3950	Steel chain protector	ea	0.80	000
			- 76			Steel L/H crank	69	0.93	3 6
8000	Nickelled chrome	set	5.75	STATE OF THE PARTY		OFMEGA			A
8100	Chrome, part black anodized	set 10	1.33						
8200	Chrome	10	0.93			STEEL HUBS	130		Alig
8300	Chrome	10	0.61	set				2.00	
	OFMEGA			A BOOK		S/F Front	ea	0.60	-
				127	The state of	S/F s/s Rear	ea	0.85	MIN C
	BOTTOM BRACKET					S/F 5/s Rear	ea	0.90	4
	SETS		A	A STATE OF THE PARTY OF THE PAR		Fronts and rears available separately			
7700	" Campatition"	rot	1.70	-ot		or in pairs			
7000	"Competition" & "Super Competition"	set	4.70 2.60			Drillings: Front 28, 32, 36H			
7100 7200	"Gran Premio" "Super Corsa"	set	2.60	The second second		Rear 28, 36, 40H			A
/200	"Super Corsa	20.	2.00	201					4
	OFMEGA	A SERVICE OF THE PROPERTY OF T	A SOUTH					1	1
	BOTTOM BRACKET			A STATE OF THE PARTY OF THE PAR		DUCTIN			48
			A STATE OF THE STA			RUSTIN			
	SPARE PARTS					RUBBER			4
	A Company of the Comp	- nt	2.71	-nt		PRODUCTS	1		
	"Competition" axle & bolts	set	3.71		110	- All the state of			
	"Gran Premio" axle & bolts	set	2.05		149	"Gran Premio" repair outfit for	100	236	
MILLER	"Super Corsa" axle & bolts Parts for "Competition & "Gran Premio"	set	1.81	set	2000.5	standard tyres "Competition" repair outfit for	100	3.30	0
	Parts for "Competition & "Gran Premio"	ea	0.65	ea	2000.5	"Competition" repair outfit for N/S & tubular tyres	100	0.80	0
in a state of	Fixed cup	ea	0.65		A STATE OF		20		
	Adjusting cup Lock ring	ea	0.65	2000	215/112	Puncture repair aerosole Extra thick rim tape	25	The same of the sa	
	Lock ring Ball races	pr	0.28		210/112	Extra tnick rim tape	-	0.1.	4
	Ball races Bolts and washers	pr set	0.65	The second second second					
	Boits and Washers	30.	U.E.	3	A STEEL STORY		339		A
		1	The state of	The same of	THE PERSON NAMED IN		-		

IceniCAM Information Service



www.icenicam.org.uk