
Specialised Knowledge of Clubmen's needs

means outstanding performance

The new specification of the Raleigh Clubman puts it even further ahead. There are several new refinements to give extra lightness and faster times. Above all, there's the assurance of quality that only the leading specialists in cycle-construction can give you!



The NEW RAL



Produced for Club Riders and Time Trialists etc. Raleigh Industries' Clubman Models have an exclusive specification at a reasonable price

FRAME.—22", 73° Head and 71° Seat angles, Reynolds '531' Tubing throughout. Fancy design Lugs. Thin taper seat-stays and chain-stays.

FORK.—Specially designed with "D" blades of Reynolds '531' Tubing and solid ends.

WHEELS.—27" x 1\frac{1}{2}" Stainless Steel High Pressure Rims with Stainless Steel Spokes. Bayliss Wiley Continental Hubs.

TYRES .- Dunlop 27" Road Racing.

GEARS.-69.0" and 77.6", fixed.

CHAINWHEEL .- 3-pin detachable, 46T flanged racing type

CRANKS .- 61" fluted.

PEDALS .- Racing type.

BRAKES .- Light alloy with hooded levers.

£22.2.6

Purchase Tax £5 . 3 . 3

£27.5.9

Sturmey-Archer 3- or 4-speed gears can be supplied to order as

an extra.

Ask your Dealer for particulars of Easy Payment Terms.


HANDLEBAR. — Sylvere Maes, light alloy.
Adjustable stem, 2½" forward extension, head clip fixing. Special Rubber Sleeve Grips.
MUDGUARDS. — Detachable white celluloid with Mudflap.
SADDLE.—Brooks B.17N with chromium plated undercarriage.

SADDLE.—Brooks B.17N with chromium plated undercarriage.
SEAT PILLAR.—Light alloy.
FINISH.—Frame and Fork finished in Flamboyant Electric Blue on Spra-bonderized rustproof surface embellished with attractive contrasting columns. Chein star, Seat stay. contrasting colours. Chain-stay, Seat-stay and front Fork-ends Raleigh-chromium plated.

plated.


FITTINGS.—Tools, best quality kitbag, white celluloid inflator, reflector, lamp bracket on right-hand fork blade.

WEIGHT.—Single Gear, without kitbag,



INSIST ON A STURMEY-ARCHER 3- OR 4-SPEED GEAR—The Original and Best





ona

RALEIGH Lenton Sports

Cycling is extra pleasure when you're riding a Raleigh Lenton Sports

Study this abbreviated specification and make a point of inspecting the Lenton at your local dealers'.

ABBREVIATED SPECIFICATION DETAILS

FRAME: 21", 23". 71° head and seat angles. Reynolds '531' Tubing. Entirely brazed-up with brazed-on pump pegs, cutaway lugs. 'D' fork blades with solid ends.

WHEELS: 26" x 1\frac{1}{3}" Endrick rims. Stainless Steel Spokes. TYRES: Dunlop Sprite.

GEAR: 66.4" free; 74.7" fixed.

CHAINWHEEL: Detachable 46T.

CRANKS: Fluted.

PEDALS: Sports Steel.

HANDLEBAR: Special Raleigh design, 16" centres, 6" drop. Adjustable stem. 6" rubber sleeve Grips.

BRAKES: Caliper front and rear.

MUDGUARDS: Detachable white celluloid with mudflap.

SADDLE: Brooks' B.15 best Butt Leather, finest quality, chromium plated undercarriage.

FINISH: Special Super-Chromatic Lenton Green on Spra-bonderized rust-proof surface with attractive transfers. All usual parts Raleigh-Chromium plated.

FITTINGS: Tools, kitbag, inflator, reflector.

PRICES £15.5.3

including Purchase Tud

Ask your local Dealer for Catalogue and Gradual

Payment Terms.

¶ The Lenton is also available, as illustrated, with Sturmey-Archer 4-speed medium ratio gear (FM) with Light Alloy Shell and 'Flick' Trigger Control, and patent 6 volt Dynohub Lighting, at extra cost.

A PRODUCT OF RALEIGH INDUSTRIES LIMITED, NOTTINGHAM




Specialised Knowledge of Clubmen's needs

means outstanding performance

The new specification of the Raleigh Clubman puts it even further ahead. There are several new refinements to give extra lightness and faster times. Above all, there's the assurance of quality that only the leading specialists in cycle-construction can give you!



The NEW RALEIGH



Produced for Club Riders and Time Trialists etc. Raleigh Industries' Clubman Models have an exclusive specification at a reasonable price

FRAME.—22", 73° Head and 71° Seat angles, Reynolds '531' Tubing throughout. Fancy design Lugs. Thin taper seat-stays and chain-stays.

FORK.—Specially designed with "D" blades of Reynolds '531' Tubing and solid ends.

WHEELS.—27" x 14" Stainless Steel High Pressure Rims with Stainless Steel Spokes. Bayliss Wiley Continental Hubs.

TYRES.-Dunlop 27" Road Racing.

GEARS .- 69.0" and 77.6", fixed.

CHAINWHEEL .- 3-pin detachable, 46T flanged racing type.

CRANKS .- 63" fluted.

PEDALS .- Racing type.

BRAKES .- Light alloy with hooded levers.

£22.2.6 Purchase Tax £5 . 3 . 3

£27.5.9

Sturmey-Archer 3- or 4-speed gears can be supplied to order as an extra.

Ask your Dealer for particulars of Gradual Payment Terms.

HANDLEBAR. — Sylvere Maes, light alloy.
Adjustable stem, 23st forward extension, head clip fixing. Special Rubber Sleeve Grips.
MUDGUARDS, — Detachable white celluloid with Mudflap.
SADDLE.—Brooks B.17N with chromium plated undercarriage.
SEAT PILLAR.—Light alloy.
FINISH.—Frame and Fork finished in Flamboyant Electric Blue on Spra-bonderized rustproof surface embellished with attractive contrasting colours. Chain-stay, Seat-stay contrasting colours. Chain-stay, Seat-stay and front Fork-ends Raleigh-chromium

plated. FITTINGS.—Tools, plated.

FITTINGS.—Tools, best quality kitbag, white celluloid inflator, reflector, lamp bracket on right-hand fork blade.

WEIGHT.—Single Gear, without kitbag,



A PRODUCT OF RALEIGH INDUSTRIES LIMITED, NOTTINGHAM

For the Club Rider and Time Trials man!



Here's a specification that measures up to your every requirement

FRAME.—22", 73° Head and 71° Seat angles, Reynolds '531' Tubing throughout. Fancy design Lugs. Thin taper seat-stays and chain-stays. FORK.—Specially designed with "D" blades of Reynolds '531' Tubing and solid steel ends. WHELLS.—27" x 14" Stainless Steel High Pressure Rims with Stainless Steel Spokes. Bayliss Wiley Continental Hubs.
TYRES.—Dunlop 27" Road Racing.
GEARS.—69.0" and 77.6", fixed.
CHAINWHEEL.—3-pin detachable, 46T flanged racing type.

CRANKS.—6½" fluted.
PEDALS.—Racing type.
BRAKES.—Light alloy with hooded levers.
HANDLEBAR.—Sylvere Maes ½" diam. light alloy.

Adjustable stem, 2½" forward extension, head clip fixing. Special R.I. Rubber Sleeve Grips.
MUDGUARDS.—Detachable white celluloid with


Mudflap. SADDLE.—Brooks B.17N with chromium plated

undercarriage.
SEAT PILLAR.—Light alloy.
FINISH.—Frame and Fork finished in Flamboyant
Electric Blue on Spra-bonderized rustproof surface
embellished with attractive contrasting colours.
Chain-stay, Seat-stay and front Fork-ends Raleigh-

chromium plated.
FITTINGS.—Tools, best quality kitbag, white celluloid inflator, reflector, lamp bracket on righthand fork blade.

WEIGHT.—Single Gear, without kitbag, 251 lbs.

The New RALE GH Clubman



CASH PRICE (including Purchase Tax)

Sturmey-Archer 3- or 4-speed gears, as illustrated, can be supplied to order as an extra.

Ask your dealer for Catalogue and particulars of Gradual Payment Terms.

A PRODUCT OF RALEIGH INDUSTRIES



LIMITED, NOTTINGHAM

Specify STURMEY-ARCHER Medium or Close Ratio 3- or 4-Speed Gear - with Alloy Hub Shell



For the Club Rider and Time Trials man!



Here's a specification that measures up to your every requirement

FRAME.—22", 73° Head and 71° Seat angles, Reynolds '531' Tubing throughout. Fancy design Lugs. Thin taper seat-stays and chain-stays. FORK.—Specially designed with "D" blades of Reynolds '531' Tubing and solid steel ends. WHEELS.—27" X 1½" Stainless Steel High Pressure Rims with Stainless Steel Spokes. Bayliss Wiley Continental Hubs.

TYRES.—Dunlop 27" Road Racing.
GEARS.—69.0" and 77.6", fixed.
CHAINWHEEL.—3-pin detachable, 46T flanged

racing type.

CRANKS.—6½" fluted.

PEDALS.—Racing type.

BRAKES.—Light alloy with hooded levers.

HANDLEBAR.—Sylvere Maes ½" diam. light alloy.

Adjustable stem, 2½" forward extension, head clip fixing. Special R.I. Rubber Sleeve Grips.
MUDGUARDS.—Detachable white celluloid with

Mudflap. SADDLE.—Brooks B.17N with chromium plated

SADDLE.—Brooks D.F/N with Chromosomer undercarriage.
SEAT PILLAR.—Light alloy.
FINISH.—Frame and Fork finished in Flamboyant Electric Blue on Spra-bonderized rustproof surface embellished with attractive contrasting colours. Chain-stay, Seat-stay and front Fork-ends Raleigh-chromium plated.

chromium plated.

FITTINGS.—Tools, best quality kitbag, white celluloid inflator, reflector, lamp bracket on right-hand fork blade.

WEIGHT.-Single Gear, without kitbag, 251 lbs.

The New RALE GH Clubman



CASH PRICE (including Purchase Tax)

Sturmey-Archer 3- or 4-speed gears, as illus-£27.5.9 trated, can be supplied to order as an extra.

Ask your dealer for Catalogue and particulars of Gradual Payment Terms.

A PRODUCT OF RALEIGH INDUSTRIES



LIMITED, NOTTINGHAM

Specify STURMEY-ARCHER Medium or Close Ratio 3- or 4-Speed Gear - with Alloy Hub Shell



REG. HARRIS DOES IT AGAIN!


BEATS HIS OWN WORLD RECORD FOR 1,000 METRES UNPACED STANDING START ON OUTDOOR TRACK AT MILAN, JUNE 4TH.





OF RALEIGH INDUSTRIES LIMITED, NOTTINGHAM

IceniCAM On-Line Library



www.icenicam.org.uk