


# Specialised Knowledge of Clubmen's needs means outstanding performance

The new specification of the Raleigh Clubman puts it even further ahead. There are several new refinements to give extra lightness and faster times. Above all, there's the assurance of quality that only the leading specialists in cycle-construction can give you!



## The NEW RALEIGH CLUBMAN



*Produced for Club Riders and Time Trialists etc. Raleigh Industries' Clubman Models have an exclusive specification at a reasonable price*

**FRAME.**—22", 73° Head and 71° Seat angles, Reynolds '531' Tubing throughout. Fancy design Lugs. Thin taper seat-stays and chain-stays.

**FORK.**—Specially designed with "D" blades of Reynolds '531' Tubing and solid ends.

**WHEELS.**—27" x 1 1/4" Stainless Steel High Pressure Rims with Stainless Steel Spokes. Bayliss Wiley Continental Hubs.

**TYRES.**—Dunlop 27" Road Racing.

**GEARS.**—69.0" and 77.6", fixed.

**CHAINWHEEL.**—3-pin detachable, 46T flanged racing type.

**CRANKS.**—6 1/2" fluted.

**PEDALS.**—Racing type.

**BRAKES.**—Light alloy with hooded levers.

£ 2 2 . 2 . 6

Purchase Tax

£ 5 . 3 . 3

£ 2 7 . 5 . 9

*Sturmey-Archer 3- or 4-speed gears can be supplied to order as an extra.*

*Ask your Dealer for particulars of Easy Payment Terms.*

**HANDLEBAR.**—Sylvere Maes, light alloy. Adjustable stem, 2 1/4" forward extension, head clip fixing. Special Rubber Sleeve Grips.

**MUDGUARDS.**—Detachable white celluloid with Mudflap.

**SADDLE.**—Brooks B.17N with chromium plated undercarriage.

**SEAT PILLAR.**—Light alloy.

**FINISH.**—Frame and Fork finished in Flamboyant Electric Blue on Spra-bonderized rustproof surface embellished with attractive contrasting colours. Chain-stay, Seat-stay and front Fork-ends Raleigh-chromium plated.

**FITTINGS.**—Tools, best quality kitbag, white celluloid inflator, reflector, lamp bracket on right-hand fork blade.

**WEIGHT.**—Single Gear, without kitbag, 25 1/2 lbs.




A PRODUCT OF RALEIGH INDUSTRIES LIMITED, NOTTINGHAM

**INSIST ON A STURMEY-ARCHER 3- OR 4-SPEED GEAR—The Original and Best**

R.C.137B.

Keep ahead...




on a  
**RALEIGH**  
Lenton Sports

Cycling is extra pleasure  
when you're riding a  
Raleigh Lenton Sports

Study this abbreviated specification  
and make a point of inspecting the  
Lenton at your local dealers'.

ABBREVIATED SPECIFICATION DETAILS



FRAME: 21", 23". 71° head and seat angles. Reynolds '531' Tubing. Entirely brazed-up with brazed-on pump pegs, cutaway lugs. 'D' fork blades with solid ends.

WHEELS: 26" x 1 1/4" Endrick rims. Stainless Steel Spokes. TYRES: Dunlop Sprite.

GEAR: 66.4" free; 74.7" fixed.

CHAINWHEEL: Detachable 46T.

CRANKS: Fluted.

PEDALS: Sports Steel.

HANDLEBAR: Special Raleigh design, 16" centres, 6" drop. Adjustable stem. 6" rubber sleeve Grips.

BRAKES: Caliper front and rear. MUDGUARDS: Detachable white celluloid with mudflap.

SADDLE: Brooks' B.15 best Butt Leather, finest quality, chromium plated undercarriage.

FINISH: Special Super-Chromatic Lenton Green on Spra-bonderized rust-proof surface with attractive transfers. All usual parts Raleigh-Chromium plated.

FITTINGS: Tools, kitbag, inflator, reflector.

PRICES £15 . 17 . 7

from  
including Purchase Tax

Ask your local Dealer for Catalogue and Gradual  
Payment Terms.

¶ The Lenton is also available, as illustrated, with Sturmey-Archer 4-speed medium ratio gear (FM) with Light Alloy Shell and 'Flick' Trigger Control, and patent 6 volt Dynohub Lighting, at extra cost.



A PRODUCT OF RALEIGH INDUSTRIES LIMITED, NOTTINGHAM

INSIST ON A STURMEY-ARCHER 3- OR 4-SPEED GEAR—The Original and Best

RC.146

# For the Club Rider and Time Trials man!


*Here's a specification that measures up  
to your every requirement*



**FRAME.**—22", 73° Head and 71° Seat angles, Reynolds '531' Tubing throughout. Fancy design Lugs. Thin taper seat-stays and chain-stays.  
**FORK.**—Specially designed with "D" blades of Reynolds '531' Tubing and solid steel ends.  
**WHEELS.**—27" x 1 1/4" Stainless Steel High Pressure Rims with Stainless Steel Spokes. Bayliss Wiley Continental Hubs.  
**TYRES.**—Dunlop 27" Road Racing.  
**GEARS.**—69.0" and 77.6", fixed.  
**CHAINWHEEL.**—3-pin detachable, 46T flanged racing type.  
**CRANKS.**—6 1/2" fluted.  
**PEDALS.**—Racing type.  
**BRAKES.**—Light alloy with hooded levers.  
**HANDLEBAR.**—Sylvere Maes 1/2" diam. light alloy.

Adjustable stem, 2 1/2" forward extension, head clip fixing. Special R.I. Rubber Sleeve Grips.  
**MUDGUARDS.**—Detachable white celluloid with Mudflap.  
**SADDLE.**—Brooks B.17N with chromium plated undercarriage.  
**SEAT PILLAR.**—Light alloy.  
**FINISH.**—Frame and Fork finished in Flamboyant Electric Blue on Sprayed rustproof surface embellished with attractive contrasting colours. Chain-stay, Seat-stay and front Fork-ends Raleigh-chromium plated.  
**FITTINGS.**—Tools, best quality kitbag, white celluloid inflater, reflector, lamp bracket on right-hand fork blade.  
**WEIGHT.**—Single Gear, without kitbag, 25 1/2 lbs.

## The New **RALEIGH** Clubman



*See the  
Raleigh  
Clubman  
at your  
Dealer's*

CASH PRICE (including Purchase Tax)

Sturmey-Archer 3- or 4-speed gears, as illustrated, can be supplied to order as an extra. **£27.5.9**

Ask your dealer for Catalogue and particulars of Gradual Payment Terms.

A PRODUCT OF RALEIGH INDUSTRIES




LIMITED, NOTTINGHAM

Specify **STURMEY-ARCHER** Medium or Close Ratio 3- or 4-Speed Gear—*with Alloy Hub Shell*

R.C.148

Keep ahead...




on a  
**RALEIGH**  
Lenton Sports

Cycling is extra pleasure  
when you're riding a  
Raleigh Lenton Sports

Study this abbreviated specification  
and make a point of inspecting the  
Lenton at your local dealers'.

ABBREVIATED SPECIFICATION DETAILS



FRAME: 21", 23". 71° head and seat angles. Reynolds '531' Tubing. Entirely brazed-up with brazed-on pump pegs, cutaway lugs. 'D' fork blades with solid ends.

WHEELS: 26" x 1 1/4" Endrick rims. Stainless Steel Spokes. TYRES: Dunlop Sprite.

GEAR: 66.4" free; 74.7" fixed.

CHAINWHEEL: Detachable 46T.

CRANKS: Fluted.

PEDALS: Sports Steel.

HANDLEBAR: Special Raleigh design, 16" centres, 6" drop. Adjustable stem. 6" rubber sleeve Grips.

BRAKES: Caliper front and rear.

MUDGUARDS: Detachable white celluloid with mudflap.

SADDLE: Brooks' B.15 best Butt Leather, finest quality, chromium plated undercarriage.

FINISH: Special Super-Chromatic Lenton Green on Spra-bonderized rust-proof surface with attractive transfers. All usual parts Raleigh-Chromium plated.

FITTINGS: Tools, kitbag, inflator, reflector.

PRICES £15 . 17 . 7

from  
including Purchase Tax  
Ask your local Dealer for Catalogue and Gradual  
Payment Terms.

¶ The Lenton is also available, as illustrated, with Sturmey-Archer 4-speed medium ratio gear (FM) with Light Alloy Shell and 'Flick' Trigger Control, and patent 6 volt Dynohub Lighting, at extra cost.




A PRODUCT OF RALEIGH INDUSTRIES LIMITED, NOTTINGHAM

INSIST ON A STURMEY-ARCHER 3- OR 4-SPEED GEAR—The Original and Best

RC.146

# **REG. HARRIS DOES IT AGAIN!**



**BEATS HIS OWN WORLD RECORD FOR  
RACED STANDING START  
JUNE 4TH.**

THE 1951 SEASON WILL FEATURE

# RALEIGH

INDUSTRIES

**Winners of the  
World's  
Cycling  
Championship**

1949 and 1950

WITH A RANGE OF

**“Festival of Britain”  
models**


COMMENCING WITH AN

**Easter Parade**

WATCH FOR FURTHER ANNOUNCEMENT

*Look out for details of the National  
Contest to find Raleigh, Rudge, and  
Humber Festival of Britain Cycling Girls*

# IceniCAM On-Line Library



[www.icenicam.org.uk](http://www.icenicam.org.uk)